



PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1997 - 2006
Compiled January, 2007

District Five

Prepared by:
Idaho Transportation Department
Division of Planning and Programming



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formally called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	000.000	008.123	ASC	1997	3.30	3.00	17	3.15	0.08		
						1998	3.10	3.00	21	3.05	0.05		
						1999	3.00	3.00	19	3.00	0.05		
						2000	2.90	3.00	19	2.94	0.05		
						2001	3.30	3.00	19	3.15	0.03		
						2002	3.40	3.10	19	3.25	0.07	GRIND AND JOINT SEAL (CONC)	2002
						2003		3.10	00	3.10	0.00		
						2004	3.80	5.00	00	4.39	0.03	PLANT MIX OVERLAY	2004
						2005	3.80	5.00	00	4.39	0.03		
						2006	3.80	5.00	00	4.39	0.04		
5	I-15	001330	000.000	008.123	DES	1997	3.20	3.00	15	3.10	0.04		
						1998	3.10	3.00	20	3.05	0.06		
						1999	3.00	3.00	18	3.00	0.05		
						2000	2.90	2.90	18	2.90	0.05		
						2001	2.90	2.90	18	2.90	0.05		
						2002	3.50	3.40	18	3.45	0.05	GRIND AND JOINT SEAL (CONC)	2002
						2003	3.80	3.40	00	3.60	0.05		
						2004	3.90	5.00	00	4.44	0.04	PLANT MIX OVERLAY	2004
						2005	3.90	5.00	00	4.44	0.04		
						2006	3.90	5.00	00	4.44	0.03		
5	I-15	001330	008.123	016.229	ASC	1997	3.50	3.30	16	3.40	0.05		
						1998	3.40	3.30	22	3.35	0.06		
						1999	3.30	3.30	19	3.30	0.06	SEALCOAT	1999
						2000	3.20	3.30	19	3.24	0.06		
						2001	3.30	3.20	19	3.25	0.05		
						2002	3.60	3.10	19	3.35	0.05	GRIND AND JOINT SEAL (CONC)	2002
						2003	3.80	3.10	00	3.45	0.05		
						2004	3.90	5.00	00	4.44	0.03	PLANT MIX OVERLAY	2004
						2005	3.80	4.80	00	4.29	0.05		
						2006	3.80	4.80	00	4.29	0.05		
5	I-15	001330	008.123	016.229	DES	1997	3.40	2.80	15	3.10	0.05		
						1998	3.20	2.80	19	3.00	0.05		
						1999	3.20	2.80	17	3.00	0.05	SEALCOAT	1999
						2000	3.10	2.80	17	2.95	0.05		
						2001	3.10	2.80	17	2.95	0.05		
						2002	3.50	3.40	17	3.45	0.05	GRIND AND JOINT SEAL (CONC)	2002
						2003	3.90	3.40	00	3.65	0.06		
						2004	3.90	5.00	00	4.44	0.05	PLANT MIX OVERLAY	2004
						2005	3.90	5.00	00	4.44	0.05		
						2006	3.80	5.00	00	4.39	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	016.229	021.540	ASC	1997	3.90	3.80	38	3.85	0.18	SEALCOAT	1999
						1998	3.80	3.80	51	3.80	0.22		
						1999	3.80	3.80	46	3.80	0.24		
						2000	3.80	3.80	46	3.80	0.22		
						2001	3.90	3.80	46	3.85	0.28		
						2002	3.60	3.70	46	3.64	0.30		
						2003	3.60	3.70	00	3.64	0.26		
						2004	3.60	3.10	00	3.35	0.34		
						2005	3.50	2.40	00	2.95	0.34		
5	I-15	001330	016.229	021.540	DES	1997	3.80	4.50	39	4.14	0.10	SEALCOAT	1999
						1998	3.70	4.50	50	4.09	0.12		
						1999	3.80	4.50	44	4.14	0.15		
						2000	3.80	4.50	44	4.14	0.17		
						2001	3.70	4.50	44	4.09	0.17		
						2002	3.40	3.70	44	3.54	0.21		
						2003	3.60	3.70	00	3.64	0.20		
						2004	3.50	3.70	00	3.59	0.23		
						2005	3.60	2.40	00	3.00	0.25		
5	I-15	001330	021.540	024.936	ASC	1997	3.70	5.00	47	4.34	0.08		
						1998	3.70	5.00	55	4.34	0.05		
						1999	3.70	3.40	55	3.55	0.04		
						2000	3.70	3.00	55	3.35	0.05		
						2001	3.60	3.00	55	3.30	0.06		
						2002	3.50	3.00	55	3.25	0.08		
						2003	3.50	3.00	00	3.25	0.08		
						2004	3.30	2.90	00	3.10	0.09		
						2005	3.30	2.40	00	2.85	0.11		
5	I-15	001330	021.540	024.936	DES	1997	3.80	5.00	46	4.39	0.09		
						1998	3.80	5.00	54	4.39	0.04		
						1999	3.80	4.50	53	4.14	0.04		
						2000	3.80	4.50	53	4.14	0.05		
						2001	3.80	4.20	53	3.99	0.05		
						2002	3.60	4.20	53	3.89	0.06		
						2003	3.50	4.20	00	3.84	0.05		
						2004	3.40	4.20	00	3.79	0.07		
2005	3.40	3.90	00	3.64	0.08								
2006	3.40	3.90	00	3.64	0.06								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	024.936	030.870	ASC	1997	3.90	5.00	47	4.44	0.09		
						1998	3.90	5.00	55	4.44	0.05		
						1999	4.00	4.00	55	4.00	0.05		
						2000	3.90	4.00	55	3.94	0.05		
						2001	3.90	4.00	55	3.94	0.05		
						2002	3.70	4.00	55	3.84	0.06		
						2003	3.80	4.00	00	3.89	0.07		
						2004	3.60	4.00	00	3.79	0.05		
						2005	3.60	3.70	00	3.64	0.07		
						2006	3.70	3.10	00	3.40	0.05		
5	I-15	001330	024.936	030.870	DES	1997	3.80	5.00	43	4.39	0.09		
						1998	3.70	5.00	52	4.34	0.06		
						1999	3.80	5.00	53	4.39	0.05		
						2000	3.80	5.00	53	4.39	0.05		
						2001	3.80	5.00	53	4.39	0.05		
						2002	3.60	4.80	53	4.19	0.07		
						2003	3.60	4.80	00	4.19	0.05		
						2004	3.50	4.10	00	3.79	0.07		
						2005	3.50	4.00	00	3.74	0.08		
						2006	3.40	4.00	00	3.69	0.07		
5	I-15	001330	030.870	036.150	ASC	1997	3.50	3.50	21	3.50	0.05		
						1998	3.40	3.50	29	3.44	0.02		
						1999	3.40	3.50	26	3.44	0.03		
						2000	3.30	3.50	26	3.39	0.02		
						2001	3.40	3.50	26	3.44	0.03		
						2002	3.10	3.50	26	3.29	0.02		
						2003	3.60	4.00	00	3.79	0.05	CONCRETE REHAB	2003
						2004	3.60	4.00	00	3.79	0.04		
						2005	3.50	4.00	00	3.74	0.04		
						2006	3.60	4.00	00	3.79	0.03		
5	I-15	001330	030.870	036.150	DES	1997	3.40	3.50	23	3.44	0.05		
						1998	3.30	3.50	29	3.39	0.02		
						1999	3.30	3.50	28	3.39	0.03		
						2000	3.20	3.50	28	3.34	0.03		
						2001	3.30	3.50	28	3.39	0.03		
						2002	3.00	3.50	28	3.24	0.03		
						2003	3.00	4.00	00	3.49	0.03	CONCRETE REHAB	2003
						2004	3.40	4.00	00	3.69	0.04		
						2005	3.40	4.00	00	3.69	0.04		
						2006	3.40	4.00	00	3.69	0.03		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	036.150	039.750	ASC	*1997	3.90	3.90	47	3.90	0.11		
						1998	4.00	3.90	55	3.95	0.11		
						1999	4.00	3.90	53	3.95	0.11		
						2000	3.90	3.90	53	3.90	0.11		
						2001	4.00	3.90	53	3.95	0.12		
						*2002	3.80	3.90	53	3.84	0.14		
						2003	3.30	5.00	00	4.13	0.09	C.R.A.B.S.	2003
						2004	3.50	5.00	00	4.24	0.06		
						2005	3.50	5.00	00	4.24	0.07		
						2006	3.50	5.00	00	4.24	0.06		
5	I-15	001330	036.150	039.750	DES	*1997	3.90	4.00	47	3.94	0.12		
						1998	3.90	4.00	52	3.94	0.11		
						1999	3.90	4.00	51	3.94	0.11		
						2000	3.90	4.00	51	3.94	0.12		
						2001	3.90	4.00	51	3.94	0.11		
						*2002	3.70	3.70	51	3.70	0.13		
						2003	3.60	5.00	00	4.29	0.05	C.R.A.B.S.	2003
						2004	3.50	5.00	00	4.24	0.06		
						2005	3.50	5.00	00	4.24	0.07		
						2006	3.50	5.00	00	4.24	0.06		
5	I-15	001330	039.750	046.670	ASC	*1997	3.90	3.90	47	3.90	0.11		
						1998	4.00	3.90	55	3.95	0.11		
						1999	4.00	3.90	53	3.95	0.11		
						2000	3.90	3.90	53	3.90	0.11		
						2001	4.00	3.90	53	3.95	0.12		
						*2002	3.80	3.90	53	3.84	0.14		
						2003	3.70	3.70	00	3.70	0.13	SEALCOAT	2003
						2004	3.70	3.70	00	3.70	0.13		
						2005	3.70	3.10	00	3.40	0.13		
						2006	3.80	2.90	00	3.35	0.12		
5	I-15	001330	039.750	046.670	DES	*1997	3.90	4.00	47	3.94	0.12		
						1998	3.90	4.00	52	3.94	0.11		
						1999	3.90	4.00	51	3.94	0.11		
						2000	3.90	4.00	51	3.94	0.12		
						2001	3.90	4.00	51	3.94	0.11		
						*2002	3.70	3.70	51	3.70	0.13		
						2003	3.70	3.70	00	3.70	0.13	SEALCOAT	2003
						2004	3.70	3.70	00	3.70	0.14		
						2005	3.70	3.70	00	3.70	0.12		
						2006	3.70	3.40	00	3.55	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	046.670	054.800	ASC	*1997	3.90	3.90	47	3.90	0.11		
						1998	4.00	5.00	56	4.49	0.06	MILL INLAY AND OVERLAY	1998
						1999	4.10	5.00	55	4.54	0.07		
						2000	4.10	5.00	55	4.54	0.09		
						2001	4.10	4.70	55	4.39	0.09		
						2002	3.70	4.70	55	4.19	0.10		
						2003	3.70	4.70	00	4.19	0.10	SEALCOAT	2003
						2004	3.70	3.90	00	3.79	0.11		
						2005	3.70	3.50	00	3.60	0.12		
						2006	3.70	3.50	00	3.60	0.11		
5	I-15	001330	046.670	054.800	DES	*1997	3.90	4.00	47	3.94	0.12		
						1998	3.90	5.00	53	4.44	0.04	MILL INLAY AND OVERLAY	1998
						1999	4.00	5.00	52	4.49	0.07		
						2000	4.00	5.00	52	4.49	0.10		
						2001	4.00	5.00	52	4.49	0.09		
						2002	3.60	5.00	52	4.28	0.11		
						2003	3.60	5.00	00	4.28	0.11	SEALCOAT	2003
						2004	3.60	5.00	00	4.28	0.13		
						2005	3.60	5.00	00	4.28	0.14		
						2006	3.60	4.80	00	4.18	0.11		
5	I-15	001330	054.800	057.400	ASC	*1997	3.60	4.50	23	4.04	0.06		
						1998	3.70	4.50	58	4.09	0.08	PLANT MIX OVERLAY	1998
						1999	3.80	4.50	59	4.14	0.08		
						2000	3.80	4.50	59	4.14	0.10		
						2001	3.80	4.50	59	4.14	0.10		
						2002	3.50	4.50	59	3.99	0.10		
						2003	3.50	4.50	00	3.99	0.13		
						2004	3.50	4.50	00	3.99	0.14		
						2005	3.40	4.50	00	3.94	0.14		
						2006	3.50	4.50	00	3.99	0.09		
5	I-15	001330	054.800	057.400	DES	*1997	3.80	4.50	24	4.14	0.18		
						1998	3.70	4.50	47	4.09	0.08	PLANT MIX OVERLAY	1998
						1999	3.50	4.50	43	3.99	0.13		
						2000	3.50	4.50	43	3.99	0.13		
						2001	3.50	4.50	43	3.99	0.17		
						2002	3.20	4.50	43	3.83	0.20		
						2003	3.20	4.50	00	3.83	0.21		
						2004	3.20	4.50	00	3.83	0.21		
						2005	3.20	4.50	00	3.83	0.26		
						2006	3.10	4.50	00	3.78	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	057.400	059.011	ASC	*1997	3.60	4.50	23	4.04	0.06		
						1998	3.70	4.50	59	4.09	0.07	MILL INLAY AND OVERLAY	1998
						1999	3.70	4.50	58	4.09	0.07	SEALCOAT	1999
						2000	3.80	4.50	58	4.14	0.08		
						2001	3.70	4.50	58	4.09	0.08		
						2002	3.60	4.50	58	4.04	0.10		
						2003	3.60	4.50	00	4.04	0.09		
						2004	3.60	4.50	00	4.04	0.11		
						2005	3.50	4.50	00	3.98	0.13		
						2006	3.60	4.50	00	4.04	0.09		
5	I-15	001330	057.400	059.011	DES	*1997	3.80	4.50	24	4.14	0.18		
						1998	3.80	4.50	55	4.14	0.11	MILL INLAY AND OVERLAY	1998
						1999	3.70	4.50	51	4.09	0.18	SEALCOAT	1999
						2000	3.80	4.50	51	4.14	0.21		
						2001	3.70	4.50	51	4.09	0.20		
						2002	3.60	4.50	51	4.04	0.24		
						2003	3.50	4.50	00	3.98	0.26		
						2004	3.40	4.50	00	3.93	0.26		
						2005	3.40	4.50	00	3.93	0.28		
						2006	3.30	4.50	00	3.88	0.14		
5	I-15	001330	059.011	063.200	ASC	1997	3.90	4.50	24	4.19	0.07		
						1998	4.00	4.50	57	4.24	0.10		
						1999	3.90	4.50	56	4.19	0.12	SEALCOAT	1999
						2000	4.00	4.50	56	4.24	0.12		
						2001	4.00	4.50	56	4.24	0.11		
						2002	3.80	4.40	56	4.09	0.13		
						2003	3.80	4.40	00	4.09	0.12		
						2004	3.80	4.30	00	4.04	0.13		
						2005	3.80	3.80	00	3.80	0.14		
						2006	3.80	3.80	00	3.80	0.10		
5	I-15	001330	059.011	063.200	DES	1997	3.70	4.50	23	4.09	0.12		
						1998	3.70	4.50	58	4.09	0.16		
						1999	3.70	4.50	53	4.09	0.18	SEALCOAT	1999
						2000	3.80	4.50	53	4.14	0.19		
						2001	3.80	4.50	53	4.14	0.19		
						2002	3.50	4.40	53	3.94	0.22		
						2003	3.50	4.40	00	3.94	0.21		
						2004	3.50	4.40	00	3.94	0.22		
						2005	3.50	4.40	00	3.94	0.23		
						2006	3.40	4.00	00	3.69	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	063.200	064.247	ASC	1997	4.00	4.50	36	4.24	0.12		
						1998	4.00	4.50	58	4.24	0.17		
						1999	3.90	4.50	58	4.19	0.17	SEALCOAT	1999
						2000	4.00	4.50	58	4.24	0.17		
						2001	4.00	4.50	58	4.24	0.24		
						2002	3.70	4.50	58	4.09	0.24		
						2003	3.70	4.50	00	4.09	0.25		
						2004	3.60	4.50	00	4.04	0.27		
						2005	3.60	4.50	00	4.04	0.26		
						2006	3.60	4.50	00	4.04	0.22		
5	I-15	001330	063.200	064.247	DES	1997	4.10	4.50	36	4.29	0.24		
						1998	4.10	4.50	59	4.29	0.32		
						1999	4.00	4.50	54	4.24	0.34	SEALCOAT	1999
						2000	4.00	4.50	54	4.24	0.31		
						2001	4.10	4.50	54	4.29	0.33		
						2002	3.80	4.50	54	4.14	0.34		
						2003	3.70	4.50	00	4.09	0.32		
						2004	3.60	4.50	00	4.04	0.36		
						2005	3.60	4.50	00	4.04	0.42		
						2006	3.50	4.50	00	3.98	0.10		
5	I-15	001330	064.247	066.378	ASC	1997	4.20	4.50	35	4.34	0.09		
						1998	4.10	4.50	59	4.29	0.14		
						1999	4.10	4.50	57	4.29	0.14	SEALCOAT	1999
						2000	4.10	4.50	57	4.29	0.14		
						2001	4.10	4.50	57	4.29	0.14		
						2002	3.80	4.50	57	4.14	0.18		
						2003	3.80	4.50	00	4.14	0.18		
						2004	3.70	4.50	00	4.09	0.18		
						2005	3.70	4.00	00	3.84	0.20		
						2006	3.70	4.00	00	3.84	0.14		
5	I-15	001330	064.247	066.378	DES	1997	4.10	4.50	35	4.29	0.15		
						1998	4.00	4.50	58	4.24	0.20		
						1999	4.00	4.50	51	4.24	0.13	SEALCOAT	1999
						2000	4.00	4.50	51	4.24	0.24		
						2001	4.00	4.50	51	4.24	0.23		
						2002	3.70	4.50	51	4.09	0.24		
						2003	3.70	4.50	00	4.09	0.26		
						2004	3.60	4.50	00	4.04	0.27		
						2005	3.60	4.50	00	4.04	0.28		
						2006	3.60	4.50	00	4.04	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	066.378	068.763	ASC	1997	3.60	5.00	31	4.28	0.14	SEALCOAT	1999
						1998	3.70	5.00	60	4.33	0.23		
						1999	3.60	4.50	57	4.04	0.22		
						2000	3.60	4.50	57	4.04	0.24		
						2001	3.60	4.50	57	4.04	0.25		
						2002	3.40	3.60	57	3.49	0.27		
						2003	3.40	3.60	00	3.49	0.25		
						2004	3.40	2.40	00	2.91	0.21		
						2005	3.40	2.40	00	2.91	0.30		
						2006	3.20	2.40	00	2.80	0.26		
5	I-15	001330	066.378	068.763	DES	1997	3.70	5.00	29	4.33	0.14	SEALCOAT	1999
						1998	3.70	5.00	59	4.33	0.20		
						1999	3.60	5.00	55	4.28	0.20		
						2000	3.70	3.30	55	3.50	0.19		
						2001	3.70	3.30	55	3.50	0.22		
						2002	3.50	3.30	55	3.40	0.19		
						2003	3.50	3.10	00	3.30	0.19		
						2004	3.50	3.10	00	3.30	0.22		
						2005	3.40	2.40	00	2.91	0.25		
						2006	3.40	2.40	00	2.91	0.17		
5	I-15	001330	068.763	069.378	ASC	1997	3.70	5.00	29	4.33	0.17	SEALCOAT	1999
						*1998	3.80	5.00	29	4.38	0.19		
						1999	3.50	5.00	57	4.23	0.20		
						2000	3.50	4.60	57	4.03	0.21		
						2001	3.60	4.50	57	4.04	0.24		
						2002	3.50	4.50	57	3.98	0.22		
						2003	3.40	3.50	00	3.44	0.25		
						2004	3.40	2.40	00	2.91	0.24		
						2005	3.50	2.40	00	2.96	0.25		
						2006	3.50	2.40	00	2.96	0.03		
5	I-15	001330	068.763	069.378	DES	1997	3.60	5.00	27	4.27	0.13	SEALCOAT	1999
						*1998	3.60	5.00	27	4.27	0.20		
						1999	3.70	4.00	54	3.84	0.21		
						2000	3.70	4.00	54	3.84	0.23		
						2001	3.60	3.00	54	3.30	0.22		
						2002	3.40	2.90	54	3.15	0.24		
						2003	3.30	2.40	00	2.85	0.23		
						2004	3.30	2.40	00	2.85	0.23		
						2005	3.20	2.40	00	2.80	0.25		
						2006	3.40	2.40	00	2.91	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	069.378	071.019	ASC	1997	3.70	5.00	38	4.33	0.13	MILL INLAY AND OVERLAY	1997
						*1998	3.60	5.00	46	4.27	0.11		
						1999	3.40	5.00	40	4.17	0.15	MILL AND INLAY	1999
						2000	3.60	3.40	40	3.50	0.24		
						2001	3.40	3.40	40	3.40	0.22		
						2002	3.40	3.40	40	3.40	0.24		
						2003	3.30	3.10	00	3.20	0.21		
						2004	3.30	2.40	00	2.86	0.25		
						2005	3.30	2.40	00	2.86	0.27		
						2006	3.40	2.40	00	2.91	0.10		
5	I-15	001330	069.378	071.019	DES	1997	3.50	5.00	42	4.22	0.09	MILL INLAY AND OVERLAY	1997
						*1998	3.30	5.00	51	4.12	0.10		
						1999	3.40	5.00	41	4.17	0.16	MILL AND INLAY	1999
						2000	3.50	4.70	41	4.08	0.20		
						2001	3.50	4.10	41	3.79	0.19		
						2002	3.30	4.10	41	3.68	0.21		
						2003	3.10	3.30	00	3.19	0.21		
						2004	3.20	2.40	00	2.81	0.21		
						2005	3.20	2.40	00	2.81	0.18		
						2006	3.30	2.40	00	2.86	0.17		
5	I-15	001330	071.019	071.598	ASC	1997	3.70	5.00	38	4.33	0.13	MILL INLAY AND OVERLAY	1997
						*1998	3.60	5.00	46	4.27	0.11		
						1999	3.40	5.00	48	4.17	0.15		
						2000	3.60	5.00	48	4.27	0.12		
						2001	3.50	5.00	48	4.22	0.14		
						2002	3.20	5.00	41	4.07	0.16		
						2003	3.10	4.70	00	3.87	0.08		
						2004	3.20	3.20	00	3.20	0.15		
						2005	3.20	3.20	00	3.20	0.21		
						2006	3.10	2.40	00	2.76	0.08		
5	I-15	001330	071.019	071.598	DES	1997	3.50	5.00	42	4.22	0.09	MILL INLAY AND OVERLAY	1997
						*1998	3.30	5.00	51	4.12	0.10		
						1999	3.30	5.00	51	4.12	0.14		
						2000	3.40	4.70	51	4.02	0.13		
						2001	3.40	4.70	51	4.02	0.20		
						2002	3.40	4.70	41	4.02	0.24		
						2003	3.60	4.00	00	3.79	0.24		
						2004	3.50	2.70	00	3.11	0.26		
						2005	3.50	2.70	00	3.11	0.28		
						2006	3.40	2.60	00	3.01	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS							
5	I-15	001330	071.598	072.610	ASC	1997	3.70	5.00	44	4.33	0.14	MILL INLAY AND OVERLAY	1997						
						1998	3.70	5.00	51	4.33	0.16								
						1999	3.70	5.00	53	4.33	0.18								
5	I-15	001330	071.598	072.610	DES	1997	3.60	5.00	40	4.28	0.10	MILL INLAY AND OVERLAY	1997						
						1998	3.60	5.00	52	4.28	0.08								
						1999	3.50	5.00	52	4.23	0.08								
5	I-15	001330	072.610	075.182	ASC	1997	3.70	2.30	15	3.01	0.18								
						1998	3.70	2.20	27	2.96	0.17								
						1999	3.70	2.20	54	2.96	0.20								
5	I-15	001330	072.610	075.182	DES	1997	3.60	2.30	23	2.96	0.22								
						1998	3.60	2.20	28	2.91	0.37								
						1999	3.60	2.20	52	2.91	0.31								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	075.182	076.010	ASC	1997	3.70	2.30	24	3.01	0.20		
						*1998	3.60	2.30	34	2.96	0.25		
						1999	3.80	2.30	54	3.06	0.21		
						2000	3.80	2.30	54	3.06	0.26		
						2001	3.80	2.30	54	3.06	0.26		
						2002	2.90	5.00	54	3.92	0.08	C.R.A.B.S.	2002
						2003	2.70	5.00	00	3.82	0.10		
						2004	2.70	5.00	00	3.81	0.08		
						2005	2.70	5.00	00	3.82	0.06	SEALCOAT	2005
						2006	2.80	5.00	00	3.87	0.06		
5	I-15	001330	075.182	076.010	DES	1997	3.70	2.40	24	3.06	0.20		
						*1998	3.60	2.30	33	2.96	0.23		
						1999	3.80	2.30	53	3.06	0.24		
						2000	3.80	2.30	53	3.06	0.31		
						2001	3.80	2.30	53	3.06	0.37		
						2002	3.40	5.00	53	4.18	0.07	C.R.A.B.S.	2002
						2003	3.30	5.00	00	4.12	0.04		
						2004	3.30	5.00	00	4.12	0.03		
						2005	3.30	5.00	00	4.12	0.04	SEALCOAT	2005
						2006	3.20	5.00	00	4.07	0.06		
5	I-15	001330	076.010	081.900	ASC	1997	4.00	5.00	34	4.49	0.13		
						*1998	4.00	5.00	43	4.48	0.11		
						1999	4.10	5.00	54	4.54	0.05	C.R.A.B.S.	1999
						2000	3.80	5.00	54	4.38	0.11		
						2001	3.80	5.00	54	4.38	0.12		
						2002	3.40	5.00	54	4.18	0.14		
						2003	3.40	4.90	00	4.13	0.15		
						2004	3.40	3.40	00	3.40	0.17		
						2005	3.40	3.40	00	3.40	0.18	SEALCOAT	2005
						2006	3.40	3.40	00	3.40	0.18		
5	I-15	001330	076.010	081.900	DES	1997	4.10	5.00	34	4.54	0.09		
						*1998	4.10	5.00	42	4.54	0.12		
						1999	4.00	5.00	50	4.48	0.02	C.R.A.B.S.	1999
						2000	3.70	5.00	50	4.33	0.09		
						2001	3.70	5.00	50	4.33	0.11		
						2002	3.30	5.00	50	4.12	0.13		
						2003	3.30	5.00	00	4.12	0.14		
						2004	3.30	5.00	00	4.12	0.15		
						2005	3.30	5.00	00	4.12	0.16	SEALCOAT	2005
						2006	3.30	5.00	00	4.12	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001330	081.900	085.600	ASC	1997	4.00	5.00	34	4.49	0.13	
						*1998	4.00	5.00	43	4.48	0.11	
						1999	4.40	4.50	41	4.44	0.06	
						2000	4.40	4.00	41	4.20	0.06	
						2001	4.30	2.90	41	3.61	0.08	
						2002	4.00	2.80	41	3.41	0.11	
						2003	3.90	2.80	00	3.36	0.08	
						2004	3.90	2.30	00	3.11	0.11	
						2005	3.90	2.30	00	3.11	0.14	SEALCOAT
						2006	3.90	2.30	00	3.11	0.10	
5	I-15	001330	081.900	085.600	DES	1997	4.10	5.00	34	4.54	0.09	
						*1998	4.10	5.00	42	4.54	0.12	
						1999	4.30	5.00	41	4.64	0.07	
						2000	4.30	4.00	41	4.15	0.09	
						2001	4.30	2.40	41	3.37	0.10	
						2002	3.90	2.40	41	3.16	0.13	
						2003	4.00	2.40	00	3.21	0.13	
						2004	3.90	2.40	00	3.16	0.13	
						2005	3.90	2.40	00	3.16	0.17	SEALCOAT
						2006	3.80	2.40	00	3.11	0.08	
5	I-15	001330	085.600	089.200	ASC	1997	3.80	5.00	43	4.38	0.10	
						1998	3.70	5.00	52	4.33	0.13	
						1999	3.80	5.00	46	4.38	0.20	
						2000	3.80	4.80	46	4.28	0.16	
						2001	3.80	4.80	46	4.28	0.24	
						2002	3.50	4.80	46	4.13	0.29	
						2003	3.50	4.80	00	4.13	0.27	
						2004	3.40	4.00	00	3.69	0.32	
						2005	3.40	4.00	00	3.69	0.34	SEALCOAT
						2006	3.50	4.00	00	3.74	0.16	
5	I-15	001330	085.600	089.200	DES	1997	4.00	5.00	41	4.49	0.08	
						1998	3.90	5.00	47	4.43	0.10	
						1999	3.90	4.50	49	4.19	0.13	
						2000	3.90	3.10	49	3.50	0.15	
						2001	3.90	3.10	49	3.50	0.16	
						2002	3.60	3.10	49	3.35	0.20	
						2003	3.60	3.10	00	3.35	0.18	
						2004	3.50	3.10	00	3.30	0.20	
2005	3.50	3.10	00	3.30	0.19	SEALCOAT						
2006	3.50	3.10	00	3.30	0.14							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	089.200	090.395	ASC	1997	3.70	2.50	20	3.11	0.26		
						1998	3.10	5.00	55	4.03	0.12	MILL INLAY AND OVERLAY	1998
						1999	4.00	5.00	49	4.49	0.05		
						2000	4.00	5.00	49	4.48	0.06		
						2001	3.90	5.00	49	4.43	0.08		
						2002	3.70	5.00	49	4.33	0.11		
						2003	3.60	4.80	00	4.18	0.11		
						2004	3.70	4.40	00	4.04	0.15		
						2005	3.60	4.40	00	3.99	0.14	SEALCOAT	2005
						2006	3.60	4.40	00	3.99	0.14		
5	I-15	001330	089.200	090.395	DES	1997	3.80	2.00	19	2.91	0.28		
						1998	3.70	5.00	50	4.33	0.09	MILL INLAY AND OVERLAY	1998
						1999	3.90	5.00	52	4.43	0.03		
						2000	4.00	5.00	52	4.48	0.05		
						2001	3.90	5.00	52	4.43	0.06		
						2002	3.70	5.00	52	4.33	0.08		
						2003	3.80	5.00	00	4.38	0.10		
						2004	3.70	5.00	00	4.33	0.09		
						2005	3.70	5.00	00	4.33	0.12	SEALCOAT	2005
						2006	3.60	5.00	00	4.28	0.09		
5	I-15	001330	090.395	092.500	ASC	1997	3.30	2.50	23	2.90	0.28		
						1998	3.50	5.00	52	4.23	0.08	MILL INLAY AND OVERLAY	1998
						1999	3.60	5.00	46	4.28	0.05		
						2000	3.60	5.00	46	4.28	0.06		
						2001	3.60	5.00	46	4.28	0.07		
						2002	3.40	5.00	46	4.18	0.09		
						2003	3.40	5.00	00	4.18	0.09		
						2004	3.30	5.00	00	4.13	0.10		
						2005	3.20	5.00	00	4.08	0.11	SEALCOAT	2005
						2006	3.20	4.50	00	3.83	0.08		
5	I-15	001330	090.395	092.500	DES	1997	4.00	3.00	18	3.50	0.20		
						1998	3.80	5.00	51	4.38	0.10	MILL INLAY AND OVERLAY	1998
						1999	4.00	5.00	49	4.49	0.05		
						2000	4.10	5.00	49	4.54	0.06		
						2001	4.10	5.00	49	4.54	0.07		
						2002	3.90	5.00	49	4.43	0.11		
						2003	3.60	5.00	00	4.28	0.10		
						2004	3.50	5.00	00	4.23	0.12		
						2005	3.50	5.00	00	4.23	0.09	SEALCOAT	2005
						2006	3.40	5.00	00	4.18	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	092.500	095.984	ASC	1997	4.00	5.00	28	4.49	0.05		
						1998	4.00	5.00	48	4.49	0.07	NEW CONST OR RECONST (FLEX)	1998
						1999	4.10	5.00	52	4.54	0.09		
						2000	4.10	4.80	52	4.44	0.10		
						2001	4.00	4.80	52	4.39	0.20		
						2002	3.50	4.80	52	4.13	0.13		
						2003	3.50	4.80	00	4.13	0.13		
						2004	3.60	4.60	00	4.08	0.12		
						2005	3.50	4.60	00	4.03	0.15	SEALCOAT	2005
						2006	3.40	4.60	00	3.98	0.12		
5	I-15	001330	092.500	095.984	DES	1997	4.10	5.00	35	4.54	0.03		
						1998	3.90	5.00	52	4.43	0.05	NEW CONST OR RECONST (FLEX)	1998
						1999	4.00	5.00	51	4.49	0.07		
						2000	4.00	5.00	51	4.48	0.10		
						2001	3.80	4.40	51	4.09	0.13		
						2002	3.50	4.40	51	3.94	0.21		
						2003	3.40	4.40	00	3.88	0.22		
						2004	3.60	4.40	00	3.99	0.12		
						2005	3.50	4.40	00	3.93	0.12	SEALCOAT	2005
						2006	3.50	4.00	00	3.74	0.14		
5	I-15	001330	095.984	097.115	ASC	*1997	4.20	5.00	33	4.59	0.04		
						1998	3.80	5.00	56	4.38	0.08	NEW CONST OR RECONST (FLEX)	1998
						1999	3.90	5.00	54	4.43	0.10		
						2000	3.90	5.00	54	4.43	0.12		
						2001	4.00	5.00	54	4.48	0.13		
						2002	3.80	5.00	54	4.38	0.15		
						2003	3.80	5.00	00	4.38	0.15		
						2004	3.80	5.00	00	4.38	0.16		
						2005	3.60	5.00	00	4.28	0.20	SEALCOAT	2005
						2006	3.60	5.00	00	4.28	0.16		
5	I-15	001330	095.984	097.115	DES	*1997	4.30	4.70	37	4.49	0.03		
						1998	4.00	4.70	58	4.34	0.05	NEW CONST OR RECONST (FLEX)	1998
						1999	4.10	4.70	56	4.39	0.07		
						2000	4.20	4.70	56	4.44	0.09		
						2001	4.20	4.70	56	4.44	0.10		
						2002	3.80	4.70	56	4.24	0.13		
						2003	3.80	4.70	00	4.24	0.13		
						2004	3.80	4.70	00	4.23	0.14		
						2005	3.80	4.70	00	4.23	0.12	SEALCOAT	2005
						2006	3.80	4.60	00	4.19	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001330	097.115	100.500	ASC	*1997	4.20	5.00	33	4.59	0.04	
						1998	4.20	5.00	52	4.59	0.08	
						1999	4.30	5.00	50	4.64	0.10	
						2000	4.20	5.00	50	4.59	0.11	
						2001	4.20	5.00	50	4.59	0.13	
						2002	3.90	5.00	50	4.43	0.16	
						2003	3.90	5.00	00	4.43	0.17	
						2004	3.80	5.00	00	4.38	0.17	
						2005	3.70	5.00	00	4.33	0.20	SEALCOAT
						2006	3.70	4.80	00	4.23	0.17	2005
5	I-15	001330	097.115	100.500	DES	*1997	4.30	4.70	37	4.49	0.03	
						1998	4.20	4.70	54	4.44	0.07	
						1999	4.30	4.70	53	4.49	0.10	
						2000	4.30	4.70	53	4.49	0.12	
						2001	4.20	4.70	53	4.44	0.13	
						2002	3.90	4.70	53	4.29	0.17	
						2003	3.90	4.70	00	4.29	0.18	
						2004	3.80	4.70	00	4.23	0.17	
						2005	3.90	4.70	00	4.29	0.17	SEALCOAT
						2006	3.70	4.70	00	4.18	0.19	2005
5	I-15	001330	100.500	106.500	ASC	1997	4.40	5.00	33	4.69	0.02	MILL INLAY AND OVERLAY
						1998	4.30	5.00	58	4.64	0.06	
						1999	4.30	5.00	56	4.64	0.07	
						2000	4.20	4.50	56	4.34	0.09	
						2001	4.30	4.50	56	4.39	0.09	
						2002	4.00	4.50	56	4.24	0.12	
						2003	4.00	4.50	00	4.24	0.11	
						2004	4.00	3.90	00	3.95	0.13	
						2005	4.00	3.90	00	3.95	0.15	SEALCOAT
						2006	3.80	3.90	00	3.84	0.10	2005
5	I-15	001330	100.500	106.500	DES	1997	4.30	5.00	32	4.64	0.04	MILL INLAY AND OVERLAY
						1998	4.20	5.00	57	4.59	0.08	
						1999	4.20	5.00	58	4.59	0.11	
						2000	4.20	4.00	58	4.10	0.13	
						2001	4.20	3.40	58	3.80	0.13	
						2002	3.90	3.40	58	3.65	0.17	
						2003	3.90	3.40	00	3.65	0.18	
						2004	3.90	3.40	00	3.65	0.18	
						2005	3.90	3.40	00	3.65	0.20	SEALCOAT
						2006	3.70	3.00	00	3.35	0.15	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001330	106.500	111.859	ASC	1997	4.30	5.00	37	4.64	0.03	
						1998	4.20	5.00	53	4.59	0.08	
						1999	4.20	4.60	50	4.39	0.11	
						2000	4.10	4.60	50	4.34	0.11	
						2001	4.20	4.50	59	4.34	0.15	
						2002	3.80	3.70	59	3.75	0.16	
						2003	3.90	3.70	59	3.80	0.17	
						2004	3.90	3.10	59	3.50	0.17	
						2005	3.80	3.10	00	3.45	0.22	SEALCOAT
						2006	3.70	3.10	00	3.40	0.14	
5	I-15	001330	106.500	111.859	DES	1997	4.30	5.00	39	4.64	0.04	
						1998	4.20	5.00	52	4.59	0.06	
						1999	4.20	4.70	49	4.44	0.09	
						2000	4.20	4.50	49	4.34	0.12	
						2001	4.20	4.40	49	4.29	0.13	
						2002	3.80	4.00	49	3.89	0.16	
						2003	3.80	4.00	59	3.89	0.18	
						2004	3.80	4.00	59	3.89	0.15	
						2005	3.80	4.00	00	3.89	0.16	SEALCOAT
						2006	3.70	3.40	00	3.55	0.08	
5	I-15	001340	000.000	002.015	N	1997	2.70	2.70	50	2.70	0.13	
						1998	4.00	5.00	50	4.58	0.19	PLANT MIX OVERLAY
						1999	2.60	5.00	55	4.00	0.18	
						2000	2.70	3.80	55	3.34	0.18	
						2001	2.70	3.80	55	3.34	0.18	
						2002	2.60	3.50	55	3.12	0.20	
						2003	2.60	3.00	59	2.83	0.19	
						2004	2.50	2.40	59	2.44	0.19	
						2005	2.50	2.30	00	2.38	0.21	
						2006	2.40	1.90	00	2.10	0.22	
5	I-15	001340	002.015	003.197	N	1997	3.00	3.00	46	3.00	0.20	
						1998	4.00	5.00	46	4.62	0.21	PLANT MIX OVERLAY
						1999	3.10	5.00	55	4.28	0.20	
						2000	3.10	3.50	55	3.34	0.22	
						2001	3.10	3.20	55	3.16	0.22	
						2002	2.80	3.00	55	2.92	0.22	
						2003	2.80	3.00	59	2.92	0.22	
						2004	2.80	3.00	59	2.92	0.23	
						2005	2.80	2.90	00	2.86	0.24	
						2006	2.70	2.10	00	2.32	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001340	003.197	003.608	N	1997	3.40	4.00	47	3.77	0.10		
						1998	3.50	4.00	47	3.81	0.10	SEALCOAT	1998
						1999	3.40	4.00	58	3.77	0.08		
						2000	3.40	4.00	58	3.77	0.10		
						2001	3.60	4.00	58	3.84	0.10		
						2002	3.30	4.00	58	3.73	0.10		
						2003	3.50	4.00	59	3.81	0.10		
						2004	3.50	4.00	59	3.75	0.11		
						2005	3.50	4.00	00	3.81	0.11		
						2006	3.40	4.00	00	3.77	0.11		
5	I-15	001340	003.818	004.270	N	1997	1.90	5.00	39	3.51	0.17		
						*1998	2.00	3.00	39	2.52	0.14		
						1999	3.30	5.00	46	4.18	0.09	MILL INLAY AND OVERLAY	1999
						2000	3.50	5.00	46	4.27	0.12		
						2001	3.70	5.00	46	4.37	0.14		
						2002	3.40	5.00	46	4.22	0.20		
						2003	3.50	5.00	59	4.27	0.18		
						2004	3.40	5.00	59	4.22	0.08		
						2005	3.30	5.00	00	4.17	0.09		
						2006	3.30	5.00	00	4.17	0.10		
5	I-15	001340	004.270	004.546	N	1997	1.90	5.00	39	3.51	0.17		
						*1998	2.00	3.00	39	2.52	0.14		
						1999	1.60	3.00	48	2.33	0.10		
						2000	1.70	3.00	48	2.37	0.10		
						2001	1.70	3.00	48	2.37	0.13		
						2002	2.10	3.00	48	2.56	0.12		
						2003	2.20	3.00	59	2.61	0.12		
						2004	2.10	3.00	59	2.56	0.10		
						2005	2.10	3.00	00	2.56	0.10		
						2006	2.80	3.00	00	2.90	0.10		
5	I-15	001350	000.000	000.550	N	1997	2.60	2.00	39	2.22	0.15		
						1998	3.60	5.00	39	4.46	0.10	PLANT MIX OVERLAY	1998
						1999	3.20	5.00	51	4.31	0.10		
						2000	3.60	4.70	51	4.28	0.11		
						2001	3.40	4.70	51	4.20	0.12		
						2002	3.10	4.20	51	3.78	0.12		
						2003	2.90	4.20	59	3.70	0.11		
						2004	2.90	4.00	59	3.58	0.12		
						2005	2.80	4.00	00	3.54	0.13		
						2006	2.90	4.00	00	3.58	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001350	000.550	001.000	N	1997	2.70	2.00	42	2.26	0.14		
						1998	4.00	5.00	42	4.62	0.10	PLANT MIX OVERLAY	1998
						1999	3.30	5.00	42	4.35	0.10		
						2000	3.50	5.00	42	4.43	0.11		
						2001	3.30	5.00	51	4.35	0.11		
						2002	3.20	4.40	51	3.94	0.12		
						2003	3.40	4.40	59	4.02	0.13		
						2004	3.40	4.00	59	3.77	0.12		
						2005	3.30	3.90	00	3.67	0.15		
						2006	3.30	3.90	00	3.67	0.15		
5	I-15	001360	000.000	000.695	ASC	1997	2.20	2.50	28	2.36	0.20		
						1998	1.90	2.20	28	2.06	0.22		
						1999	2.20	2.20	26	2.20	0.24	PLANT MIX SEAL	1999
						2000	2.90	5.00	26	4.04	0.04		
						2001	2.70	5.00	26	3.95	0.05		
						2002	3.50	4.60	26	4.10	0.08	MILL AND INLAY	2002
						2003	3.40	4.40	59	3.94	0.07		
						2004	3.40	3.60	59	3.50	0.09		
						2005	3.20	5.00	00	4.18	0.07		
						2006	3.80	5.00	00	4.45	0.07		
5	I-15	001360	000.000	000.695	DES	1997	2.80	2.50	28	2.63	0.11		
						1998	2.70	2.50	28	2.59	0.21		
						1999	2.70	2.50	26	2.59	0.19	PLANT MIX SEAL	1999
						2000	3.70	5.00	26	4.41	0.07		
						2001	3.70	5.00	26	4.41	0.08		
						2002	3.50	5.00	26	4.32	0.12	MILL AND INLAY	2002
						2003	3.50	5.00	59	4.32	0.12		
						2004	3.40	5.00	59	4.27	0.12		
						2005	3.00	5.00	00	4.09	0.07		
						2006	3.50	5.00	00	4.31	0.05		
5	I-15	001360	000.695	000.982	N	1997	2.20	2.20	31	2.20	0.14		
						1998	2.00	2.10	31	2.05	0.14		
						*1999	1.80	2.10	31	1.96	0.15	PLANT MIX SEAL	1999
						2000	2.90	5.00	31	4.04	0.06		
						*2001	2.80	2.70	26	2.74	0.06		
						2002	3.30	5.00	19	4.26	0.14	MILL AND INLAY	2002
						*2003	3.20	5.00	59	4.23	0.13		
						2004	3.00	5.00	59	4.09	0.11		
						2005	3.20	5.00	00	4.18	0.14		
						2006	3.50	5.00	00	4.31	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001360	000.982	001.870	N	1997	2.70	2.10	22	2.35	0.12		
						1998	2.50	2.00	22	2.21	0.14		
						*1999	2.50	2.00	19	2.21	0.17	PLANT MIX SEAL	1999
						2000	2.70	2.00	19	2.30	0.14		
						*2001	2.60	2.00	19	2.25	0.16		
						2002	3.30	5.00	19	4.26	0.14	MILL AND INLAY	2002
						*2003	3.20	5.00	59	4.23	0.13		
						2004	3.10	5.00	59	4.18	0.16		
						2005	3.30	5.00	00	4.27	0.23		
						2006	3.50	5.00	00	4.35	0.21		
5	I-15	001360	001.870	002.340	N	1997	2.00	2.50	22	2.28	0.15		
						1998	1.80	2.50	22	2.19	0.20		
						1999	1.80	2.50	37	2.19	0.27		
						2000	1.50	2.40	37	2.00	0.26		
						2001	1.50	2.40	37	2.00	0.28		
						2002	2.80	2.40	37	2.57	0.22		
						2003	2.20	2.40	59	2.31	0.21		
						2004	2.00	5.00	59	3.69	0.23	NEW CONST OR RECONST (FLEX)	2004
						2005	3.20	5.00	00	4.21	0.08		
						2006	3.20	5.00	00	4.22	0.10		
5	I-15	001360	002.340	002.690	N	1997	1.80	1.90	28	1.85	0.38		
						1998	1.50	1.80	28	1.66	0.35		
						1999	1.50	1.80	29	1.66	0.42		
						2000	1.50	1.80	29	1.66	0.45		
						2001	1.70	1.80	29	1.75	0.46		
						2002	1.30	1.80	29	1.58	0.42		
						2003	1.30	1.80	59	1.58	0.49		
						2004	1.20	5.00	59	3.34	0.51	NEW CONST OR RECONST (FLEX)	2004
						2005	2.90	5.00	00	4.08	0.08		
						2006	3.20	5.00	00	4.22	0.11		
5	I-15	001360	002.690	003.234	N	1997	2.40	2.00	25	2.17	0.26		
						1998	2.20	2.00	25	2.08	0.30		
						1999	2.00	2.00	31	2.00	0.34		
						2000	2.10	1.90	31	1.98	0.36		
						2001	2.10	1.90	31	1.98	0.31		
						2002	2.00	1.90	31	1.94	0.38		
						2003	1.80	1.90	59	1.85	0.36		
						2004	1.60	5.00	59	3.51	0.27	NEW CONST OR RECONST (FLEX)	2004
						2005	3.50	5.00	00	4.34	0.07		
						2006	3.40	5.00	00	4.29	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001360	003.234	003.450	N	1997	2.40	1.90	25	2.12	0.24	
						1998	2.30	1.90	25	2.08	0.28	
						1999	2.60	1.90	34	2.22	0.28	
						2000	2.50	1.90	34	2.17	0.30	
						2001	2.60	1.90	34	2.21	0.35	
						*2002	2.60	1.90	34	2.21	0.30	
						2003	2.80	1.90	59	2.31	0.10	
						2004	2.80	1.90	59	2.31	0.11	
						2005	2.90	5.00	00	4.03	0.09	
						2006	2.80	3.40	00	3.12	0.10	
5	I-15	001360	003.450	004.240	N	1997	2.40	1.90	25	2.12	0.24	
						1998	2.30	1.90	25	2.08	0.28	
						1999	2.60	1.90	34	2.22	0.28	
						2000	2.50	1.90	34	2.17	0.30	
						2001	2.60	1.90	34	2.21	0.35	
						*2002	2.60	1.90	34	2.21	0.30	
						2003	3.80	5.00	59	4.45	0.37	NEW CONST OR RECONST (FLEX) 2003
						2004	3.10	5.00	59	4.13	0.08	
						2005	2.90	5.00	00	4.04	0.09	
						2006	3.00	5.00	00	4.09	0.09	
5	I-15	001360	004.240	004.477	ASC	1997	1.20	3.00	25	2.21	0.05	
						1998	1.10	3.00	25	2.17	0.09	
						1999	1.20	3.00	25	2.21	0.10	
						2000	1.20	3.00	25	2.21	0.08	
						2001	1.80	3.30	34	2.64	0.09	
						2002	1.80	3.30	34	2.64	0.08	
						2003	2.90	3.30	59	3.12	0.08	
						2004	1.70	2.40	59	2.10	0.06	
						2005	1.60	2.40	00	2.05	0.07	
						2006	1.50	2.30	00	1.95	0.08	
5	I-15	001360	004.240	004.477	DES	1997	1.10	2.50	25	1.89	0.06	
						1998	1.00	2.50	25	1.84	0.11	
						1999	0.80	2.50	25	1.76	0.08	
						2000	1.00	2.50	25	1.84	0.12	
						2001	1.90	2.50	34	2.23	0.07	
						2002	2.60	2.50	34	2.54	0.05	
						2003	2.90	2.50	59	2.67	0.11	
						2004	1.50	2.50	59	2.07	0.06	
2005	1.50	2.40	00	2.00	0.07							
2006	1.50	2.30	00	1.95	0.05							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001360	004.477	005.331	N	1997	2.90	2.90	41	2.90	0.07	
						1998	2.90	2.90	41	2.90	0.09	
						*1999	2.60	2.90	41	2.76	0.12	
						2000	1.80	2.40	43	2.13	0.14	
						*2001	2.00	2.40	34	2.22	0.13	
						2002	3.80	5.00	34	4.45	0.06	MILL AND INLAY
						2003	2.40	5.00	59	3.82	0.06	
						2004	2.50	5.00	59	3.87	0.07	
						2005	2.00	5.00	00	3.64	0.08	
						2006	2.50	5.00	00	3.86	0.09	
5	I-15	001360	005.331	005.570	ASC	2000	3.20	5.00	41	4.22	0.08	
						2001	3.40	5.00	34	4.30	0.09	
						2002	3.10	5.00	34	4.17	0.07	MILL AND INLAY
						2003	3.10	5.00	59	4.17	0.10	
						2004	2.60	4.50	59	3.67	0.07	
						2005	2.60	4.50	00	3.67	0.06	
						2006	2.40	4.50	00	3.59	0.06	
5	I-15	001360	005.331	005.570	DES	2000	2.40	5.00	41	3.87	0.04	
						2001	2.60	5.00	34	3.96	0.06	
						2002	2.90	5.00	34	4.09	0.06	MILL AND INLAY
						2003	2.60	5.00	59	3.96	0.10	
						2004	2.50	5.00	59	3.92	0.09	
						2005	2.80	5.00	00	4.05	0.08	
						2006	2.60	5.00	00	3.96	0.07	
5	I-15	001361	000.695	000.982	N	1997	2.70	2.00	21	2.31	0.11	
						1998	2.60	2.00	21	2.27	0.19	
						1999	2.50	2.00	24	2.22	0.16	
						2000	3.20	2.00	24	2.54	0.09	
						2001	2.80	2.00	24	2.36	0.09	
						2002	2.80	2.00	24	2.36	0.12	
						*2003	3.00	2.00	59	2.45	0.14	
						2004	3.40	2.00	59	2.63	0.08	
						2005	2.90	5.00	00	4.04	0.05	
						2006	3.50	5.00	00	4.31	0.14	
5	I-15	001361	000.982	001.184	N	1997	2.70	2.00	21	2.31	0.11	
						1998	2.60	2.00	21	2.27	0.19	
						1999	2.50	2.00	24	2.22	0.16	
						2000	3.20	2.00	24	2.54	0.09	
						2001	2.80	2.00	24	2.36	0.09	
						2002	2.80	2.00	24	2.36	0.12	
						*2003	3.00	2.00	59	2.45	0.14	
						2004	3.60	5.00	59	4.36	0.16	C.R.A.B.S.
						2005	1.90	5.00	00	3.58	0.04	
						2006	3.00	5.00	00	4.08	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001361	001.184	002.349	N	1997	1.90	2.20	22	2.07	0.18		
						1998	1.90	2.20	22	2.07	0.30		
						1999	1.80	2.20	31	2.02	0.30		
						2000	1.90	2.20	31	2.06	0.24		
						2001	1.80	2.20	31	2.02	0.29		
						2002	1.80	2.00	31	1.91	0.25		
						2003	1.90	2.00	59	1.95	0.23		
						2004	3.80	5.00	59	4.47	0.20	C.R.A.B.S.	2004
						2005	2.80	5.00	00	4.05	0.09		
						2006	3.10	5.00	00	4.17	0.13		
5	I-15	001361	002.349	003.260	N	1997	2.40	2.00	28	2.17	0.19		
						1998	2.30	2.00	28	2.13	0.30		
						1999	2.30	2.00	37	2.13	0.32		
						2000	2.30	2.00	37	2.13	0.32		
						2001	2.20	2.00	37	2.08	0.36		
						2002	2.20	2.00	37	2.08	0.20		
						*2003	1.80	2.00	59	1.91	0.28		
						2004	4.00	5.00	59	4.56	0.35	C.R.A.B.S.	2004
						2005	3.20	5.00	00	4.21	0.06		
						2006	3.00	5.00	00	4.12	0.06		
5	I-15	001370	000.000	002.400	N	1997	3.30	3.00	39	3.12	0.26		
						1998	3.30	3.00	39	3.12	0.31		
						1999	3.30	3.00	45	3.12	0.32	SEALCOAT	1999
						2000	3.30	3.00	45	3.12	0.32		
						2001	3.30	3.00	45	3.12	0.33		
						2002	3.10	3.00	45	3.04	0.34		
						2003	3.10	3.00	59	3.04	0.36		
						2004	3.10	3.00	59	3.04	0.37		
						2005	3.10	3.00	00	3.04	0.37		
						2006	3.00	1.90	00	2.36	0.38		
5	I-15	001370	002.400	002.807	N	1997	2.70	5.00	43	4.03	0.08	MILL AND INLAY	1997
						1998	2.70	5.00	43	4.03	0.10		
						1999	2.90	5.00	37	4.11	0.10		
						2000	2.60	5.00	37	3.98	0.12		
						2001	2.80	5.00	37	4.06	0.09		
						2002	3.00	4.80	37	4.03	0.13		
						2003	2.80	4.80	59	3.95	0.12		
						2004	2.70	4.00	59	3.41	0.15		
						2005	2.70	4.00	00	3.40	0.15		
						2006	2.70	2.20	00	2.42	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS			
5	I-15	001370	002.807	003.331	N	1997	4.00	5.00	46	4.61	0.03	MILL AND INLAY	1997		
						1998	3.90	5.00	46	4.57	0.04				
						1999	3.80	5.00	37	4.53	0.05				
						2000	3.90	5.00	37	4.57	0.07				
						2001	3.90	5.00	37	4.57	0.07				
						2002	3.90	5.00	37	4.57	0.07				
						2003	4.00	4.00	59	4.00	0.07				
						2004	4.00	4.00	59	4.00	0.06				
						2005	4.00	4.00	00	4.00	0.08				
						2006	4.00	3.00	00	3.42	0.09				
5	I-15	001370	003.331	003.659	N	1997	2.50	5.00	49	4.02	0.06	MILL AND INLAY	1997		
						1998	2.60	5.00	49	4.06	0.06				
						1999	2.50	5.00	35	4.02	0.07				
						2000	2.50	4.80	35	3.90	0.08				
						2001	2.50	4.80	35	3.90	0.07				
						2002	2.60	4.50	35	3.75	0.07				
						2003	2.60	4.50	59	3.75	0.07				
						2004	2.70	2.50	59	2.58	0.07				
						2005	2.80	2.40	00	2.57	0.08				
						2006	2.70	2.40	00	2.52	0.08				
5	I-15	001370	003.659	003.983	N	1997	2.50	3.00	41	2.78	0.07	MILL AND INLAY	1997		
						1998	2.70	2.70	41	2.70	0.13				
						1999	2.40	2.70	41	2.57	0.12				
						2000	3.60	5.00	41	4.40	0.13			MILL AND INLAY	2000
						2001	2.90	4.00	35	3.53	0.14				
						2002	2.70	4.00	35	3.44	0.14				
						2003	2.90	4.00	59	3.53	0.10				
						2004	3.00	3.40	59	3.22	0.11				
						2005	2.70	3.40	00	3.10	0.12				
						2006	2.70	3.40	00	3.10	0.12				
5	I-15	001370	003.983	004.244	N	1997	2.90	3.00	40	2.95	0.04	MILL AND INLAY	2000		
						1998	3.00	2.70	40	2.82	0.10				
						1999	3.00	2.70	46	2.82	0.10				
						2000	2.80	5.00	46	4.06	0.09				
						2001	3.40	5.00	46	4.31	0.22				
						2002	3.20	3.70	46	3.48	0.21				
						2003	3.20	3.70	59	3.48	0.23				
						2004	3.30	2.40	59	2.78	0.22				
						2005	3.30	2.40	00	2.78	0.23				
						2006	3.20	2.40	00	2.74	0.20				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001370	004.244	004.454	N	1997	2.50	3.00	38	2.78	0.15	
						1998	2.10	3.00	38	2.60	0.15	
						1999	2.30	3.00	38	2.69	0.18	
						2000	3.20	5.00	38	4.21	0.18	MILL AND INLAY
						2001	3.10	4.60	46	3.94	0.12	
						2002	2.90	4.60	46	3.85	0.15	
						2003	3.10	4.60	59	3.94	0.13	
						2004	2.90	4.60	59	3.85	0.14	
						2005	2.90	4.60	00	3.85	0.15	
						2006	2.80	4.60	00	3.81	0.14	
5	I-15	001370	004.454	004.802	ASC	1997	3.10	2.50	38	2.75	0.06	
						1998	3.00	2.50	38	2.71	0.07	
						1999	3.00	2.50	38	2.71	0.08	
						2000	3.10	5.00	38	4.18	0.08	MILL AND INLAY
						2001	3.20	5.00	46	4.22	0.08	
						2002	3.20	5.00	46	4.23	0.11	
						2003	3.10	5.00	59	4.19	0.11	
						2004	3.10	5.00	59	4.18	0.09	
						2005	3.00	5.00	00	4.14	0.12	
						2006	3.00	5.00	00	4.14	0.13	
5	I-15	001370	004.454	004.802	DES	1997	3.20	4.00	38	3.65	0.05	
						1998	3.50	3.20	38	3.32	0.08	
						1999	3.30	3.00	38	3.12	0.08	
						2000	3.40	5.00	38	4.31	0.08	MILL AND INLAY
						2001	3.60	5.00	46	4.39	0.09	
						2002	3.40	5.00	46	4.31	0.15	
						2003	2.80	5.00	59	4.06	0.16	
						2004	2.90	5.00	59	4.10	0.17	
						2005	2.80	5.00	00	4.05	0.21	
						2006	3.10	5.00	00	4.18	0.20	
5	I-15	001371	003.705	004.193	N	1997	3.50	2.30	41	2.81	0.06	
						1998	3.50	2.30	41	2.81	0.05	
						*1999	3.30	2.30	41	2.72	0.05	
						2000	3.60	5.00	41	4.40	0.08	MILL AND INLAY
						2001	3.30	5.00	46	4.27	0.21	
						2002	3.30	4.00	46	3.70	0.26	
						2003	3.30	4.00	59	3.70	0.26	
						2004	3.20	2.40	59	2.74	0.23	
						2005	3.10	2.40	00	2.69	0.22	
						2006	3.20	2.30	00	2.68	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001371	004.193	004.244	N	1997	2.80	3.00	39	2.91	0.08	
						1998	2.90	2.70	39	2.78	0.09	
						*1999	2.50	2.70	39	2.61	0.11	
						2000	3.60	2.30	37	2.85	0.08	
						2001	3.30	5.00	46	4.27	0.21	
						2002	3.30	5.00	46	4.27	0.26	
						2003	2.70	4.80	59	3.90	0.25	
						2004	2.70	3.90	59	3.38	0.22	
						2005	2.70	3.90	00	3.38	0.22	
						2006	2.60	3.90	00	3.34	0.21	
5	U.S.-26	002240	272.000	276.525	N	1997	3.90	3.80	43	3.84	0.07	
						1998	3.90	3.60	43	3.74	0.14	
						1999	3.90	3.60	48	3.74	0.14	
						2000	3.90	3.60	48	3.74	0.15	
						2001	3.90	3.60	48	3.74	0.14	
						2002	3.60	2.80	48	3.17	0.14	
						2003	3.60	2.70	59	3.12	0.14	
						2004	3.50	2.70	59	3.07	0.15	
						2005	3.60	2.70	00	3.12	0.17	SEALCOAT
						2006	3.40	2.70	00	3.03	0.15	
5	U.S.-26	002240	276.525	284.244	N	1997	3.60	4.00	47	3.80	0.13	
						1998	3.60	4.00	47	3.80	0.15	
						1999	3.60	4.00	52	3.80	0.15	
						2000	3.60	4.00	52	3.80	0.16	
						2001	3.70	4.00	52	3.85	0.16	
						2002	3.40	2.80	52	3.08	0.15	
						2003	3.40	2.80	59	3.08	0.16	
						2004	3.40	2.80	59	3.08	0.16	
						2005	3.40	2.80	00	3.08	0.18	SEALCOAT
						2006	3.20	2.80	00	2.98	0.13	
5	U.S.-26	002240	284.244	290.250	N	1997	3.70	4.00	49	3.85	0.19	
						1998	3.80	4.00	49	3.90	0.22	
						1999	3.80	4.00	53	3.90	0.21	
						2000	3.80	4.00	53	3.90	0.22	
						2001	3.80	4.00	53	3.90	0.21	
						2002	3.60	3.70	53	3.65	0.22	
						2003	3.70	3.70	59	3.70	0.23	
						2004	3.60	3.70	59	3.65	0.23	
						2005	3.70	3.20	00	3.43	0.24	SEALCOAT
						2006	3.50	3.20	00	3.34	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-26	002240	290.250	294.560	N	1997	4.20	4.50	48	4.35	0.14		
						1998	4.20	4.10	48	4.14	0.16		
						1999	4.20	4.10	52	4.14	0.16		
						2000	4.20	4.10	52	4.14	0.16		
						2001	4.20	4.10	52	4.14	0.16		
						2002	3.80	4.10	52	3.95	0.14		
						2003	3.80	4.10	59	3.95	0.17		
						2004	3.80	4.10	59	3.95	0.17		
						2005	3.80	4.00	00	3.90	0.18	SEALCOAT	2005
						2006	3.60	4.00	00	3.81	0.15		
5	U.S.-26	002240	294.560	300.715	N	1997	4.20	4.80	48	4.51	0.15		
						1998	4.30	4.80	48	4.56	0.15		
						1999	4.20	4.80	52	4.51	0.15		
						2000	4.20	4.80	52	4.51	0.16		
						2001	4.30	4.80	52	4.56	0.16		
						2002	3.80	4.80	52	4.32	0.17		
						2003	4.00	4.80	59	4.41	0.17		
						2004	3.90	4.70	59	4.31	0.18		
						2005	3.90	4.30	50	4.10	0.19	SEALCOAT	2005
						2006	3.70	4.30	50	4.01	0.15		
5	U.S.-26	002240	300.715	304.090	N	1997	3.70	5.00	38	4.37	0.10		
						1998	3.80	5.00	38	4.42	0.13		
						1999	3.70	5.00	44	4.37	0.14		
						2000	3.70	5.00	44	4.37	0.15		
						2001	3.80	5.00	44	4.42	0.15		
						2002	3.60	5.00	44	4.32	0.13		
						2003	3.60	5.00	59	4.32	0.15		
						2004	3.50	5.00	59	4.32	0.15		
						2005	3.50	5.00	50	4.32	0.18	SEALCOAT	2005
						2006	3.40	5.00	50	4.27	0.17		
5	U.S.-26	002240	304.090	305.090	N	1997	3.60	3.00	34	3.27	0.08		
						1998	3.60	3.00	34	3.27	0.12		
						1999	3.70	3.00	39	3.31	0.14		
						2000	3.70	3.00	39	3.31	0.15		
						2001	3.70	4.00	39	3.86	0.14		
						2002	3.70	4.00	39	3.86	0.13		
						2003	3.60	4.00	59	3.81	0.19		
						2004	3.60	4.00	59	3.81	0.16		
						2005	3.60	4.00	50	3.81	0.18	SEALCOAT	2005
						2006	3.50	4.00	50	3.77	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-26	002240	305.090	305.743	N	1997	3.60	5.00	29	4.35	0.11	
						1998	3.60	5.00	29	4.35	0.17	
						1999	3.70	5.00	28	4.40	0.18	
						2000	3.60	5.00	28	4.35	0.19	
						2001	3.70	5.00	28	4.40	0.19	
						2002	3.60	5.00	28	4.35	0.19	
						2003	3.50	5.00	59	4.30	0.19	
						2004	3.50	5.00	59	4.30	0.20	
						2005	3.50	5.00	50	4.30	0.23	SEALCOAT
						2006	3.40	5.00	50	4.26	0.19	
5	U.S.-26	002240	305.743	306.104	ASC	1997	3.60	4.50	29	4.11	0.11	
						1998	1.90	4.50	29	3.39	0.14	
						1999	1.80	4.50	28	3.35	0.17	
						2000	1.80	4.50	28	3.35	0.17	
						2001	3.90	4.50	28	4.24	0.14	
						2002	3.60	4.50	28	4.11	0.17	
						2003	3.60	4.50	59	4.11	0.14	
						2004	3.20	4.50	59	3.94	0.14	
						2005	2.90	4.50	50	3.82	0.17	SEALCOAT
						2006	3.40	3.00	50	3.17	0.16	
5	U.S.-26	002240	305.743	306.104	DES	1997	3.60	4.50	26	4.11	0.11	
						1998	1.80	4.50	26	3.35	0.15	
						1999	1.90	4.50	26	3.39	0.13	
						2000	1.80	4.50	26	3.35	0.14	
						2001	2.80	4.50	26	3.77	0.12	
						2002	2.90	4.50	26	3.82	0.12	
						2003	3.00	4.50	59	3.86	0.13	
						2004	2.90	4.50	59	3.82	0.12	
						2005	3.00	4.50	50	3.86	0.15	SEALCOAT
						2006	2.50	4.50	50	3.64	0.16	
5	U.S.-30	002040	330.820	331.681	ASC	1997	2.90	3.40	38	3.19	0.04	
						1998	2.80	3.30	38	3.09	0.04	
						1999	2.80	2.50	45	2.62	0.05	
						2000	3.00	2.30	45	2.59	0.07	
						2001	2.90	2.30	45	2.55	0.07	
						2002	3.10	2.30	45	2.63	0.08	
						2003	3.30	5.00	59	4.29	0.08	
						2004	3.20	5.00	59	4.25	0.09	
						2005	3.20	5.00	50	4.25	0.10	SEALCOAT
						2006	3.10	5.00	50	4.20	0.09	
5	U.S.-30	002040	330.820	331.681	DES	1997	3.10	2.70	38	2.86	0.05	
						1998	3.00	2.70	38	2.82	0.07	
						1999	2.90	2.70	45	2.78	0.08	
						2000	3.00	2.70	45	2.82	0.07	
						2001	2.90	2.70	45	2.78	0.08	
						2002	3.30	1.60	45	2.30	0.07	
						2003	3.20	1.60	59	2.26	0.05	

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2004	3.20	1.60	59	2.26	0.06	
						2005	3.10	5.00	50	4.20	0.06	SEALCOAT
						2006	3.20	5.00	50	4.25	0.07	
5	U.S.-30	002040	331.681	332.313	N	1997	3.60	4.00	37	3.81	0.08	
						1998	3.50	4.00	37	3.77	0.10	
						1999	3.50	4.00	42	3.77	0.11	
						2000	3.40	2.30	42	2.80	0.12	
						2001	2.90	2.30	42	2.57	0.15	
						*2002	3.20	2.30	42	2.71	0.11	
						2003	3.20	5.00	59	4.18	0.08	
						2004	3.20	5.00	59	4.18	0.07	
						2005	3.20	5.00	50	4.18	0.09	SEALCOAT
						2006	3.20	5.00	50	4.18	0.09	
5	U.S.-30	002040	332.313	333.170	N	1997	3.60	4.00	37	3.81	0.08	
						1998	3.50	4.00	37	3.77	0.10	
						1999	3.50	4.00	42	3.77	0.11	
						2000	3.40	2.30	42	2.80	0.12	
						2001	2.90	2.30	42	2.57	0.15	
						*2002	3.20	2.30	42	2.71	0.11	
						2003	3.30	2.90	59	3.08	0.13	
						2004	3.30	2.00	59	2.60	0.15	
						2005	3.20	2.00	41	2.55	0.14	
						2006	3.20	1.90	41	2.49	0.16	RUT FILLING
5	U.S.-30	002040	333.170	333.665	N	1997	3.40	4.00	38	3.72	0.03	
						1998	3.40	4.00	38	3.72	0.05	
						1999	3.40	4.00	41	3.72	0.05	
						2000	3.40	2.50	41	2.91	0.08	
						2001	3.40	2.50	41	2.91	0.08	
						2002	3.40	2.50	41	2.91	0.08	
						2003	3.30	2.50	59	2.86	0.09	
						2004	3.30	1.80	59	2.49	0.09	
						2005	3.30	1.80	41	2.49	0.11	
						2006	3.20	1.80	41	2.44	0.12	RUT FILLING
5	U.S.-30	002040	333.665	334.006	N	1997	3.10	4.00	38	3.58	0.06	
						1998	3.00	3.90	38	3.48	0.08	
						1999	2.70	2.90	38	2.80	0.08	
						2000	2.80	2.60	38	2.69	0.09	
						2001	3.20	2.60	41	2.87	0.08	
						2002	2.90	2.60	41	2.73	0.09	
						2003	3.00	2.60	59	2.78	0.09	
						2004	3.10	2.30	59	2.66	0.09	
						2005	2.80	2.30	51	2.53	0.09	
						2006	2.70	2.00	51	2.32	0.09	RUT FILLING

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-30	002040	334.006	334.767	ASC	1997	3.60	4.00	41	3.82	0.27	
						1998	2.70	4.00	41	3.41	0.05	
						*1999	2.80	4.00	45	3.46	0.05	
						2000	2.80	3.20	45	3.03	0.07	
						2001	2.90	2.50	45	2.66	0.10	
						2002	3.30	2.50	45	2.83	0.34	
						2003	3.20	2.50	59	2.79	0.08	
						2004	3.20	2.40	59	2.73	0.09	
						2005	3.10	2.40	53	2.69	0.10	
						2006	3.20	2.20	53	2.61	0.32	RUT FILLING
5	U.S.-30	002040	334.006	334.767	DES	1997	3.20	4.00	41	3.64	0.23	2006
						1998	3.10	4.00	41	3.59	0.04	
						*1999	3.00	4.00	45	3.55	0.08	
						2000	3.10	3.80	45	3.50	0.06	
						2001	3.10	3.80	45	3.50	0.07	
						2002	3.30	3.80	45	3.59	0.34	
						2003	3.10	3.80	59	3.50	0.29	
						2004	3.10	2.50	59	2.75	0.07	
						2005	3.10	2.40	53	2.69	0.06	
						2006	3.00	2.30	53	2.59	0.40	RUT FILLING
5	U.S.-30	002040	334.767	335.391	ASC	1997	3.70	4.00	38	3.86	0.26	2006
						1998	3.10	4.00	38	3.59	0.04	
						1999	3.20	4.00	49	3.63	0.08	
						2000	3.10	3.40	49	3.27	0.07	
						2001	3.20	2.40	49	2.73	0.07	
						2002	3.30	2.40	49	2.78	0.34	
						2003	3.40	2.40	59	2.82	0.09	
						2004	3.40	2.40	59	2.78	0.09	
						2005	3.20	2.40	53	2.73	0.09	
						2006	3.20	2.20	53	2.62	0.42	RUT FILLING
5	U.S.-30	002040	334.767	335.391	DES	1997	3.20	4.00	38	3.63	0.09	2006
						1998	3.10	4.00	38	3.59	0.08	
						1999	3.10	4.00	49	3.59	0.09	
						2000	3.10	4.00	49	3.61	0.08	
						2001	3.30	4.00	49	3.70	0.12	
						2002	3.20	4.00	49	3.66	0.10	
						2003	3.20	4.00	59	3.66	0.11	
						2004	3.20	2.40	59	2.71	0.13	
						2005	3.00	2.40	53	2.65	0.12	
						2006	3.10	2.30	53	2.64	0.17	RUT FILLING

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	335.391	335.778	ASC	1997	2.10	3.00	37	2.61	0.16		
						1998	2.00	3.00	37	2.57	0.15		
						1999	2.00	3.00	37	2.57	0.18		
						2000	1.90	3.00	37	2.53	0.20		
						2001	2.00	3.00	49	2.57	0.23		
						2002	3.80	5.00	49	4.48	0.07	MILL AND INLAY	2002
						2003	2.60	5.00	59	3.97	0.07		
						2004	2.50	5.00	59	3.93	0.08		
						2005	2.70	5.00	46	4.01	0.09		
						2006	2.70	5.00	46	4.01	0.10		
5	U.S.-30	002040	335.391	335.778	DES	1997	1.90	3.00	37	2.53	0.16		
						1998	1.70	3.00	37	2.44	0.16		
						1999	1.80	3.00	37	2.48	0.18		
						2000	1.50	3.00	37	2.35	0.20		
						2001	2.00	3.00	49	2.57	0.21		
						2002	3.60	5.00	49	4.40	0.04	MILL AND INLAY	2002
						2003	3.20	5.00	59	4.22	0.03		
						2004	3.10	5.00	59	4.19	0.05		
						2005	3.10	5.00	46	4.19	0.06		
						2006	3.20	5.00	46	4.23	0.08		
5	U.S.-30	002040	359.493	360.704	N	1997	2.90	2.40	34	2.63	0.18		
						1998	2.80	2.40	34	2.58	0.23		
						1999	2.80	2.40	40	2.58	0.21	NEW CONST OR RECONST (FLEX)	1999
						*2000	2.70	2.40	40	2.54	0.22		
						2001	3.00	5.00	40	4.04	0.06		
						2002	3.10	5.00	40	4.09	0.08		
						2003	3.20	5.00	59	4.13	0.07		
						2004	3.10	5.00	59	4.09	0.05		
						2005	3.10	4.80	53	3.98	0.06		
						2006	3.10	4.80	53	3.98	0.06		
5	U.S.-30	002040	360.704	365.268	N	1997	2.90	2.40	34	2.63	0.18		
						1998	2.80	2.40	34	2.58	0.23		
						1999	2.80	2.40	40	2.58	0.21		
						*2000	2.70	2.40	40	2.54	0.22		
						2001	3.90	5.00	41	4.47	0.04	MILL INLAY AND OVERLAY	2001
						2002	3.50	5.00	41	4.28	0.05	MAJOR WIDENING	2002
						2003	3.50	5.00	59	4.28	0.05		
						2004	3.50	5.00	59	4.28	0.05		
						2005	3.50	4.00	56	3.76	0.06		
						2006	3.60	4.00	56	3.80	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-30	002040	365.268	371.497	N	1997	3.80	5.00	47	4.42	0.08	
						1998	3.80	5.00	47	4.42	0.10	
						1999	3.80	5.00	50	4.42	0.13	
						*2000	3.70	5.00	50	4.38	0.12	
						2001	3.80	4.50	50	4.16	0.14	
						2002	3.50	4.00	50	3.76	0.15	
						2003	3.50	4.00	59	3.76	0.18	
						2004	3.50	3.60	59	3.55	0.17	
						2005	3.40	2.40	60	2.87	0.19	
						2006	3.30	2.40	60	2.83	0.16	
5	U.S.-30	002040	371.497	373.353	N	1997	3.10	3.00	35	3.04	0.26	MILL AND INLAY 1997
						*1998	3.80	5.00	35	4.42	0.08	
						1999	3.60	5.00	44	4.33	0.15	
						2000	3.50	5.00	44	4.28	0.16	
						2001	3.50	5.00	44	4.28	0.19	
						2002	3.40	5.00	44	4.23	0.18	
						2003	3.40	5.00	59	4.23	0.19	
						2004	3.30	5.00	59	4.18	0.22	
						2005	3.30	4.80	52	4.08	0.24	
						2006	3.20	4.80	52	4.03	0.22	
5	U.S.-30	002040	373.353	375.827	N	1997	3.10	3.00	35	3.04	0.26	MILL AND INLAY 1997
						*1998	3.80	5.00	35	4.42	0.08	
						1999	3.90	5.00	35	4.47	0.15	
						2000	3.90	5.00	35	4.47	0.16	
						2001	3.90	5.00	35	4.47	0.19	
						2002	3.60	5.00	35	4.33	0.21	
						2003	3.60	5.00	59	4.33	0.21	
						2004	3.60	5.00	59	4.33	0.20	
						2005	3.60	4.70	50	4.17	0.20	
						2006	3.60	4.70	50	4.17	0.20	
5	U.S.-30	002040	375.827	378.390	N	1997	3.10	3.50	33	3.30	0.14	MILL AND INLAY 1997
						1998	3.80	5.00	33	4.42	0.10	
						1999	3.80	5.00	55	4.42	0.11	SEALCOAT 1999
						2000	3.70	5.00	55	4.38	0.09	
						2001	3.80	5.00	55	4.42	0.14	
						2002	3.40	5.00	55	4.23	0.10	
						2003	3.40	5.00	59	4.23	0.14	
						2004	3.40	5.00	59	4.23	0.15	
						2005	3.50	3.90	60	3.70	0.17	
						2006	3.40	3.90	60	3.66	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	378.390	387.020	N	1997	3.70	3.50	20	3.59	0.17	MILL AND INLAY	1997
						1998	3.80	3.50	20	3.64	0.22		
						1999	3.70	3.50	21	3.59	0.21	SEALCOAT	1999
						2000	3.70	3.50	21	3.59	0.23		
						2001	3.60	3.50	21	3.54	0.26		
						2002	3.30	3.20	21	3.24	0.28		
						2003	3.30	2.90	59	3.09	0.28		
						2004	3.20	2.90	59	3.04	0.31		
						2005	3.10	2.40	24	2.73	0.33		
						2006	3.20	2.40	24	2.78	0.30		
5	U.S.-30	002040	398.980	399.200	N	1997	3.00	3.50	21	3.26	0.22		
						1998	3.10	3.50	21	3.30	0.15		
						1999	2.90	3.50	42	3.21	0.25		
						*2000	3.20	3.50	42	3.35	0.27		
						2001	3.00	3.50	21	3.26	0.13		
						2002	3.70	5.00	21	4.37	0.07		
						2003	3.70	5.00	59	4.37	0.06		
						2004	3.80	5.00	59	4.42	0.06		
						2005	3.80	5.00	62	4.42	0.05		
						2006	3.80	5.00	62	4.42	0.06		
5	U.S.-30	002040	399.200	404.366	N	1997	3.60	1.90	29	2.72	0.21		
						1998	3.50	1.90	29	2.67	0.26		
						1999	3.50	1.90	33	2.66	0.28		
						*2000	3.40	1.90	33	2.61	0.29		
						2001	3.40	5.00	35	4.22	0.25	NEW CONST OR RECONST (FLEX)	2001
						2002	3.50	5.00	35	4.27	0.09		
						2003	3.60	5.00	59	4.32	0.09		
						2004	3.50	5.00	59	4.27	0.11		
						2005	3.50	5.00	55	4.27	0.12		
						2006	3.60	5.00	55	4.32	0.10		
5	U.S.-30	002040	404.366	405.050	N	1997	3.80	4.00	52	3.90	0.09		
						1998	3.70	4.00	52	3.86	0.10		
						1999	3.60	4.00	34	3.81	0.11		
						2000	3.50	4.00	34	3.77	0.13		
						2001	3.50	4.00	34	3.77	0.12	NEW CONST OR RECONST (FLEX)	2001
						2002	3.50	4.00	34	3.77	0.12		
						2003	3.50	4.00	59	3.77	0.12		
						2004	3.50	4.00	59	3.77	0.14		
						2005	3.40	3.80	55	3.61	0.12		
						2006	3.40	3.80	55	3.61	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-30	002040	405.050	405.496	N	1997	3.20	5.00	55	4.17	0.17	
						1998	3.10	5.00	55	4.13	0.14	
						1999	3.10	5.00	55	4.13	0.24	
						2000	3.10	5.00	55	4.13	0.21	
						2001	3.10	5.00	34	4.12	0.26	
						2002	2.80	4.70	34	3.82	0.19	
						2003	2.90	4.70	59	3.87	0.31	
						2004	2.80	4.70	59	3.82	0.31	
						2005	2.80	2.90	55	2.85	0.32	
						2006	2.90	2.90	55	2.90	0.27	
5	U.S.-30	002040	405.496	406.480	N	1997	3.60	5.00	42	4.33	0.10	
						1998	3.50	5.00	42	4.28	0.13	
						1999	3.40	5.00	29	4.23	0.15	
						2000	3.40	4.60	29	4.02	0.19	
						2001	3.30	4.60	29	3.98	0.20	
						2002	3.20	4.60	29	3.93	0.21	
						2003	3.20	4.60	59	3.93	0.22	
						2004	3.30	4.60	59	3.98	0.23	
						2005	3.10	3.90	53	3.51	0.29	
						2006	3.20	3.90	53	3.56	0.19	
5	U.S.-30	002040	406.480	406.786	N	1997	3.10	5.00	37	4.09	0.11	
						1998	3.00	5.00	37	4.04	0.15	
						1999	3.00	5.00	28	4.04	0.20	
						2000	3.00	5.00	28	4.04	0.18	
						2001	2.90	5.00	28	3.99	0.16	
						2002	2.80	5.00	28	3.95	0.20	
						2003	2.70	5.00	59	3.90	0.17	
						2004	2.60	5.00	59	3.85	0.21	
						2005	2.40	4.30	38	3.39	0.21	
						2006	2.60	4.30	38	3.49	0.10	
5	U.S.-30	002040	406.786	413.000	N	1997	4.10	5.00	37	4.57	0.09	
						1998	4.10	5.00	37	4.57	0.12	
						1999	4.10	5.00	38	4.57	0.14	
						2000	4.10	5.00	38	4.57	0.17	
						2001	4.10	5.00	38	4.57	0.18	
						2002	3.90	4.50	38	4.21	0.22	
						2003	3.90	4.50	59	4.21	0.22	MAJOR WIDENING
						2004	3.70	4.50	59	4.11	0.20	
						2005	3.60	4.00	54	3.80	0.21	
						2006	3.70	4.00	54	3.85	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-30	002040	413.000	414.700	N	1997	4.10	5.00	27	4.57	0.08	
						1998	4.00	4.50	27	4.26	0.13	
						1999	4.00	4.50	33	4.26	0.14	
						2000	4.00	4.50	33	4.26	0.14	
						2001	4.00	4.50	33	4.26	0.16	
						2002	3.80	4.50	33	4.16	0.18	
						2003	3.60	4.50	59	4.07	0.16	
						2004	3.60	4.50	59	4.07	0.06	
						2005	3.60	4.20	62	3.91	0.07	
						2006	3.60	4.20	62	3.91	0.05	
5	U.S.-30	002040	414.700	421.700	N	1997	4.10	5.00	27	4.57	0.13	
						1998	4.10	5.00	27	4.57	0.18	
						1999	4.10	5.00	35	4.57	0.21	
						2000	4.10	5.00	35	4.57	0.22	
						2001	4.10	5.00	35	4.57	0.22	
						2002	3.90	4.50	35	4.21	0.23	
						2003	3.80	4.50	59	4.16	0.24	
						2004	3.70	4.50	59	4.11	0.19	
						2005	3.70	4.50	50	4.11	0.20	
						2006	3.70	4.50	50	4.12	0.13	
5	U.S.-30	002040	421.700	424.500	N	1997	3.70	4.80	31	4.31	0.17	
						1998	3.70	4.80	31	4.31	0.22	
						1999	3.70	4.80	34	4.31	0.27	
						2000	3.60	4.00	34	3.80	0.30	
						2001	3.80	4.00	34	3.91	0.18	
						2002	3.60	4.00	34	3.82	0.23	
						2003	3.60	4.00	59	3.82	0.23	
						2004	3.60	4.00	59	3.82	0.18	
						2005	3.60	4.00	54	3.82	0.24	
						2006	3.50	3.90	54	3.72	0.20	
5	U.S.-30	002040	424.500	430.000	N	1997	4.30	5.00	31	4.66	0.04	
						1998	4.30	5.00	31	4.66	0.07	SEALCOAT
						1999	4.10	5.00	58	4.57	0.08	
						2000	4.10	5.00	58	4.57	0.08	
						2001	4.10	5.00	58	4.57	0.09	
						2002	3.80	5.00	58	4.43	0.10	
						2003	3.90	5.00	59	4.48	0.10	
						2004	3.80	5.00	59	4.43	0.09	
						2005	3.80	5.00	61	4.43	0.10	
						2006	3.80	4.80	61	4.32	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	430.000	434.137	N	1997	3.80	3.00	21	3.38	0.16		
						1998	3.80	3.00	21	3.38	0.18	SEALCOAT	1998
						1999	3.80	3.00	33	3.38	0.20		
						2000	3.70	3.00	33	3.33	0.19	RUT FILLING	2000
						2001	3.90	3.00	33	3.43	0.20		
						2002	3.70	3.00	33	3.33	0.21		
						2003	3.70	3.00	59	3.33	0.19		
						2004	3.70	3.00	59	3.33	0.22		
						2005	3.60	3.00	56	3.28	0.20		
						2006	3.60	3.00	56	3.28	0.23		
5	U.S.-30	002040	434.137	435.281	N	1997	3.80	5.00	40	4.46	0.21		
						1998	3.90	4.50	40	4.23	0.23		
						1999	3.70	4.50	18	4.13	0.24	SEALCOAT	1999
						2000	3.70	3.30	18	3.47	0.26	RUT FILLING	2000
						2001	3.70	3.30	18	3.47	0.24		
						2002	3.40	3.30	18	3.34	0.25		
						2003	3.40	2.80	59	3.06	0.28		
						2004	3.30	2.40	59	2.79	0.26		
						2005	3.40	2.40	57	2.84	0.28		
						2006	3.30	2.40	57	2.79	0.24		
5	U.S.-30	002040	435.281	441.648	N	1997	3.90	5.00	29	4.48	0.33		
						1998	3.90	5.00	29	4.48	0.39		
						1999	3.90	5.00	57	4.48	0.43	SEALCOAT	1999
						2000	3.80	5.00	57	4.43	0.44		
						2001	3.80	5.00	57	4.44	0.43		
						2002	3.50	5.00	57	4.30	0.46		
						2003	3.50	5.00	59	4.29	0.49		
						2004	3.40	4.50	59	3.98	0.46		
						2005	3.60	4.50	39	4.08	0.33	SEALCOAT	2005
						2006	3.60	4.50	39	4.08	0.27		
5	U.S.-30	002040	441.648	447.277	N	1997	3.90	4.00	49	3.95	0.08		
						1998	3.80	4.00	49	3.90	0.08		
						1999	3.80	4.00	49	3.90	0.10	SEALCOAT	1999
						2000	3.70	3.50	49	3.59	0.11		
						2001	3.70	3.50	49	3.59	0.12		
						2002	3.40	2.50	49	2.91	0.14		
						2003	3.40	2.50	59	2.92	0.15		
						2004	3.30	2.50	59	2.87	0.16		
						2005	3.30	2.50	49	2.87	0.19	SEALCOAT	2005
						2006	3.30	2.50	49	2.87	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	447.277	449.320	N	1997	4.10	4.30	56	4.20	0.10		
						1998	4.10	4.30	56	4.20	0.05		
						1999	4.00	4.30	57	4.15	0.05	SEALCOAT	1999
						2000	4.00	4.30	57	4.15	0.05		
						2001	4.00	3.40	57	3.68	0.06		
						2002	3.60	2.50	57	3.01	0.08		
						2003	3.70	2.50	59	3.06	0.09		
						2004	3.60	2.50	59	3.01	0.10		
						2005	3.60	2.50	53	3.01	0.09		
						2006	3.50	2.40	53	2.91	0.09		
5	U.S.-30	002040	449.320	453.700	N	1997	4.10	4.50	56	4.31	0.08		
						1998	4.10	4.00	56	4.04	0.05		
						1999	4.00	4.00	44	4.00	0.04	SEALCOAT	1999
						2000	4.00	3.00	44	3.47	0.04		
						2001	4.00	2.80	44	3.36	0.05		
						2002	3.70	2.50	44	3.06	0.06		
						2003	3.70	2.40	59	3.01	0.05		
						2004	3.60	2.40	59	2.96	0.06		
						2005	3.60	2.40	50	2.96	0.07		
						2006	3.60	2.40	50	2.96	0.07		
5	U.S.-30	002040	453.700	455.481	N	1997	4.00	3.00	57	3.46	0.08		
						1998	4.00	3.00	57	3.47	0.08		
						1999	4.00	3.00	60	3.47	0.05	SEALCOAT	1999
						2000	3.80	3.00	60	3.37	0.04		
						2001	3.90	3.00	60	3.42	0.05		
						2002	3.50	3.00	60	3.23	0.07		
						2003	3.50	3.00	59	3.23	0.07		
						2004	3.40	3.00	59	3.18	0.05		
						2005	3.40	3.00	61	3.18	0.10		
						2006	3.50	2.90	61	3.18	0.08		
5	U.S.-30	002047	000.000	000.300	N	1997	2.20	2.00	34	2.07	0.18		
						1998	2.40	2.00	34	2.15	0.18		
						1999	2.30	2.00	34	2.11	0.18		
						2000	2.70	4.00	34	3.50	0.22		
						2001	2.70	4.00	60	3.50	0.25		
						2002	2.60	4.00	60	3.47	0.23		
						2003	2.60	3.80	59	3.34	0.23		
						2004	2.50	3.80	59	3.30	0.25		
						2005	2.60	3.50	61	3.16	0.27		
						2006	2.60	3.00	61	2.84	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002047	000.301	000.446	N	1997	2.30	1.80	26	1.98	0.22		
						1998	2.70	1.80	26	2.13	0.23		
						1999	1.90	1.80	26	1.83	0.19		
						2000	2.80	1.80	26	2.17	0.17		
						2001	2.40	3.00	60	2.77	0.25		
						2002	2.00	3.00	60	2.62	0.18		
						2003	1.80	3.00	59	2.54	0.18		
						2004	1.90	2.90	59	2.52	0.15		
						2005	1.80	2.40	61	2.17	0.23		
						2006	1.80	1.90	61	1.86	0.13		
5	S.H.-34	002360	007.620	008.560	N	1997	3.30	1.90	39	2.52	0.23	PLANT MIX OVERLAY	1997
						1998	3.30	5.00	39	4.23	0.19		
						1999	3.30	4.50	32	3.96	0.19		
						2000	3.20	4.50	32	3.91	0.18		
						2001	3.20	4.20	32	3.75	0.19		
						2002	3.10	4.20	32	3.70	0.21		
						2003	3.00	4.20	59	3.66	0.20		
						2004	3.00	4.20	59	3.66	0.20		
						2005	2.90	4.20	61	3.61	0.19	SEALCOAT	2005
						2006	3.00	4.20	61	3.66	0.20		
5	S.H.-34	002360	008.560	011.660	N	*1997	3.20	1.50	39	2.24	0.19	PLANT MIX OVERLAY	1997
						1998	3.60	5.00	39	4.37	0.16		
						1999	3.60	5.00	35	4.37	0.17		
						2000	3.60	5.00	35	4.37	0.18		
						2001	3.60	5.00	35	4.37	0.18		
						2002	3.40	4.90	35	4.22	0.20		
						2003	3.50	4.50	59	4.05	0.20		
						2004	3.40	3.90	59	3.67	0.22		
						2005	3.40	3.90	61	3.67	0.21	SEALCOAT	2005
						2006	3.30	3.90	61	3.63	0.19		
5	S.H.-34	002360	011.660	013.315	N	*1997	3.20	1.50	39	2.24	0.19	SEALCOAT	1997
						1998	4.00	5.00	38	4.56	0.22	PLANT MIX OVERLAY	1998
						1999	3.60	5.00	52	4.38	0.05		
						2000	3.60	5.00	52	4.38	0.05		
						2001	3.60	5.00	52	4.37	0.04		
						2002	3.40	5.00	52	4.28	0.04		
						2003	3.40	4.50	59	4.00	0.04		
						2004	3.30	4.50	59	3.96	0.04		
						2005	3.40	4.50	61	4.00	0.05		
						2006	3.30	3.00	61	3.13	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	013.315	014.000	N	*1997	3.20	2.30	52	2.69	0.16	
						1998	3.40	2.20	53	2.72	0.15	
						1999	3.70	5.00	61	4.42	0.04	
						2000	3.70	5.00	61	4.42	0.07	
						2001	3.80	5.00	61	4.46	0.04	
						2002	3.50	5.00	61	4.33	0.04	
						2003	3.50	5.00	59	4.33	0.03	
						2004	3.50	5.00	59	4.33	0.03	
						2005	3.50	5.00	61	4.33	0.05	
						2006	3.50	4.60	61	4.10	0.04	
5	S.H.-34	002360	014.000	017.640	N	*1997	3.20	2.30	52	2.69	0.16	
						1998	4.00	5.00	52	4.56	0.16	PLANT MIX OVERLAY 1998
						1999	3.40	5.00	59	4.29	0.12	
						2000	3.40	4.60	59	4.07	0.13	
						2001	3.50	3.00	59	3.22	0.13	
						2002	3.40	3.00	59	3.17	0.11	SEALCOAT 2002
						2003	3.40	2.40	59	2.84	0.10	
						2004	3.40	2.00	59	2.62	0.13	
						2005	3.40	2.00	61	2.62	0.16	
						2006	3.40	2.00	61	2.62	0.14	
5	S.H.-34	002360	017.640	019.000	N	*1997	3.20	2.30	52	2.69	0.16	
						1998	2.90	2.20	51	2.50	0.22	
						1999	3.60	5.00	61	4.38	0.03	
						2000	3.50	5.00	61	4.34	0.04	
						2001	3.60	4.80	61	4.26	0.04	
						2002	3.40	4.80	61	4.17	0.03	SEALCOAT 2002
						2003	3.40	4.80	59	4.17	0.06	
						2004	3.40	4.70	59	4.12	0.04	
						2005	3.40	3.90	61	3.67	0.05	
						2006	3.30	3.90	61	3.63	0.04	
5	S.H.-34	002360	019.000	021.000	N	*1997	3.20	2.30	52	2.69	0.16	
						1998	4.00	5.00	53	4.56	0.16	SCRUB COAT 1998
						1999	3.60	5.00	61	4.38	0.09	
						2000	3.60	2.80	61	3.15	0.10	
						2001	3.70	2.50	61	3.03	0.10	
						2002	3.30	2.40	61	2.80	0.12	SEALCOAT 2002
						2003	3.40	2.40	59	2.84	0.07	
						2004	3.30	2.40	59	2.80	0.09	
						2005	3.50	2.40	61	2.89	0.11	
						2006	3.30	2.30	61	2.74	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	021.000	021.137	N	*1997	3.20	2.30	52	2.69	0.16	
						1998	4.00	2.20	55	2.98	0.24	
						1999	3.90	2.20	55	2.94	0.20	
						2000	3.60	2.20	55	2.81	0.21	
						2001	3.90	2.20	61	2.95	0.20	
						2002	3.40	2.20	61	2.73	0.22	
						2003	3.40	2.20	59	2.73	0.13	
						2004	3.40	2.20	59	2.73	0.14	
						2005	3.60	2.20	61	2.82	0.19	
						2006	3.40	2.20	61	2.73	0.10	
5	S.H.-34	002360	021.137	029.000	N	1997	3.00	4.00	54	3.56	0.15	
						1998	2.90	4.00	54	3.51	0.12	
						*1999	2.90	4.00	58	3.51	0.13	
						2000	2.90	4.00	58	3.51	0.12	
						2001	3.00	4.00	58	3.55	0.13	
						2002	2.60	4.00	58	3.37	0.11	
						2003	2.70	4.00	59	3.42	0.11	
						2004	2.60	4.00	59	3.37	0.12	
						2005	2.60	3.80	61	3.26	0.11	SEALCOAT 2005
						2006	2.60	3.80	61	3.26	0.10	
5	S.H.-34	002360	029.000	035.280	N	1997	3.00	2.00	51	2.43	0.15	
						1998	2.90	1.90	51	2.33	0.14	
						*1999	2.90	1.90	55	2.33	0.13	PLANT MIX OVERLAY 1999
						2000	3.60	5.00	55	4.38	0.10	
						2001	3.60	5.00	55	4.37	0.10	
						2002	3.40	5.00	55	4.28	0.10	
						2003	3.50	4.80	59	4.22	0.10	
						2004	3.40	4.80	59	4.17	0.10	
						2005	3.40	4.60	61	4.06	0.11	SEALCOAT 2005
						2006	3.40	4.60	61	4.06	0.09	
5	S.H.-34	002360	035.280	040.200	N	1997	3.20	1.90	49	2.47	0.18	
						1998	3.20	1.90	49	2.47	0.23	
						*1999	3.10	1.90	50	2.43	0.21	PLANT MIX OVERLAY 1999
						2000	3.60	5.00	50	4.37	0.10	
						2001	3.60	5.00	50	4.37	0.10	
						2002	3.40	5.00	50	4.28	0.12	
						2003	3.40	4.80	59	4.17	0.11	
						2004	3.40	4.80	59	4.17	0.11	
						2005	3.40	4.40	61	3.95	0.13	
						2006	3.40	4.40	61	3.95	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	040.200	044.358	N	1997	3.20	1.90	49	2.47	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	3.20	1.90	49	2.47	0.23	
						*1999	3.10	1.90	50	2.43	0.21	
						2000	3.80	5.00	38	4.46	0.16	
						2001	3.90	5.00	38	4.50	0.15	
						2002	3.70	5.00	38	4.41	0.17	
						2003	3.70	5.00	59	4.41	0.16	
						2004	3.70	4.80	59	4.30	0.17	
						2005	3.60	4.80	61	4.26	0.17	
						2006	3.60	4.80	61	4.26	0.18	
											SEALCOAT	2005
5	S.H.-34	002360	044.358	044.750	N	1997	3.90	5.00	38	4.50	0.09	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	3.90	5.00	38	4.50	0.16	
						1999	4.00	5.00	26	4.55	0.14	
						2000	3.90	5.00	26	4.50	0.18	
						2001	4.00	5.00	26	4.55	0.19	
						2002	3.70	5.00	26	4.41	0.23	
						2003	3.70	5.00	59	4.41	0.23	
						2004	3.80	5.00	59	4.46	0.24	
						2005	3.70	5.00	61	4.41	0.25	
						2006	3.70	5.00	61	4.41	0.23	
											SEALCOAT	2005
5	S.H.-34	002360	044.750	045.332	N	1997	4.10	5.00	43	4.62	0.03	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	4.00	5.00	43	4.58	0.10	
						1999	4.00	5.00	32	4.58	0.10	
						2000	4.00	5.00	32	4.58	0.13	
						2001	4.10	5.00	32	4.62	0.13	
						2002	3.80	5.00	32	4.50	0.16	
						2003	3.80	5.00	59	4.50	0.16	
						2004	3.80	5.00	59	4.50	0.17	
						2005	3.70	4.80	61	4.34	0.17	
						2006	3.70	4.80	61	4.34	0.16	
											SEALCOAT	2005
5	S.H.-34	002360	045.332	045.811	N	1997	3.60	5.00	44	4.41	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	3.40	5.00	44	4.33	0.19	
						1999	3.50	5.00	47	4.37	0.18	
						2000	3.40	5.00	47	4.33	0.20	
						2001	3.50	5.00	47	4.37	0.19	
						2002	3.20	5.00	47	4.25	0.21	
						2003	3.30	5.00	59	4.29	0.20	
						2004	3.20	5.00	59	4.25	0.21	
						2005	3.10	5.00	61	4.21	0.15	
						2006	3.10	5.00	61	4.21	0.17	
											SEALCOAT	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	045.811	046.028	N	1997	4.00	5.00	38	4.55	0.06	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	3.80	5.00	38	4.46	0.05	
						1999	3.80	5.00	30	4.46	0.09	
						2000	3.80	5.00	30	4.46	0.11	
						2001	3.90	5.00	30	4.50	0.13	
						2002	3.70	5.00	30	4.41	0.15	
						2003	3.70	5.00	59	4.41	0.11	
						2004	3.70	5.00	59	4.41	0.15	
						2005	3.60	5.00	61	4.37	0.11	
						2006	3.60	5.00	61	4.37	0.10	
5	S.H.-34	002360	046.028	050.476	N	1997	3.80	5.00	39	4.46	0.07	COLD IN PLACE RECYCLE WITH OVERLAY1997
						1998	3.70	5.00	39	4.41	0.08	
						1999	3.80	5.00	32	4.46	0.10	
						2000	3.70	5.00	32	4.41	0.14	
						2001	3.80	5.00	32	4.46	0.14	
						2002	3.50	5.00	32	4.32	0.19	
						2003	3.60	4.70	59	4.20	0.16	
						2004	3.50	4.70	59	4.16	0.18	
						2005	3.50	4.00	61	3.77	0.17	
						2006	3.40	4.00	61	3.73	0.16	
5	S.H.-34	002360	057.757	058.052	N	1997	1.70	2.00	30	1.88	0.06	
						1998	1.70	1.90	30	1.82	0.09	
						1999	1.70	1.90	30	1.82	0.09	
						2000	1.60	1.90	30	1.78	0.10	
						2001	1.70	1.90	32	1.82	0.10	
						2002	2.10	1.90	32	1.97	0.09	
						2003	1.80	1.80	59	1.80	0.09	
						2004	1.90	1.80	59	1.83	0.09	
						2005	1.70	1.80	61	1.76	0.12	
						2006	1.70	1.80	61	1.76	0.06	
5	S.H.-34	002360	058.052	059.203	N	1997	3.10	1.90	24	2.39	0.17	
						1998	3.00	1.90	24	2.35	0.17	
						1999	2.90	1.80	54	2.25	0.17	
						*2000	1.90	5.00	54	3.70	0.19	
						2001	3.20	5.00	43	4.25	0.09	
						2002	3.10	5.00	43	4.20	0.10	
						2003	3.10	5.00	59	4.20	0.10	
						2004	3.10	5.00	59	4.20	0.10	
						2005	3.00	5.00	61	4.16	0.11	
						2006	3.00	5.00	61	4.16	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-34	002360	059.203	059.795	N	1997	3.10	1.90	24	2.39	0.17		
						1998	3.00	1.90	24	2.35	0.17		
						1999	2.90	1.80	54	2.25	0.17		
						*2000	1.90	5.00	54	3.70	0.19		
						2001	2.10	2.00	59	2.04	0.17		
						2002	2.60	1.80	59	2.13	0.17		
						2003	2.60	1.80	59	2.13	0.18		
						2004	2.50	1.80	59	2.09	0.19		
						2005	2.50	1.70	61	2.03	0.19	SEALCOAT	2005
						2006	2.50	1.70	61	2.03	0.18		
5	S.H.-34	002360	059.795	063.549	N	1997	3.10	3.00	35	3.04	0.14		
						1998	3.10	2.80	35	2.92	0.20		
						1999	3.10	2.80	33	2.92	0.19	SEALCOAT	1999
						2000	3.10	2.80	33	2.92	0.21		
						2001	3.10	2.60	33	2.80	0.20		
						2002	2.70	2.40	33	2.52	0.20		
						2003	2.70	2.40	59	2.52	0.23		
						2004	2.70	2.40	59	2.52	0.23		
						2005	2.70	2.40	61	2.52	0.22	SEALCOAT	2005
						2006	2.80	2.40	61	2.56	0.22		
5	S.H.-34	002360	063.549	070.470	N	1997	3.50	2.00	38	2.61	0.24		
						1998	3.40	2.00	38	2.57	0.24		
						1999	3.40	2.00	40	2.57	0.22	SEALCOAT	1999
						2000	3.30	2.00	40	2.53	0.23		
						2001	3.40	2.00	40	2.57	0.24		
						2002	3.00	2.00	40	2.41	0.24		
						2003	3.00	2.00	59	2.41	0.25		
						2004	3.00	1.90	59	2.35	0.25		
						2005	2.90	1.90	61	2.31	0.25	SEALCOAT	2005
						2006	2.90	1.90	61	2.31	0.23		
5	S.H.-34	002360	070.470	082.000	N	1997	2.70	2.00	39	2.28	0.28		
						1998	2.60	2.00	39	2.24	0.32		
						1999	2.60	1.70	41	2.07	0.30	SEALCOAT	1999
						2000	2.50	1.70	41	2.02	0.33		
						2001	2.60	1.70	41	2.07	0.32		
						2002	2.40	1.70	41	1.98	0.34		
						2003	2.40	1.70	59	1.98	0.34		
						*2004	2.40	1.70	59	1.98	0.35		
						2005	3.40	5.00	61	4.34	0.18	C.R.A.B.S.	2005
						2006	3.30	5.00	61	4.29	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-34	002360	082.000	085.199	N	1997	3.00	2.10	40	2.47	0.16		
						1998	3.00	2.10	40	2.47	0.17		
						1999	3.00	2.00	32	2.41	0.19		
						2000	2.60	2.00	32	2.24	0.17		
						2001	2.60	2.00	32	2.24	0.13		
						2002	2.70	2.00	32	2.28	0.15		
						2003	2.70	2.00	59	2.28	0.14		
						2004	2.70	1.90	59	2.22	0.16		
						2005	2.80	1.90	61	2.27	0.18	SEALCOAT	2005
						2006	2.80	1.90	61	2.27	0.18		
5	S.H.-34	002360	085.199	089.650	N	1997	2.90	1.70	32	2.19	0.29		
						1998	2.90	1.70	32	2.19	0.30		
						1999	2.90	1.70	37	2.19	0.29		
						2000	2.80	1.70	37	2.15	0.33		
						2001	3.00	4.00	37	3.58	0.22		
						2002	3.00	3.80	37	3.47	0.26		
						2003	3.00	3.80	59	3.47	0.28		
						2004	2.90	2.90	59	2.90	0.28		
						2005	2.90	2.70	61	2.78	0.28	SEALCOAT	2005
						2006	2.90	2.70	61	2.78	0.28		
5	S.H.-34	002360	089.650	091.500	N	1997	3.40	2.20	45	2.69	0.21		
						1998	3.40	2.20	45	2.69	0.25		
						1999	3.30	2.20	50	2.65	0.27		
						2000	3.30	2.20	50	2.65	0.29		
						2001	3.30	2.20	50	2.65	0.24		
						2002	3.10	2.20	50	2.57	0.27		
						2003	3.20	1.90	59	2.43	0.25		
						2004	3.00	1.90	59	2.35	0.24		
						2005	2.90	2.60	61	2.72	0.28	SEALCOAT	2005
						2006	3.00	2.50	61	2.70	0.26		
5	S.H.-34	002360	091.500	093.455	N	1997	3.40	2.00	36	2.57	0.22		
						1998	3.40	2.00	36	2.57	0.25		
						1999	3.40	2.00	37	2.57	0.26		
						2000	3.30	2.00	37	2.53	0.24		
						2001	3.40	2.00	37	2.57	0.23		
						2002	3.20	2.00	37	2.49	0.27		
						2003	3.30	2.00	59	2.53	0.25		
						2004	3.00	3.00	59	3.00	0.22		
						2005	3.00	3.00	61	3.00	0.23	SEALCOAT	2005
						2006	3.00	3.00	61	3.00	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	093.455	098.710	N	1997	3.90	3.00	16	3.37	0.07	
						1998	3.80	3.00	16	3.32	0.12	
						1999	3.90	3.00	39	3.37	0.11	
						2000	3.80	3.50	39	3.62	0.12	
						2001	3.90	3.50	39	3.66	0.10	
						2002	3.70	3.50	39	3.58	0.12	
						2003	3.70	3.50	59	3.58	0.12	
						2004	3.70	3.50	59	3.58	0.12	
						2005	3.70	3.50	61	3.58	0.14	SEALCOAT
						2006	3.60	3.50	61	3.54	0.12	
5	S.H.-34	002360	099.000	103.900	N	1997	2.60	2.50	39	2.54	0.18	
						*1998	2.60	2.50	39	2.54	0.17	
						1999	2.80	2.50	36	2.62	0.19	
						2000	2.70	2.50	36	2.58	0.18	
						2001	2.80	2.50	36	2.62	0.16	
						2002	2.80	2.50	36	2.62	0.17	
						2003	2.80	2.50	59	2.62	0.17	
						2004	2.80	2.50	59	2.62	0.17	
						2005	2.80	2.50	61	2.62	0.18	SEALCOAT
						2006	2.80	2.50	61	2.62	0.17	
5	S.H.-34	002360	103.900	110.464	N	1997	2.60	2.50	39	2.54	0.18	
						*1998	2.60	2.50	39	2.54	0.17	
						1999	3.70	5.00	45	4.46	0.04	PLANT MIX OVERLAY
						2000	3.70	5.00	45	4.46	0.05	
						2001	3.70	5.00	45	4.46	0.05	
						2002	3.80	5.00	45	4.50	0.05	
						2003	3.80	5.00	59	4.50	0.06	
						2004	3.70	5.00	59	4.46	0.06	
						2005	3.70	5.00	61	4.46	0.07	SEALCOAT
						2006	3.60	4.80	61	4.30	0.06	
5	S.H.-34	002360	110.464	113.600	N	1997	2.50	3.00	44	2.79	0.19	
						1998	2.30	3.00	44	2.71	0.21	
						1999	3.90	5.00	45	4.54	0.03	PLANT MIX OVERLAY
						2000	3.90	5.00	45	4.54	0.04	
						2001	3.90	5.00	45	4.54	0.04	
						2002	3.90	5.00	45	4.54	0.06	
						2003	3.90	5.00	59	4.54	0.06	
						2004	3.90	5.00	59	4.54	0.06	
						2005	3.90	5.00	61	4.54	0.07	SEALCOAT
						2006	3.70	5.00	61	4.46	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-36	002370	000.000	004.752	N	1997	2.60	3.30	51	3.01	0.16	
						1998	2.60	3.30	51	3.01	0.13	
						1999	2.70	3.30	58	3.05	0.14	
						2000	2.80	3.30	58	3.09	0.15	
						2001	2.70	3.30	58	3.05	0.16	
						2002	2.70	3.30	58	3.05	0.20	
						2003	2.70	3.30	59	3.05	0.13	
						2004	2.70	3.00	59	2.87	0.16	
						2005	2.60	2.70	61	2.65	0.14	
						2006	2.70	2.70	61	2.70	0.14	
5	S.H.-36	002370	004.752	010.000	N	1997	2.90	2.20	41	2.48	0.24	SEALCOAT 1997
						1998	2.80	2.20	41	2.44	0.23	
						*1999	2.90	2.20	41	2.48	0.27	
						2000	2.80	2.20	40	2.44	0.27	
						2001	2.80	2.20	40	2.44	0.30	
						2002	2.70	2.20	40	2.40	0.26	
						2003	2.70	2.20	59	2.40	0.25	
						2004	3.10	4.50	59	3.93	0.13	
						2005	3.00	4.50	61	3.89	0.12	SEALCOAT 2005
						2006	3.10	4.50	61	3.93	0.10	
5	S.H.-36	002370	010.000	013.576	N	1997	2.90	2.20	41	2.48	0.24	SEALCOAT 1997
						1998	2.80	2.20	41	2.44	0.23	
						*1999	2.90	2.20	41	2.48	0.27	
						2000	3.40	5.00	44	4.35	0.24	PLANT MIX OVERLAY 2000
						2001	3.50	5.00	44	4.39	0.05	
						2002	3.50	5.00	44	4.39	0.06	
						2003	3.60	5.00	59	4.42	0.05	
						2004	3.50	5.00	59	4.38	0.06	
						2005	3.50	4.80	61	4.26	0.07	
						2006	3.40	4.80	61	4.22	0.06	
5	S.H.-36	002370	013.576	017.600	N	*1997	2.50	1.60	38	1.96	0.31	SEALCOAT 1997
						1998	2.20	1.60	37	1.84	0.30	
						*1999	2.10	1.60	41	1.80	0.30	
						2000	3.50	5.00	41	4.39	0.32	PLANT MIX OVERLAY 2000
						2001	3.10	5.00	41	4.23	0.10	
						2002	3.20	4.60	41	4.03	0.09	
						2003	3.20	4.60	59	4.02	0.08	
						2004	3.10	4.60	59	3.98	0.08	
						2005	3.10	4.60	61	3.98	0.09	SEALCOAT 2005
						2006	3.00	4.60	61	3.93	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-36	002370	017.600	022.106	N	*1997	2.50	1.60	38	1.96	0.31	SEALCOAT	1997
						1998	3.80	5.00	39	4.51	0.11	PLANT MIX OVERLAY	1998
						*1999	3.80	5.00	67	4.51	0.10		
						2000	3.80	5.00	67	4.51	0.11		
						2001	3.80	5.00	67	4.51	0.12		
						2002	3.80	4.90	67	4.45	0.11		
						2003	3.80	4.90	59	4.44	0.10		
						2004	3.70	4.90	59	4.40	0.09		
						2005	3.60	4.80	61	4.30	0.08	SEALCOAT	2005
						2006	3.60	4.80	61	4.30	0.09		
5	S.H.-36	002370	022.106	026.228	N	*1997	3.40	2.40	45	2.80	0.34		
						1998	3.80	5.00	40	4.51	0.08	PLANT MIX OVERLAY	1998
						1999	3.70	5.00	64	4.47	0.07		
						2000	3.70	4.50	64	4.17	0.09		
						2001	3.80	4.50	64	4.21	0.10		
						2002	3.70	4.50	64	4.17	0.10		
						2003	3.70	4.00	59	3.87	0.11		
						2004	3.60	3.70	59	3.65	0.11		
						2005	3.50	3.60	61	3.55	0.10	SEALCOAT	2005
						2006	3.40	3.60	61	3.51	0.11		
5	S.H.-36	002370	026.228	029.726	N	*1997	3.40	2.40	45	2.80	0.34		
						1998	3.40	2.40	43	2.80	0.44		
						1999	3.30	2.40	50	2.76	0.46		
						2000	3.60	5.00	50	4.43	0.33	PLANT MIX OVERLAY	2000
						2001	3.70	5.00	50	4.47	0.18		
						2002	3.60	4.80	50	4.31	0.19	SEALCOAT	2002
						2003	3.60	4.80	59	4.31	0.18		
						2004	3.60	4.80	59	4.31	0.18		
						2005	3.60	4.80	61	4.31	0.19		
						2006	3.60	4.80	61	4.31	0.16		
5	S.H.-36	002370	029.726	033.960	N	1997	3.90	4.50	43	4.25	0.06		
						1998	3.90	4.50	43	4.25	0.12		
						1999	3.80	4.50	49	4.21	0.12		
						2000	3.90	4.50	49	4.25	0.17	PLANT MIX OVERLAY	2000
						2001	3.90	3.20	49	3.48	0.18		
						2002	3.60	3.20	49	3.36	0.18	SEALCOAT	2002
						2003	3.70	3.20	59	3.40	0.17		
						2004	3.70	3.20	59	3.40	0.19		
						2005	3.70	3.20	61	3.40	0.22		
						2006	3.70	3.20	61	3.40	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-36	005510	100.000	105.500	N	1997	3.10	4.20	43	3.74	0.12		
						1998	3.20	4.20	43	3.78	0.12		
						1999	3.10	4.20	56	3.74	0.13	SEALCOAT	1999
						2000	3.20	4.20	56	3.78	0.13		
						2001	3.20	4.20	56	3.78	0.14		
						2002	3.20	4.20	56	3.78	0.13		
						2003	3.20	3.80	59	3.55	0.14		
						2004	3.20	3.40	59	3.31	0.13		
						2005	3.20	3.40	61	3.31	0.13	SEALCOAT	2005
						2006	3.20	3.40	61	3.31	0.13		
5	S.H.-36	005510	105.500	112.060	N	1997	3.40	3.00	42	3.16	0.12		
						1998	3.40	3.00	42	3.16	0.15	SEALCOAT	1998
						1999	3.40	3.00	59	3.16	0.14	SEALCOAT	1999
						2000	3.40	3.00	59	3.16	0.14		
						2001	3.40	3.00	59	3.16	0.14		
						2002	3.30	3.00	59	3.12	0.13		
						2003	3.30	3.00	59	3.12	0.14		
						2004	3.40	3.00	59	3.16	0.13		
						2005	3.30	3.00	61	3.12	0.15	SEALCOAT	2005
						2006	3.30	3.00	61	3.12	0.14		
5	S.H.-36	005510	112.060	114.860	N	1997	3.10	3.00	42	3.04	0.15		
						1998	3.30	2.70	42	2.94	0.20	SEALCOAT	1998
						1999	3.40	2.70	61	2.98	0.16		
						2000	3.30	2.70	61	2.94	0.17		
						2001	3.30	2.40	61	2.77	0.18		
						2002	3.10	2.40	61	2.68	0.17		
						2003	3.10	2.40	59	2.68	0.17		
						2004	3.00	1.90	59	2.35	0.15		
						2005	3.00	1.90	61	2.35	0.19	SEALCOAT	2005
						2006	2.90	1.90	61	2.31	0.17		
5	S.H.-36	005510	114.860	121.550	N	1997	3.20	3.00	44	3.08	0.23		
						1998	3.20	3.00	44	3.08	0.22	SEALCOAT	1998
						1999	3.40	3.00	57	3.16	0.24		
						2000	3.40	3.00	57	3.16	0.25		
						2001	3.40	3.00	57	3.16	0.25		
						2002	3.10	3.00	57	3.04	0.24	SEALCOAT	2002
						2003	3.10	3.00	59	3.04	0.24		
						2004	3.20	3.00	59	3.08	0.24		
2005	3.10	3.00	61	3.04	0.26	SEALCOAT	2005						
2006	3.00	3.00	61	3.00	0.24								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-36	005510	121.550	126.540	N	1997	3.40	3.00	39	3.16	0.14	SEALCOAT	1997
						1998	3.40	3.00	39	3.16	0.14		
						1999	3.40	3.00	41	3.16	0.14		
						2000	3.40	2.40	41	2.81	0.17		
						2001	3.40	2.30	41	2.75	0.15		
						2002	2.90	2.30	41	2.54	0.15	SEALCOAT	2002
						2003	3.00	2.30	59	2.58	0.16		
						2004	3.10	2.30	59	2.63	0.13		
						2005	3.00	2.20	61	2.53	0.17		
						2006	2.90	2.00	61	2.37	0.19		
5	S.H.-36	005510	126.540	131.840	N	1997	2.60	1.90	45	2.19	0.19		
						1998	2.60	1.90	45	2.19	0.16		
						1999	2.60	1.90	50	2.19	0.17		
						2000	2.60	1.50	50	1.95	0.16		
						2001	2.60	1.50	50	1.95	0.16		
						2002	3.40	5.00	50	4.33	0.05	PLANT MIX OVERLAY	2002
						2003	3.30	5.00	59	4.29	0.05		
						2004	3.40	5.00	59	4.33	0.05		
						2005	3.30	5.00	61	4.29	0.05		
						2006	3.30	4.60	61	4.06	0.05		
5	S.H.-36	005510	131.840	132.560	N	1997	3.40	2.50	43	2.87	0.13		
						1998	3.30	2.50	43	2.83	0.09		
						1999	3.30	2.50	51	2.83	0.09		
						2000	3.40	2.50	51	2.87	0.10		
						2001	3.40	5.00	51	4.33	0.12	PLANT MIX OVERLAY	2001
						2002	3.70	5.00	51	4.46	0.06		
						2003	3.70	4.80	59	4.34	0.06		
						2004	3.70	4.80	59	4.34	0.06		
						2005	3.60	4.80	61	4.30	0.07	SEALCOAT	2005
						2006	3.60	4.80	61	4.30	0.07		
5	S.H.-36	005510	132.560	133.075	N	1997	2.60	2.70	43	2.66	0.18		
						1998	2.70	2.70	43	2.70	0.22		
						1999	2.70	2.70	50	2.70	0.21		
						2000	2.70	2.30	50	2.45	0.18		
						2001	2.90	5.00	50	4.19	0.23	MILL AND INLAY	2001
						2002	3.40	5.00	50	4.38	0.11		
						2003	3.40	4.80	59	4.26	0.11		
						2004	3.30	4.60	59	4.09	0.11		
						2005	3.30	4.60	61	4.09	0.14	SEALCOAT	2005
						2006	3.30	4.60	61	4.09	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-37	002320	037.483	045.320	N	1997	2.80	3.50	45	3.21	0.17	SEALCOAT	1997
						1998	2.80	3.50	45	3.21	0.15		
						1999	2.80	3.50	60	3.21	0.17		
						2000	2.80	3.50	60	3.21	0.18		
						2001	2.90	2.90	60	2.90	0.19		
						2002	2.70	2.90	60	2.81	0.17		
						2003	2.70	2.90	59	2.81	0.18		
						2004	2.60	2.80	59	2.71	0.19		
						2005	2.60	2.60	61	2.60	0.18		
						2006	2.60	2.60	61	2.60	0.16		
5	S.H.-37	002320	045.320	050.430	N	1997	2.70	3.50	46	3.17	0.17	SEALCOAT	1997
						1998	2.70	3.50	46	3.17	0.15		
						1999	2.70	3.50	57	3.17	0.19		
						2000	2.70	3.50	57	3.17	0.19		
						2001	2.70	3.00	57	2.87	0.22		
						2002	2.60	2.90	57	2.77	0.18		
						2003	2.60	1.90	59	2.18	0.19		
						2004	2.60	1.90	59	2.18	0.19		
						2005	2.50	1.90	61	2.14	0.21		
						2006	2.50	1.90	61	2.14	0.18		
5	S.H.-37	002320	050.430	055.440	N	1997	3.00	3.50	43	3.29	0.21	SEALCOAT	1997
						1998	3.00	3.50	43	3.29	0.19		
						1999	3.00	3.50	53	3.29	0.21		
						2000	3.00	3.50	53	3.29	0.21		
						2001	3.10	2.80	53	2.92	0.23		
						2002	2.90	2.80	53	2.84	0.20		
						2003	2.90	2.70	59	2.78	0.22		
						2004	2.90	2.70	59	2.78	0.21		
						2005	2.90	2.70	61	2.78	0.22		
						2006	2.90	2.70	61	2.78	0.22		
5	S.H.-37	002320	055.440	058.620	N	1997	2.90	3.50	46	3.25	0.18	SEALCOAT	1997
						1998	2.90	3.50	46	3.25	0.18		
						1999	2.90	2.40	57	2.60	0.20		
						2000	2.90	2.40	57	2.60	0.21		
						2001	3.00	2.40	57	2.64	0.19		
						2002	2.80	2.40	57	2.56	0.19		
						2003	2.80	1.90	59	2.27	0.21		
						2004	2.90	1.90	59	2.31	0.18		
						2005	2.80	1.90	61	2.27	0.18		
						2006	2.80	1.90	61	2.27	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-37	002320	058.620	064.134	N	1997	3.20	3.50	39	3.37	0.12	SEALCOAT	1997
						1998	3.20	3.50	39	3.37	0.12		
						1999	3.20	3.50	48	3.37	0.14		
						2000	3.20	3.50	48	3.37	0.13		
						2001	3.20	3.00	48	3.08	0.14		
						2002	2.90	2.80	48	2.84	0.13		
						2003	2.90	2.10	59	2.43	0.15		
						2004	2.90	1.90	59	2.31	0.14		
						2005	2.70	1.90	61	2.23	0.15		
						2006	2.90	1.90	61	2.31	0.16		
5	S.H.-37	002320	064.134	068.714	N	1997	3.20	3.50	36	3.37	0.12	SEALCOAT	1997
						1998	3.20	3.50	36	3.37	0.13		
						1999	3.20	3.50	40	3.37	0.15		
						2000	3.20	3.50	40	3.37	0.14		
						2001	3.20	3.30	40	3.25	0.15		
						2002	3.00	3.30	40	3.17	0.13		
						2003	3.00	3.30	59	3.17	0.13		
						2004	3.00	3.10	59	3.05	0.13		
						2005	3.00	3.10	61	3.05	0.15		
						2006	2.90	3.10	61	3.01	0.13		
5	38	002320	000.000	000.689	N	1997	3.10	1.50	30	2.10	0.09		
						1998	3.30	1.50	30	2.18	0.09		
						1999	3.10	1.50	46	2.10	0.07		
						2000	2.90	1.50	46	2.03	0.09		
						2001	2.90	1.50	46	2.03	0.09		
						2002	2.90	1.50	46	2.03	0.08		
						2003	2.90	1.50	59	2.03	0.07		
						2004	2.80	1.50	59	1.99	0.08		
						2005	2.90	1.50	61	2.03	0.09		
						2006	3.00	1.50	61	2.06	0.08		
5	38	002320	000.689	000.953	N	1997	1.90	4.50	34	3.52	0.12		
						1998	2.00	4.50	34	3.55	0.13		
						1999	2.10	4.50	34	3.59	0.15		
						2000	2.00	4.50	34	3.55	0.16		
						2001	2.10	4.50	46	3.59	0.14		
						2002	1.60	4.50	46	3.40	0.11		
						2003	1.70	4.50	59	3.44	0.13		
						2004	1.50	4.50	59	3.36	0.12		
						2005	1.40	4.50	61	3.33	0.16		
						2006	1.70	4.50	61	3.44	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	38	002320	000.953	001.323	N	1997	2.80	3.50	36	3.23	0.09		
						1998	2.80	3.50	36	3.23	0.08		
						1999	2.70	3.50	46	3.19	0.09		
						2000	2.80	3.50	46	3.23	0.12		
						2001	2.70	3.50	46	3.19	0.11		
						2002	2.80	3.50	46	3.23	0.11		
						2003	2.70	3.50	59	3.19	0.11		
						2004	2.80	3.50	59	3.23	0.10	SEALCOAT	2004
						2005	2.80	3.50	61	3.23	0.11		
						2006	2.80	3.50	61	3.23	0.12		
5	38	002320	001.323	006.310	N	1997	3.20	2.00	39	2.49	0.20		
						1998	3.20	2.00	39	2.49	0.22		
						1999	3.10	2.00	46	2.45	0.23		
						2000	3.00	2.00	46	2.41	0.23		
						2001	2.90	2.00	46	2.37	0.26		
						2002	2.60	2.00	46	2.24	0.23		
						2003	2.60	1.90	59	2.18	0.26		
						2004	3.00	1.90	59	2.35	0.17	SEALCOAT	2004
						2005	2.90	1.90	61	2.31	0.18		
						2006	2.80	1.90	61	2.27	0.20		
5	38	002320	006.310	012.994	N	1997	3.40	2.30	47	2.75	0.24		
						1998	3.30	2.30	47	2.71	0.27		
						1999	3.40	2.30	47	2.75	0.28		
						2000	3.40	2.30	47	2.75	0.27		
						2001	3.60	2.30	47	2.83	0.32		
						2002	3.40	2.30	47	2.75	0.31		
						2003	3.40	2.30	59	2.75	0.32		
						2004	3.50	2.30	59	2.79	0.26	SEALCOAT	2004
						2005	3.50	2.30	61	2.79	0.28		
						2006	3.50	2.30	61	2.79	0.26		
5	38	002320	012.994	014.567	N	1997	3.40	3.00	45	3.16	0.26		
						1998	3.50	3.00	45	3.20	0.26		
						1999	3.50	3.00	47	3.20	0.27		
						2000	3.50	3.00	47	3.20	0.28		
						2001	3.60	2.90	47	3.18	0.31		
						2002	3.40	2.90	47	3.10	0.29		
						*2003	3.40	2.30	59	2.75	0.31		
						2004	3.50	2.30	59	2.79	0.14	SEALCOAT	2004

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	38	002320	014.595	019.065	N	1997	3.40	3.00	45	3.16	0.26		
						1998	3.50	3.00	45	3.20	0.26		
						1999	3.50	3.00	47	3.20	0.27		
						2000	3.50	3.00	47	3.20	0.28		
						2001	3.60	2.90	47	3.18	0.31		
						2002	3.40	2.90	47	3.10	0.29		
						*2003	3.40	2.30	59	2.75	0.31		
						2004	3.50	2.30	59	2.79	0.29	SEALCOAT	2004
						2005	3.50	2.30	61	2.79	0.29		
						2006	3.40	2.30	61	2.75	0.23		
5	38	002320	019.065	023.438	N	1997	3.40	2.50	40	2.87	0.27		
						1998	3.50	2.50	40	2.90	0.27		
						1999	3.60	2.50	33	2.95	0.27		
						2000	3.60	2.50	33	2.95	0.27		
						2001	3.60	2.50	33	2.95	0.30		
						2002	3.30	2.50	33	2.82	0.28		
						2003	3.30	2.30	59	2.71	0.29		
						2004	3.50	2.30	59	2.79	0.26	SEALCOAT	2004
						2005	3.40	2.30	61	2.75	0.26		
						2006	3.30	2.10	61	2.59	0.26		
5	S.H.-39	002330	001.720	001.815	N	1997	2.70	4.50	23	3.68	0.15		
						1998	2.60	4.50	23	3.64	0.20	SEALCOAT	1998
						1999	2.60	4.50	23	3.64	0.16		
						2000	2.70	4.50	23	3.68	0.14		
						2001	2.70	4.50	33	3.68	0.15		
						2002	2.70	4.50	33	3.68	0.15		
						2003	2.70	4.50	59	3.68	0.15		
						2004	2.70	4.50	59	3.70	0.15		
						2005	3.40	4.50	61	4.00	0.26		
						2006	3.30	4.50	61	3.95	0.26		
5	S.H.-39	002330	001.815	002.807	ASC	1997	2.60	3.50	22	3.10	0.11		
						*1998	2.50	3.50	22	3.05	0.10	SEALCOAT	1998
						1999	2.90	3.50	47	3.23	0.13	MILL AND INLAY	1999
						2000	3.00	3.50	47	3.28	0.10		
						2001	3.00	3.50	47	3.28	0.12		
						2002	2.80	3.50	47	3.19	0.13		
						2003	2.80	3.00	59	2.91	0.13		
						2004	2.70	2.50	59	2.58	0.11		
						2005	2.80	2.50	61	2.63	0.11		
						2006	2.70	2.50	61	2.58	0.09		
5	S.H.-39	002330	001.815	002.807	DES	1999	2.90	3.50	37	3.23	0.13	MILL AND INLAY	1999
						2000	3.00	3.50	37	3.28	0.10		
						2001	3.00	3.50	37	3.28	0.12		
						2002	2.80	3.50	37	3.19	0.13		
						2003	2.80	3.50	59	3.19	0.13		
						2004	2.70	3.50	59	3.14	0.11		
						2005	2.80	3.50	61	3.19	0.11		

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
						2006	2.70	3.50	61	3.14	0.09		
5	S.H.-39	002330	002.807	003.280	ASC	1997	2.60	3.50	22	3.10	0.11		
						*1998	2.50	3.50	22	3.05	0.10		
						1999	3.10	5.00	49	4.16	0.03	MILL AND INLAY	1999
						2000	3.00	5.00	49	4.11	0.05		
						2001	3.20	5.00	49	4.20	0.03		
						2002	3.30	5.00	49	4.25	0.03		
						2003	3.30	4.80	59	4.13	0.04		
						2004	3.20	3.60	59	3.42	0.04		
						2005	3.30	3.60	61	3.46	0.04		
						2006	3.20	3.60	61	3.42	0.04		
5	S.H.-39	002330	002.807	003.280	DES	1999	3.10	5.00	40	4.16	0.03	MILL AND INLAY	1999
						2000	3.00	5.00	40	4.11	0.05		
						2001	3.20	5.00	40	4.20	0.03		
						2002	3.30	5.00	40	4.25	0.03		
						2003	3.30	5.00	59	4.25	0.04		
						2004	3.20	5.00	59	4.20	0.04		
						2005	3.30	5.00	61	4.25	0.04		
						2006	3.20	5.00	61	4.19	0.04		
5	S.H.-39	002330	003.280	010.962	N	1997	3.10	2.00	29	2.49	0.14		
						*1998	3.00	2.00	29	2.44	0.17	SEALCOAT	1998
						1999	4.10	5.00	52	4.59	0.04	C.R.A.B.S.	1999
						2000	4.10	5.00	52	4.59	0.06		
						2001	4.10	5.00	52	4.59	0.06		
						2002	3.90	4.50	52	4.23	0.06		
						2003	3.90	4.50	59	4.23	0.06		
						2004	3.90	4.50	59	4.23	0.06		
						2005	3.90	4.50	61	4.23	0.07		
						2006	3.90	4.50	61	4.23	0.08		
5	S.H.-39	002330	010.962	015.188	N	1997	3.40	1.80	18	2.51	0.18		
						1998	3.40	1.80	18	2.51	0.23	SEALCOAT	1998
						1999	4.00	5.00	53	4.55	0.04	MILL INLAY AND OVERLAY	1999
						2000	4.10	5.00	53	4.59	0.04		
						2001	4.20	4.80	53	4.53	0.04		
						2002	3.90	4.70	53	4.34	0.03		
						2003	3.90	3.50	59	3.67	0.05		
						2004	3.90	3.50	59	3.67	0.04		
						2005	3.90	2.70	61	3.23	0.06		
						2006	3.80	2.40	61	3.02	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-39	002330	015.188	015.700	N	1997	3.50	1.70	28	2.44	0.10		
						*1998	3.40	1.70	28	2.40	0.15	SEALCOAT	1998
						1999	3.80	5.00	52	4.50	0.03	MILL INLAY AND OVERLAY	1999
						2000	3.90	5.00	52	4.54	0.03		
						2001	4.00	4.90	52	4.52	0.03		
						2002	3.80	4.90	52	4.44	0.02		
						2003	3.80	3.90	59	3.85	0.03		
						2004	3.70	2.50	59	2.99	0.03		
						2005	3.70	2.50	61	2.99	0.05		
						2006	3.70	2.40	61	2.94	0.05		
5	S.H.-39	002330	015.700	015.992	N	1997	2.70	3.50	41	3.16	0.10		
						*1998	2.50	3.50	41	3.08	0.12	SEALCOAT	1998
						1999	3.40	3.50	41	3.45	0.11		
						2000	3.30	3.50	41	3.41	0.12		
						2001	3.30	3.50	52	3.41	0.10		
						2002	3.40	3.50	52	3.45	0.09		
						2003	3.30	3.50	59	3.41	0.10		
						2004	3.30	2.50	59	2.83	0.08		
						2005	3.40	2.50	61	2.87	0.11		
						2006	3.40	2.50	61	2.87	0.09		
5	S.H.-39	002330	015.992	016.202	N	1997	3.30	2.90	41	3.06	0.12		
						1998	3.20	2.90	41	3.02	0.13	SEALCOAT	1998
						1999	3.10	2.90	41	2.98	0.11		
						2000	3.30	2.90	41	3.06	0.09		
						2001	3.30	2.90	41	3.06	0.08		
						2002	3.10	2.90	41	2.98	0.08		
						2003	3.20	2.90	59	3.02	0.14		
						2004	3.00	2.50	59	2.70	0.09		
						2005	3.10	2.50	61	2.74	0.13		
						2006	3.00	2.40	61	2.64	0.09		
5	S.H.-39	002330	016.202	016.480	N	1997	2.40	3.50	36	3.00	0.09		
						1998	2.30	3.50	36	2.96	0.12	SEALCOAT	1998
						1999	2.20	3.50	36	2.91	0.14		
						2000	2.40	3.00	36	2.73	0.11		
						2001	2.40	3.00	41	2.73	0.12		
						2002	2.50	3.00	41	2.77	0.14		
						2003	2.40	2.60	59	2.51	0.14		
						2004	2.50	2.40	59	2.44	0.10		
						2005	2.40	2.40	61	2.40	0.13		
						2006	2.50	2.40	61	2.44	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	S.H.-39	002330	016.480	023.137	N	1997	3.30	2.90	43	3.07	0.15		
						1998	3.20	2.90	43	3.03	0.16	SEALCOAT	1998
						1999	3.20	2.90	50	3.03	0.17		
						2000	3.20	2.90	50	3.03	0.17		
						2001	3.30	2.90	50	3.07	0.18		
						2002	3.10	2.80	50	2.93	0.17		
						2003	3.10	2.70	59	2.87	0.18		
						2004	3.10	2.40	59	2.71	0.17	SEALCOAT	2004
						2005	3.00	2.40	61	2.66	0.19		
						2006	3.00	2.40	61	2.66	0.21		
5	S.H.-39	002330	023.137	029.919	N	1997	3.70	4.30	46	4.03	0.15		
						1998	3.70	4.30	46	4.03	0.12		
						1999	3.70	4.30	50	4.03	0.13		
						2000	3.80	4.30	50	4.07	0.14		
						2001	3.80	4.30	50	4.07	0.14		
						2002	3.50	4.30	50	3.94	0.13		
						2003	3.60	2.80	59	3.15	0.15		
						2004	3.40	2.80	59	3.06	0.11	SEALCOAT	2004
						2005	3.50	2.80	61	3.11	0.14		
						2006	3.50	2.80	61	3.11	0.15		
5	S.H.-39	002330	029.919	035.150	N	1997	3.90	4.50	47	4.23	0.13		
						1998	3.90	4.50	47	4.23	0.16		
						1999	3.90	4.50	49	4.23	0.14		
						2000	3.90	4.50	49	4.23	0.17		
						2001	3.90	4.50	49	4.23	0.21		
						2002	3.60	3.30	49	3.43	0.19		
						2003	3.60	3.30	59	3.43	0.20		
						2004	3.50	3.30	59	3.38	0.15	SEALCOAT	2004
						2005	3.50	3.30	61	3.38	0.20		
						2006	3.30	3.30	61	3.30	0.23		
5	S.H.-39	002330	035.150	039.900	N	1997	3.50	3.40	46	3.44	0.09		
						1998	3.40	3.00	46	3.17	0.08		
						1999	3.40	3.00	48	3.17	0.08		
						2000	3.30	3.00	48	3.13	0.08		
						2001	3.30	2.40	48	2.79	0.11		
						2002	3.00	2.30	48	2.60	0.10		
						2003	3.00	2.30	59	2.60	0.11		
						2004	2.90	2.30	59	2.56	0.08	SEALCOAT	2004

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-39	002330	039.900	044.700	N	1997	4.10	4.30	45	4.21	0.14	
						1998	4.10	4.30	45	4.21	0.17	
						1999	4.00	4.30	44	4.16	0.20	
						2000	4.00	4.00	44	4.00	0.20	
						2001	4.00	2.90	44	3.39	0.26	
						2002	3.60	2.90	44	3.21	0.23	
						2003	3.60	2.40	59	2.93	0.24	
						2004	3.30	2.40	59	2.80	0.26	SEALCOAT
						2005	3.40	2.40	61	2.84	0.28	
						2006	3.30	2.40	61	2.80	0.29	
5	S.H.-39	002330	044.700	049.100	N	1997	3.40	2.30	26	2.79	0.18	
						1998	3.30	2.20	26	2.69	0.21	
						*1999	3.30	2.20	35	2.69	0.22	PLANT MIX OVERLAY
						2000	3.90	5.00	35	4.50	0.11	
						2001	3.80	5.00	35	4.45	0.11	
						2002	3.60	5.00	35	4.36	0.10	
						2003	3.60	5.00	59	4.36	0.12	
						2004	3.60	5.00	59	4.36	0.12	
						2005	3.60	4.80	61	4.25	0.13	SEALCOAT
						2006	3.60	4.80	61	4.25	0.14	
5	S.H.-39	002330	049.100	049.208	N	1997	3.40	2.30	26	2.79	0.18	
						1998	3.30	2.20	26	2.69	0.21	
						*1999	3.30	2.20	35	2.69	0.22	
						2000	3.10	2.20	35	2.60	0.18	
						2001	3.30	2.20	35	2.69	0.17	
						2002	3.10	2.20	35	2.60	0.12	
						2003	2.90	2.20	59	2.51	0.14	
						2004	2.90	2.20	59	2.51	0.18	
						2005	2.70	2.20	61	2.42	0.11	SEALCOAT
						2006	2.90	2.20	61	2.51	0.07	
5	S.H.-39	002330	049.208	049.574	N	1997	3.50	3.00	29	3.22	0.11	
						1998	3.60	2.80	29	3.16	0.12	
						1999	3.60	2.40	24	2.94	0.09	
						2000	3.50	2.40	24	2.89	0.12	
						2001	3.60	2.40	24	2.94	0.13	
						2002	3.50	2.40	24	2.89	0.11	
						2003	3.60	2.40	59	2.94	0.14	
						2004	3.40	2.40	59	2.85	0.13	
						2005	3.50	2.40	61	2.89	0.18	SEALCOAT
						2006	3.50	2.40	61	2.89	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-39	002330	049.574	051.389	N	1997	3.70	2.40	32	2.99	0.09	
						1998	3.60	2.40	32	2.94	0.10	
						1999	3.60	2.40	39	2.94	0.12	
						2000	3.60	2.40	39	2.94	0.11	
						2001	3.60	2.40	39	2.94	0.11	
						2002	3.40	2.40	39	2.85	0.10	
						2003	3.40	2.30	59	2.80	0.13	
						2004	3.40	2.30	59	2.80	0.14	
						2005	3.30	2.30	61	2.75	0.13	SEALCOAT
						2006	3.30	2.30	61	2.75	0.14	
5	S.H.-39	002330	051.389	052.714	N	1997	3.30	2.50	27	2.83	0.10	
						1998	3.20	2.40	27	2.73	0.11	
						1999	3.20	2.40	29	2.73	0.10	
						2000	3.20	2.40	29	2.73	0.12	
						2001	3.20	2.40	29	2.73	0.13	
						2002	3.10	2.40	29	2.69	0.11	
						2003	3.00	2.30	59	2.59	0.13	
						2004	3.00	2.30	59	2.61	0.15	
						2005	2.90	2.30	61	2.57	0.13	SEALCOAT
						2006	2.90	2.30	61	2.57	0.12	
5	S.H.-39	002330	052.714	052.938	N	1997	1.60	2.30	27	2.00	0.11	
						1998	1.90	2.30	27	2.13	0.13	
						1999	1.60	2.10	29	1.88	0.12	
						2000	1.60	2.10	29	1.88	0.13	
						2001	1.50	3.00	29	2.36	0.13	
						2002	1.20	2.40	29	1.89	0.10	
						2003	1.30	2.40	59	1.93	0.14	
						2004	1.40	2.40	59	1.94	0.15	
						2005	1.20	2.40	61	1.85	0.12	SEALCOAT
						2006	1.20	2.40	61	1.85	0.13	
5	S.H.-39	002331	002.040	002.587	N	*1997	2.60	2.20	20	2.37	0.09	
						1998	2.50	2.20	17	2.33	0.12	
						1999	2.70	2.20	17	2.42	0.14	
						2000	2.60	2.20	17	2.37	0.14	
						2001	2.60	2.20	40	2.37	0.13	
						2002	2.80	2.20	40	2.46	0.09	
						2003	2.80	2.20	59	2.46	0.05	
						2004	2.90	2.20	59	2.51	0.11	
						2005	2.90	2.20	61	2.51	0.13	
						2006	2.70	2.20	61	2.42	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-39	002331	002.587	003.300	N	*1997	2.60	2.20	20	2.37	0.09	
						1998	2.20	5.00	27	3.75	0.08	
						1999	3.00	5.00	27	4.11	0.04	
						2000	3.00	5.00	27	4.11	0.06	
						2001	3.10	5.00	40	4.15	0.06	
						2002	2.90	5.00	40	4.06	0.06	
						2003	2.90	5.00	59	4.06	0.08	
						2004	2.90	3.00	59	2.95	0.07	
						2005	2.80	3.00	61	2.91	0.08	
						2006	2.70	3.00	61	2.86	0.08	
5	S.H.-40	002340	000.000	002.737	N	1997	3.50	3.00	39	3.20	0.15	
						1998	3.40	3.00	39	3.16	0.14	
						1999	3.40	3.00	57	3.16	0.15	SEALCOAT 1999
						2000	3.40	3.00	57	3.16	0.16	
						2001	3.50	3.00	57	3.20	0.14	
						2002	3.10	3.00	57	3.04	0.16	
						2003	3.20	3.00	59	3.08	0.15	
						2004	3.00	3.00	59	3.00	0.16	
						2005	3.10	3.00	61	3.04	0.14	SEALCOAT 2005
						2006	3.10	3.00	61	3.04	0.18	
5	S.H.-61	002390	000.000	000.740	N	1997	3.40	5.00	50	4.28	0.07	
						1998	3.30	5.00	50	4.24	0.09	
						1999	3.30	4.50	66	3.96	0.08	
						2000	3.30	4.50	66	3.96	0.09	SEALCOAT 2000
						2001	3.30	4.50	66	3.96	0.09	
						2002	3.30	4.50	66	3.96	0.09	
						2003	3.20	4.50	59	3.91	2.17	
						2004	3.30	4.50	59	3.96	0.08	
						2005	3.20	4.50	61	3.91	0.10	
						2006	3.30	4.50	61	3.96	0.05	
5	I-86	001260	014.818	017.579	ASC	1997	3.30	4.00	36	3.64	0.07	
						1998	3.20	4.00	36	3.59	0.04	
						1999	3.20	4.00	39	3.59	0.05	
						2000	3.20	4.00	39	3.59	0.05	
						2001	3.20	4.00	37	3.59	0.06	
						2002	2.80	3.70	37	3.24	0.04	
						2003	2.90	3.70	37	3.29	0.05	
						2004	2.90	3.60	37	3.24	0.05	
						2005	2.80	3.00	61	2.89	0.04	
						2006	2.90	3.00	61	2.94	0.05	
5	I-86	001260	014.818	017.579	DES	1997	3.00	4.50	29	3.74	0.07	
						1998	2.90	4.50	36	3.69	0.07	
						1999	2.90	4.50	41	3.69	0.07	
						2000	3.00	4.50	41	3.74	0.07	
						2001	2.90	2.60	41	2.75	0.07	
						2002	2.60	2.60	41	2.60	0.08	
2003	2.60	2.60	37	2.60	0.07							

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2004	2.60	2.50	37	2.55	0.07	
						2005	2.60	2.50	61	2.55	0.06	
						2006	2.60	2.50	61	2.55	0.08	
5	I-86	001260	017.579	022.600	ASC	1997	3.10	4.00	36	3.54	0.05	
						1998	3.10	4.00	36	3.54	0.04	
						1999	3.20	4.00	38	3.59	0.04	
						2000	3.10	4.00	38	3.54	0.04	
						2001	3.10	4.00	35	3.54	0.04	
						2002	2.80	4.00	35	3.39	0.04	
						2003	2.70	4.00	35	3.34	0.04	
						2004	2.70	4.00	35	3.34	0.03	
						2005	2.70	3.50	61	3.09	0.03	
						2006	2.80	3.50	61	3.14	0.05	
5	I-86	001260	017.579	022.600	DES	1997	3.20	4.50	32	3.84	0.07	
						1998	3.20	4.30	39	3.74	0.07	
						1999	3.20	4.30	41	3.74	0.06	
						2000	3.20	4.30	41	3.74	0.07	
						2001	3.20	4.10	41	3.64	0.07	
						2002	2.90	4.10	41	3.49	0.07	
						2003	2.80	4.10	35	3.44	0.07	
						2004	2.80	4.10	35	3.44	0.06	
						2005	2.80	4.10	61	3.44	0.07	
						2006	2.80	4.10	61	3.44	0.09	
5	I-86	001260	022.600	026.700	ASC	1997	3.00	4.00	35	3.49	0.05	
						1998	2.80	4.00	35	3.39	0.05	
						1999	2.90	4.00	36	3.44	0.04	
						2000	2.90	4.00	36	3.44	0.05	
						2001	2.80	4.00	36	3.39	0.05	
						2002	2.60	4.00	36	3.29	0.04	
						2003	2.50	4.00	36	3.24	0.05	
						2004	2.50	4.00	36	3.24	0.04	
						2005	2.50	3.70	61	3.09	0.05	
						2006	2.60	3.70	61	3.14	0.07	
5	I-86	001260	022.600	026.700	DES	1997	3.30	4.50	31	3.89	0.06	
						1998	3.20	4.50	39	3.84	0.05	
						1999	3.20	4.50	41	3.84	0.05	
						2000	3.30	4.50	41	3.89	0.05	
						2001	3.30	4.50	41	3.89	0.05	
						2002	3.00	4.50	41	3.74	0.05	
						2003	3.00	4.50	36	3.74	0.05	
						2004	2.90	4.20	36	3.54	0.05	
						2005	2.90	4.20	61	3.54	0.05	
						2006	2.80	3.90	61	3.34	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	026.700	031.970	ASC	1997	3.30	3.80	28	3.54	0.03	
						1998	3.20	3.80	28	3.49	0.03	
						1999	3.30	3.80	31	3.54	0.03	
						2000	3.40	3.80	31	3.59	0.03	
						2001	3.30	3.80	28	3.54	0.03	
						2002	3.10	3.80	28	3.44	0.02	
						2003	3.00	3.80	28	3.39	0.03	
						2004	3.00	3.80	28	3.39	0.02	
						2005	3.00	3.80	61	3.39	0.02	
						2006	3.20	3.80	61	3.49	0.03	
5	I-86	001260	026.700	031.970	DES	1997	3.60	4.00	32	3.79	0.05	
						1998	3.40	4.00	36	3.69	0.03	
						1999	3.50	4.00	39	3.74	0.03	
						2000	3.50	4.00	39	3.74	0.03	
						2001	3.50	4.00	39	3.74	0.04	
						2002	3.20	4.00	39	3.59	0.03	
						2003	3.20	4.00	28	3.59	0.04	
						2004	3.30	4.00	28	3.64	0.04	
						2005	3.20	4.00	61	3.59	0.03	
						2006	3.30	4.00	61	3.64	0.03	
5	I-86	001260	031.970	035.900	ASC	1997	3.30	4.00	31	3.64	0.03	
						1998	3.20	4.00	31	3.59	0.03	
						1999	3.30	4.00	35	3.64	0.02	
						2000	3.30	4.00	35	3.64	0.03	
						*2001	3.30	4.00	33	3.64	0.02	
						2002	3.00	4.00	33	3.49	0.03	
						2003	3.00	4.00	33	3.49	0.02	
						2004	3.00	4.00	33	3.49	0.02	
						2005	3.00	4.00	61	3.49	0.02	
						2006	3.10	4.00	61	3.54	0.02	
5	I-86	001260	031.970	035.900	DES	1997	3.50	4.00	32	3.74	0.06	
						1998	3.30	4.00	38	3.64	0.03	
						1999	3.40	4.00	38	3.69	0.04	
						2000	3.50	4.00	38	3.74	0.03	
						*2001	3.50	4.00	38	3.74	0.04	
						2002	3.20	4.00	38	3.59	0.04	
						2003	3.20	4.00	33	3.59	0.04	
						2004	3.20	4.00	33	3.59	0.04	
						2005	3.20	4.00	36	3.59	0.03	
						2006	3.10	4.00	36	3.54	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	035.900	038.236	ASC	1997	3.80	4.00	42	3.89	0.13	
						1998	3.80	4.00	42	3.89	0.15	
						1999	4.00	4.00	45	4.00	0.17	
						2000	3.70	4.00	45	3.84	0.19	
						*2001	3.80	4.00	46	3.89	0.18	
						2002	4.00	5.00	46	4.49	0.03	C.R.A.B.S.
						2003	4.00	5.00	46	4.49	0.04	
						2004	3.80	5.00	46	4.39	0.09	
						2005	3.80	5.00	36	4.39	0.12	
						2006	3.70	4.80	36	4.24	0.13	
5	I-86	001260	035.900	038.236	DES	1997	4.00	4.00	37	4.00	0.13	
						1998	4.00	4.00	46	4.00	0.18	
						1999	4.00	4.00	50	4.00	0.20	
						2000	4.00	3.00	50	3.50	0.20	
						*2001	3.90	3.00	50	3.45	0.23	
						2002	4.00	5.00	50	4.49	0.04	C.R.A.B.S.
						2003	4.00	5.00	46	4.49	0.04	
						2004	3.90	5.00	46	4.44	0.08	
						2005	3.90	5.00	60	4.44	0.10	
						2006	3.70	5.00	60	4.34	0.12	
5	I-86	001260	038.236	038.800	ASC	1997	3.80	4.00	37	3.89	0.16	
						1998	3.70	3.00	37	3.35	0.21	
						1999	3.60	3.00	49	3.30	0.25	
						2000	3.80	3.00	49	3.40	0.22	
						2001	3.70	3.00	46	3.35	0.25	
						2002	3.80	5.00	46	4.39	0.02	C.R.A.B.S.
						2003	3.80	5.00	46	4.39	0.04	
						2004	3.70	5.00	46	4.34	0.09	
						2005	3.70	5.00	60	4.34	0.10	
						2006	3.60	4.80	60	4.19	0.13	
5	I-86	001260	038.236	038.800	DES	1997	3.70	5.00	31	4.34	0.13	
						1998	3.50	5.00	47	4.24	0.18	
						1999	3.50	5.00	48	4.24	0.20	
						2000	3.50	5.00	48	4.24	0.18	
						2001	3.50	5.00	48	4.24	0.22	
						2002	3.90	5.00	48	4.44	0.04	C.R.A.B.S.
						2003	3.80	5.00	46	4.39	0.03	
						2004	3.60	5.00	46	4.29	0.09	
						2005	3.50	5.00	56	4.24	0.11	
						2006	3.60	3.50	56	3.55	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	038.800	040.380	ASC	1997	3.90	3.90	41	3.90	0.11	
						1998	3.90	3.90	41	3.90	0.16	
						1999	3.70	3.90	48	3.79	0.20	
						2000	3.80	3.90	48	3.84	0.18	
						2001	3.80	3.90	49	3.84	0.22	
						2002	4.10	5.00	49	4.54	0.05	C.R.A.B.S.
						2003	4.10	5.00	49	4.54	0.05	
						2004	3.90	5.00	49	4.44	0.09	
						2005	3.90	5.00	55	4.44	0.11	
						2006	3.80	5.00	55	4.39	0.13	
5	I-86	001260	038.800	040.380	DES	1997	3.80	3.50	32	3.65	0.13	
						1998	3.80	3.50	46	3.65	0.18	
						1999	3.80	3.50	48	3.65	0.18	
						2000	3.80	3.50	48	3.65	0.21	
						2001	3.80	3.50	48	3.65	0.20	
						2002	4.00	5.00	48	4.49	0.03	C.R.A.B.S.
						2003	4.10	5.00	49	4.54	0.05	
						2004	3.90	5.00	49	4.44	0.08	
						2005	3.90	5.00	55	4.44	0.11	
						2006	3.80	3.30	55	3.55	0.12	
5	I-86	001260	040.380	045.500	ASC	1997	4.00	3.70	36	3.85	0.14	
						1998	3.90	3.70	36	3.80	0.17	
						1999	4.00	3.70	41	3.85	0.19	
						2000	3.90	3.70	41	3.80	0.18	
						*2001	3.90	3.70	40	3.80	0.21	
						2002	4.00	5.00	40	4.49	0.03	C.R.A.B.S.
						2003	4.00	5.00	40	4.49	0.05	
						2004	3.90	5.00	40	4.44	0.08	
						2005	3.80	5.00	55	4.39	0.10	SEALCOAT
						2006	3.80	4.00	55	3.89	0.10	
5	I-86	001260	040.380	045.500	DES	1997	3.90	4.00	31	3.94	0.16	
						1998	3.90	4.00	43	3.94	0.20	
						1999	3.80	4.00	40	3.89	0.25	
						2000	3.90	4.00	40	3.94	0.25	
						*2001	3.80	4.00	40	3.89	0.28	
						2002	4.00	5.00	40	4.49	0.05	C.R.A.B.S.
						2003	4.00	5.00	40	4.49	0.06	
						2004	3.90	5.00	40	4.44	0.09	
						2005	3.90	5.00	58	4.44	0.11	SEALCOAT
						2006	3.80	5.00	58	4.39	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	045.500	048.435	ASC	1997	4.20	5.00	42	4.59	0.11	
						1998	4.10	5.00	42	4.54	0.15	
						1999	4.20	5.00	38	4.59	0.17	
						2000	4.10	5.00	38	4.54	0.16	
						*2001	4.10	5.00	44	4.54	0.18	
						2002	3.90	5.00	44	4.44	0.20	
						2003	3.90	5.00	44	4.44	0.24	
						2004	3.90	5.00	44	4.44	0.26	
						2005	3.90	5.00	58	4.44	0.29	SEALCOAT
						2006	3.90	5.00	58	4.44	0.13	
5	I-86	001260	045.500	048.435	DES	1997	4.10	5.00	33	4.54	0.12	
						1998	4.00	5.00	37	4.49	0.19	
						1999	3.90	5.00	40	4.44	0.21	
						2000	4.00	5.00	40	4.49	0.22	
						*2001	4.00	5.00	40	4.49	0.25	
						2002	3.70	5.00	39	4.34	0.28	
						2003	3.80	5.00	44	4.39	0.27	
						2004	3.70	5.00	44	4.34	0.26	
						2005	3.80	5.00	58	4.39	0.32	SEALCOAT
						2006	3.80	5.00	58	4.39	0.36	
5	I-86	001260	048.435	053.100	ASC	1997	4.20	5.00	41	4.59	0.08	
						1998	4.20	5.00	41	4.59	0.12	
						1999	4.10	5.00	40	4.54	0.16	
						2000	4.10	5.00	40	4.54	0.15	
						2001	4.10	5.00	39	4.54	0.17	
						2002	3.80	4.80	39	4.29	0.20	
						2003	3.80	4.80	39	4.29	0.21	
						2004	3.80	4.80	39	4.29	0.20	
						2005	3.80	4.80	58	4.29	0.26	SEALCOAT
						2006	3.90	4.80	58	4.34	0.20	
5	I-86	001260	048.435	053.100	DES	1997	4.10	5.00	31	4.54	0.07	
						1998	4.00	5.00	39	4.49	0.12	
						1999	4.00	5.00	39	4.49	0.15	
						2000	4.00	5.00	39	4.49	0.16	
						2001	4.00	5.00	39	4.49	0.16	
						2002	3.80	5.00	39	4.39	0.19	
						2003	3.80	5.00	39	4.39	0.21	
						2004	3.80	5.00	39	4.39	0.21	
						2005	3.80	5.00	58	4.39	0.24	SEALCOAT
						2006	3.80	5.00	58	4.39	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	053.100	058.509	ASC	1997	3.90	3.50	49	3.70	0.08	
						1998	3.90	3.50	49	3.70	0.08	
						1999	3.80	3.50	52	3.65	0.11	
						2000	3.80	3.50	52	3.65	0.12	
						2001	3.80	3.50	46	3.65	0.14	
						2002	3.50	3.50	46	3.50	0.15	
						2003	3.40	3.50	46	3.44	0.16	
						2004	3.40	3.10	46	3.25	0.19	
						2005	3.30	3.10	36	3.20	0.11	SEALCOAT
						2006	3.30	3.10	36	3.20	0.16	
5	I-86	001260	053.100	058.509	DES	1997	4.00	2.80	47	3.40	0.08	
						1998	4.00	2.80	56	3.40	0.09	
						1999	4.00	2.80	53	3.40	0.11	
						2000	4.00	2.80	53	3.40	0.13	
						2001	3.90	2.80	53	3.35	0.14	
						2002	3.60	2.80	53	3.20	0.18	
						2003	3.60	2.80	46	3.20	0.18	
						2004	3.50	2.80	46	3.15	0.20	
						2005	3.60	2.80	36	3.20	0.22	SEALCOAT
						2006	3.50	2.80	36	3.15	0.22	
5	I-86	001260	058.509	061.066	ASC	1997	4.00	2.40	49	3.21	0.07	
						1998	4.00	2.40	49	3.21	0.05	
						1999	4.00	2.40	49	3.21	0.08	
						2000	4.00	2.40	49	3.21	0.09	
						2001	3.90	2.40	42	3.16	0.10	
						2002	3.50	2.40	42	2.95	0.12	
						2003	3.50	2.40	42	2.95	0.14	
						2004	3.50	2.40	42	2.95	0.15	
						2005	3.50	2.40	36	2.95	0.05	SEALCOAT
						2006	3.40	2.40	36	2.90	0.10	
5	I-86	001260	058.509	061.066	DES	1997	4.20	2.50	47	3.36	0.08	
						1998	4.10	4.00	53	4.05	0.07	
						1999	4.10	4.00	50	4.05	0.09	
						2000	4.10	3.80	50	3.95	0.11	
						2001	4.00	3.60	50	3.80	0.11	
						2002	3.70	3.60	50	3.65	0.14	
						2003	3.60	3.60	42	3.60	0.13	
						2004	3.60	3.00	42	3.30	0.15	
						2005	3.70	3.00	57	3.35	0.17	SEALCOAT
						2006	3.60	3.00	57	3.30	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001260	061.066	062.850	ASC	1997	3.70	2.40	46	3.05	0.08	
						1998	3.50	2.40	46	2.95	0.07	
						1999	3.50	2.40	48	2.95	0.09	
						2000	3.50	2.40	48	2.95	0.09	
						2001	3.60	2.40	56	3.00	0.10	
						2002	3.40	2.40	56	2.90	0.12	
						2003	3.30	2.30	56	2.80	0.12	
						2004	3.30	2.30	56	2.80	0.16	
						2005	3.20	2.30	57	2.75	0.08	SEALCOAT
						2006	3.30	2.50	57	2.90	0.10	
5	I-86	001260	061.066	062.850	DES	1997	3.60	2.00	46	2.81	0.09	
						1998	3.60	4.00	53	3.79	0.09	
						1999	3.60	4.00	44	3.79	0.10	
						2000	3.60	2.90	44	3.25	0.11	
						2001	3.60	2.90	44	3.25	0.11	
						2002	3.30	2.90	44	3.10	0.14	
						2003	3.40	2.80	56	3.10	0.13	
						2004	3.40	2.80	56	3.10	0.15	
						2005	3.40	2.80	57	3.10	0.15	SEALCOAT
						2006	3.30	2.40	57	2.85	0.13	
5	I-86	001270	000.000	002.079	N	1997	3.40	5.00	41	4.35	0.04	
						1998	3.40	4.50	41	4.05	0.06	
						1999	3.30	3.50	50	3.41	0.06	
						2000	3.40	3.50	50	3.45	0.08	
						2001	3.40	2.50	50	2.86	0.07	
						2002	3.30	2.40	50	2.76	0.07	
						2003	3.20	2.40	56	2.72	0.08	
						2004	3.20	2.40	56	2.72	0.08	
						2005	3.20	1.90	57	2.42	0.08	
						2006	3.20	1.90	57	2.43	0.08	
5	I-86	001270	002.079	002.634	N	1997	3.50	1.60	37	2.33	0.11	
						1998	3.50	1.60	37	2.33	0.13	
						1999	3.50	1.60	42	2.33	0.13	
						2000	3.50	1.60	42	2.33	0.12	
						2001	3.50	1.60	42	2.33	0.13	
						2002	3.30	1.60	42	2.25	0.14	
						2003	3.30	1.60	56	2.25	0.14	
						2004	3.30	1.60	56	2.25	0.13	
						2005	3.30	1.60	57	2.25	0.15	
						2006	3.20	1.60	57	2.21	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	001270	002.634	002.952	N	1997	3.50	1.50	43	2.27	0.11	
						1998	3.40	1.50	43	2.23	0.17	
						1999	3.40	1.50	43	2.23	0.15	
						2000	3.50	1.50	43	2.27	0.18	
						2001	3.40	1.50	42	2.23	0.15	
						2002	3.40	1.50	42	2.23	0.17	
						2003	3.50	1.50	56	2.27	0.19	
						2004	3.50	1.50	56	2.27	0.20	
						2005	3.50	1.50	57	2.27	0.20	
						2006	3.40	1.50	57	2.23	0.21	
5	I-86	001270	004.080	004.568	N	1997	2.40	2.00	29	2.17	0.18	
						1998	2.60	5.00	29	3.92	0.15	
						1999	2.50	5.00	27	3.95	0.16	
						2000	2.60	5.00	27	3.91	0.18	
						2001	2.50	4.00	27	3.32	0.18	
						2002	2.80	3.50	27	3.18	0.23	
						2003	3.10	2.70	56	2.88	0.22	
						2004	3.00	2.70	56	2.83	0.21	
						2005	3.00	2.40	57	2.67	0.21	
						2006	2.90	2.40	57	2.62	0.24	
5	I-86	002332	100.000	100.259	N	1997	2.20	4.00	43	3.34	0.11	
						1998	2.40	4.00	43	3.41	0.08	
						1999	1.90	4.00	43	3.14	0.09	
						2000	1.90	4.00	43	3.23	0.07	
						2001	2.10	4.00	42	3.30	0.08	
						2002	2.10	4.00	42	3.27	0.09	
						2003	2.40	4.00	56	3.38	0.08	
						2004	2.20	4.00	56	3.31	0.08	
						2005	2.40	4.00	57	3.39	0.08	
						2006	2.40	4.00	57	3.39	0.09	
5	I-86	002332	100.259	101.870	N	1997	2.90	4.50	43	3.78	0.10	
						1998	4.00	4.50	43	4.27	0.12	PLANT MIX OVERLAY
						1999	2.70	4.50	41	3.69	0.18	
						2000	2.60	4.50	41	3.64	0.19	
						2001	2.70	4.50	41	3.70	0.20	
						2002	2.70	4.50	41	3.69	0.18	
						2003	2.70	4.50	56	3.69	0.19	
						2004	2.60	4.50	56	3.64	0.20	
						2005	2.70	4.50	57	3.69	0.20	
						2006	2.70	4.50	57	3.70	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-86	015867	000.000	000.120	N	1997	3.40	4.50	43	4.01	0.08	
						1998	3.40	4.50	43	4.01	0.08	
						1999	3.40	4.50	41	4.05	0.08	
						2000	2.60	4.50	41	3.66	0.19	
						2001	2.70	4.50	41	3.70	0.20	
						2002	2.70	4.50	41	3.70	0.18	
						2003	2.80	4.50	56	3.75	0.13	
						2004	2.70	4.50	56	3.70	0.13	
						2005	2.70	4.50	57	3.70	0.12	
						2006	2.60	4.50	57	3.66	0.11	
5	U.S.-89	002380	000.000	006.938	N	1997	3.40	2.50	26	2.92	0.21	
						1998	3.80	5.00	26	4.42	0.07	PLANT MIX OVERLAY 1998
						1999	3.80	5.00	64	4.42	0.09	
						2000	3.90	5.00	64	4.47	0.09	
						2001	3.80	5.00	64	4.42	0.10	
						2002	3.60	5.00	64	4.33	0.09	
						2003	3.60	5.00	56	4.33	0.09	SEALCOAT 2003
						2004	3.50	5.00	56	4.28	0.08	
						2005	3.40	5.00	57	4.23	0.09	
						2006	3.40	4.60	57	4.02	0.09	
5	U.S.-89	002380	006.938	011.685	N	1997	4.00	5.00	51	4.52	0.10	
						1998	4.00	5.00	51	4.52	0.07	PLANT MIX OVERLAY 1998
						1999	4.00	5.00	60	4.52	0.08	
						2000	4.00	4.70	60	4.36	0.07	
						2001	4.00	4.70	60	4.36	0.07	
						2002	3.70	4.30	60	4.01	0.08	
						2003	3.60	4.30	56	3.96	0.08	SEALCOAT 2003
						2004	3.50	4.30	56	3.91	0.06	
						2005	3.50	3.90	57	3.70	0.08	
						2006	3.50	3.90	57	3.70	0.06	
5	U.S.-89	002380	011.685	015.650	N	1997	4.10	5.00	49	4.59	0.44	
						1998	4.10	5.00	49	4.59	0.05	
						1999	4.10	5.00	50	4.59	0.05	
						2000	4.10	4.70	50	4.43	0.06	
						2001	4.10	4.70	50	4.43	0.06	
						2002	3.80	4.50	50	4.18	0.05	
						2003	3.80	4.50	56	4.18	0.06	SEALCOAT 2003
						2004	3.70	4.50	56	4.14	0.04	
						2005	3.70	4.00	57	3.86	0.04	
						2006	3.70	3.90	57	3.81	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-89	002380	015.650	016.238	N	1997	3.90	5.00	52	4.47	0.10	
						*1998	3.90	4.00	52	3.95	0.10	
						1999	3.80	3.00	56	3.35	0.12	
						2000	3.70	3.00	56	3.31	0.14	
						2001	3.80	3.00	56	3.35	0.13	
						2002	3.50	3.00	56	3.22	0.13	
						2003	3.60	3.00	56	3.26	0.12	SEALCOAT
						2004	3.40	3.00	56	3.17	0.09	
						2005	3.40	3.00	57	3.17	0.10	
						2006	3.60	3.00	57	3.26	0.10	
5	U.S.-89	002380	016.238	017.000	N	1997	3.90	5.00	52	4.47	0.10	
						*1998	3.90	4.00	52	3.95	0.10	
						1999	4.10	4.00	59	4.04	0.06	
						2000	4.10	4.00	59	4.04	0.08	
						2001	4.10	4.00	59	4.04	0.06	
						2002	3.80	4.00	59	3.90	0.06	
						2003	3.70	4.00	56	3.85	0.07	SEALCOAT
						2004	3.40	4.00	56	3.71	0.06	
						2005	3.50	4.00	57	3.76	0.07	
						2006	3.50	4.00	57	3.76	0.07	
5	U.S.-89	002380	017.000	019.750	N	1997	3.80	5.00	50	4.42	0.07	
						1998	3.80	5.00	50	4.42	0.08	
						1999	3.80	5.00	56	4.42	0.09	
						2000	3.90	5.00	56	4.47	0.11	
						2001	3.90	5.00	56	4.47	0.11	
						2002	3.60	4.80	56	4.22	0.09	
						2003	3.70	4.80	56	4.27	0.11	SEALCOAT
						2004	3.60	4.80	56	4.22	0.09	
						2005	3.50	4.10	57	3.81	0.06	
						2006	3.50	4.10	57	3.81	0.07	
5	U.S.-89	002380	019.750	025.018	N	1997	3.20	2.30	25	2.73	0.24	
						1998	3.60	5.00	25	4.33	0.07	MILL INLAY AND OVERLAY
						1999	3.50	5.00	54	4.28	0.10	SEALCOAT
						2000	3.50	5.00	54	4.28	0.12	
						2001	3.50	5.00	54	4.28	0.14	
						2002	3.40	5.00	54	4.23	0.14	
						2003	3.40	5.00	56	4.23	0.15	SEALCOAT
						2004	3.40	5.00	56	4.23	0.16	
						2005	3.40	4.50	57	3.97	0.18	
						2006	3.40	4.50	57	3.97	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-89	002380	025.018	025.294	N	1997	2.10	2.40	25	2.26	0.12		
						1998	4.00	5.00	25	4.55	0.06	MILL INLAY AND OVERLAY	1998
						1999	2.30	5.00	25	3.78	0.05	SEALCOAT	1999
						2000	2.40	5.00	54	3.83	0.06		
						2001	2.50	5.00	54	3.87	0.07		
						2002	2.10	5.00	54	3.69	0.05		
						2003	2.80	5.00	56	4.01	0.10		
						2004	2.70	5.00	56	3.96	0.11		
						2005	2.40	4.50	57	3.55	0.10		
						2006	2.60	4.50	57	3.64	0.05		
5	U.S.-89	002380	025.294	025.623	N	1997	2.20	3.00	41	2.63	0.15		
						1998	4.00	3.00	41	3.45	0.14		
						1999	2.40	3.00	61	2.72	0.16		
						2000	3.70	4.00	61	3.86	0.13		
						2001	3.60	4.00	61	3.81	0.16		
						2002	3.80	4.00	61	3.90	0.18		
						2003	3.10	4.00	56	3.59	0.08		
						2004	3.00	4.00	56	3.54	0.08		
						2005	3.10	4.00	57	3.59	0.05		
						2006	2.80	4.00	57	3.45	0.12		
5	U.S.-89	002380	025.623	025.984	N	1997	2.50	3.50	44	3.04	0.10		
						1998	4.00	3.50	44	3.72	0.13		
						1999	2.40	3.50	44	3.00	0.15		
						2000	3.50	3.50	44	3.50	0.26		
						2001	3.60	3.50	61	3.54	0.27		
						2002	3.30	3.50	61	3.40	0.17		
						2003	3.80	3.50	56	3.63	0.29		
						2004	3.70	3.50	56	3.59	0.19		
						2005	3.50	3.50	57	3.50	0.17		
						2006	3.60	3.50	57	3.54	0.20		
5	U.S.-89	002380	026.280	026.500	N	1997	2.10	1.80	15	1.93	0.25		
						*1998	4.00	1.80	15	2.78	0.27		
						1999	0.70	5.00	48	3.08	0.54	NEW CONST OR RECONST (FLEX)	1999
						2000	3.70	5.00	48	4.41	0.07		
						2001	3.50	5.00	48	4.32	0.09		
						2002	2.80	5.00	48	4.01	0.08		
						2003	2.30	5.00	56	3.79	0.13		
						2004	1.90	5.00	56	3.61	0.14		
						2005	2.00	5.00	57	3.65	0.10		
						2006	2.40	5.00	57	3.83	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-89	002380	026.500	027.170	N	1997	2.10	1.80	15	1.93	0.25		
						*1998	4.00	1.80	15	2.78	0.27		
						1999	2.50	5.00	54	3.88	0.28	PLANT MIX OVERLAY	1999
						2000	3.80	5.00	54	4.46	0.04		
						2001	3.70	5.00	54	4.42	0.04		
						2002	3.60	5.00	54	4.37	0.04		
						2003	3.50	5.00	56	4.33	0.05		
						2004	3.50	5.00	56	4.33	0.05		
						2005	3.50	5.00	57	4.33	0.07		
						2006	3.50	4.80	57	4.22	0.06		
5	U.S.-89	002380	027.170	029.693	N	1997	2.70	2.20	22	2.43	0.23		
						1998	4.00	2.20	22	3.04	0.25		
						1999	2.80	5.00	52	3.95	0.30	PLANT MIX OVERLAY	1999
						2000	3.60	5.00	52	4.34	0.04		
						2001	3.60	5.00	52	4.34	0.04		
						2002	3.50	5.00	52	4.29	0.04		
						2003	3.60	5.00	56	4.34	0.03		
						2004	3.50	5.00	56	4.29	0.04		
						2005	3.40	5.00	57	4.24	0.04		
						2006	3.40	4.80	57	4.14	0.04		
5	U.S.-89	002380	029.693	031.120	N	1997	2.70	1.50	27	2.06	0.26		
						1998	4.00	1.50	27	2.68	0.31		
						1999	2.90	1.50	45	2.16	0.32	PLANT MIX OVERLAY	1999
						2000	3.00	1.50	45	2.21	0.33		
						*2001	2.80	1.50	45	2.11	0.35		
						2002	3.00	1.50	51	2.20	0.11		
						2003	3.10	1.50	56	2.25	0.13		
						2004	2.70	1.50	56	2.06	0.29		
						2005	2.60	1.50	57	2.01	0.31		
						2006	2.40	1.50	57	1.92	0.31		
5	U.S.-89	002380	031.120	037.350	N	1997	2.70	1.50	27	2.06	0.26		
						1998	4.00	1.50	27	2.68	0.31		
						1999	2.90	1.50	45	2.16	0.32		
						2000	3.00	1.50	45	2.21	0.33		
						*2001	2.80	1.50	45	2.11	0.35		
						2002	2.90	5.00	42	4.00	0.37	NEW CONST OR RECONST (FLEX)	2002
						2003	2.90	5.00	56	4.01	0.37		
						2004	3.80	5.00	56	4.43	0.04		
						2005	3.70	4.90	57	4.33	0.07		
						2006	3.60	4.90	57	4.28	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-89	002380	037.350	037.668	N	1997	3.00	2.00	40	2.47	0.14		
						1998	4.00	1.90	40	2.89	0.18		
						1999	3.30	1.90	56	2.56	0.19		
						2000	3.40	1.90	56	2.61	0.20		
						*2001	3.40	1.90	56	2.61	0.20		
						*2002	3.40	5.00	54	4.24	0.16	NEW CONST OR RECONST (FLEX)	2002
						*2003	3.60	5.00	56	4.33	0.15		
						2004	3.90	5.00	56	4.47	0.05		
						2005	3.80	5.00	57	4.43	0.07		
						2006	3.70	5.00	57	4.38	0.05		
5	U.S.-89	002380	037.965	040.200	N	1997	3.00	2.00	40	2.47	0.14		
						1998	4.00	1.90	40	2.89	0.18		
						1999	3.30	1.90	56	2.56	0.19		
						2000	3.40	1.90	56	2.61	0.20	SEALCOAT	2000
						*2001	3.40	1.90	56	2.61	0.20		
						*2002	3.30	5.00	54	4.19	0.29	MILL INLAY AND OVERLAY	2002
						2003	3.10	2.50	56	2.78	2.32		
						2004	4.00	5.00	56	4.52	0.03		
						2005	3.90	5.00	57	4.47	0.05		
						2006	3.80	5.00	57	4.43	0.04		
5	U.S.-89	002380	040.200	040.920	N	1997	3.00	2.00	40	2.47	0.14		
						1998	4.00	1.90	40	2.89	0.18		
						1999	3.30	1.90	56	2.56	0.19		
						2000	3.40	1.90	56	2.61	0.20	SEALCOAT	2000
						*2001	3.40	1.90	56	2.61	0.20		
						2002	3.40	1.90	70	2.61	0.07		
						2003	3.30	5.00	56	4.19	2.07		
						2004	3.40	5.00	56	4.23	0.06		
						2005	3.30	5.00	57	4.19	0.07		
						2006	3.30	5.00	57	4.19	0.06		
5	U.S.-89	002380	041.580	042.910	N	1997	3.30	5.00	48	4.19	0.11		
						1998	4.00	5.00	48	4.52	0.19		
						1999	3.30	5.00	67	4.19	0.20		
						2000	3.30	5.00	67	4.19	0.20	SEALCOAT	2000
						2001	3.20	5.00	67	4.14	0.20		
						2002	3.20	5.00	67	4.14	0.20		
						2003	3.30	5.00	56	4.19	2.21		
						2004	3.20	5.00	56	4.14	0.14		
						2005	3.20	5.00	57	4.14	0.19		
						2006	3.20	5.00	57	4.14	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-89	002380	043.420	044.240	N	1997	2.90	5.00	49	4.00	0.07	SEALCOAT	2000
						1998	4.00	5.00	49	4.52	0.09		
						1999	3.10	5.00	65	4.09	0.11		
						2000	3.00	5.00	65	4.04	0.10		
						2001	3.00	5.00	65	4.04	0.08		
						2002	3.00	5.00	65	4.04	0.08		
						2003	3.30	5.00	56	4.19	2.07		
						2004	3.20	5.00	56	4.14	0.06		
						2005	3.30	5.00	57	4.19	0.08		
						2006	3.20	5.00	57	4.14	0.06		
5	U.S.-89	016002	040.920	041.400	N	1997	2.20	5.00	40	3.66	0.07		
						1998	2.20	5.00	40	3.66	0.06		
						1999	2.20	5.00	56	3.66	0.06		
						2000	2.30	5.00	56	3.71	0.08		
						2001	2.10	5.00	56	3.61	0.06		
						2002	2.10	5.00	70	3.61	0.06		
						2003	3.00	5.00	56	4.04	1.93		
						2004	2.70	5.00	56	3.90	0.06		
						2005	2.90	5.00	57	4.00	0.06		
						2006	2.50	5.00	57	3.81	0.07		
5	U.S.-89	016002	042.910	043.420	N	1997	2.60	5.00	48	3.85	0.07		
						1998	3.00	5.00	48	4.04	0.09		
						1999	3.00	5.00	67	4.04	0.11		
						2000	3.00	5.00	67	4.04	0.12		
						2001	2.90	5.00	67	4.00	0.08		
						2002	2.90	5.00	67	4.00	0.08		
						2003	3.10	5.00	56	4.09	2.10		
						2004	3.00	5.00	56	4.04	0.07		
						2005	2.90	5.00	57	4.00	0.11		
						2006	3.20	5.00	57	4.14	0.09		
5	U.S.-91	002350	000.000	006.956	N	1997	4.00	5.00	44	4.54	0.13	PLANT MIX OVERLAY	1998
						1998	4.10	5.00	44	4.59	0.19		
						1999	4.00	5.00	50	4.54	0.16		
						2000	4.00	4.60	50	4.32	0.18		
						2001	4.00	4.60	50	4.32	0.19		
						2002	3.60	4.60	50	4.14	0.21		
						2003	3.60	3.20	56	3.38	0.22		
						2004	3.60	2.80	56	3.16	0.23		
						2005	3.30	2.60	57	2.91	0.21		
						2006	3.60	5.00	57	4.36	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-91	002350	006.956	007.814	N	1997	3.30	2.00	39	2.54	0.12		
						1998	3.60	2.00	39	2.67	0.14	PLANT MIX OVERLAY	1998
						1999	3.50	2.00	48	2.63	0.08		
						2000	3.50	2.00	48	2.63	0.09		
						2001	3.60	2.00	48	2.67	0.10		
						2002	3.30	1.90	48	2.48	0.10		
						2003	3.30	1.70	56	2.37	0.11		
						2004	3.30	1.70	56	2.37	0.10		
						2005	3.30	1.70	57	2.37	0.10		
						2006	4.00	5.00	57	4.57	0.27	NEW CONST OR RECONST (FLEX)	2006
5	U.S.-91	002350	007.814	008.015	N	1997	2.60	4.50	34	3.70	0.08		
						1998	2.80	4.50	34	3.78	0.13		
						1999	2.80	4.50	54	3.78	0.19		
						2000	2.70	4.50	54	3.74	0.23		
						2001	2.80	4.50	54	3.78	0.12		
						2002	2.70	4.50	54	3.74	0.11		
						2003	2.70	4.50	56	3.73	0.27		
						2004	2.60	4.50	56	3.69	0.20		
						2005	2.70	4.50	57	3.73	0.18		
						2006	3.50	4.50	57	4.07	0.24		
5	U.S.-91	002350	008.015	008.532	N	1997	2.80	4.00	40	3.49	0.07		
						1998	2.70	4.00	40	3.44	0.14		
						1999	2.50	4.00	53	3.35	0.15		
						2000	2.40	4.00	53	3.32	0.16		
						2001	2.60	4.00	53	3.40	0.17		
						2002	2.60	4.00	53	3.40	0.15		
						2003	2.60	4.00	56	3.40	0.15		
						2004	2.50	4.00	56	3.35	0.13		
						2005	2.60	4.00	57	3.40	0.10		
						2006	2.60	4.00	57	3.40	0.12		
5	U.S.-91	002350	008.532	009.230	N	1997	2.30	4.00	40	3.28	0.11		
						1998	2.30	4.00	40	3.28	0.09		
						1999	2.20	4.00	45	3.24	0.13		
						2000	2.20	3.70	45	3.07	0.16		
						2001	2.20	3.70	45	3.07	0.12		
						2002	2.40	3.00	45	2.75	0.09		
						2003	2.40	3.00	56	2.75	0.10		
						2004	2.30	3.00	56	2.70	0.09		
						2005	2.10	2.90	57	2.56	0.12		
						2006	2.40	2.90	57	2.68	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-91	002350	009.230	010.442	N	1997	2.90	3.50	33	3.23	0.14		
						1998	2.80	3.50	33	3.18	0.17		
						1999	2.80	3.50	45	3.18	0.18		
						2000	2.80	2.50	45	2.63	0.22		
						2001	2.80	2.40	45	2.57	0.20		
						2002	2.50	2.40	45	2.44	0.23		
						2003	2.60	2.40	56	2.48	0.24		
						2004	2.40	2.40	56	2.40	0.25		
						2005	2.40	2.40	57	2.40	0.29	SEALCOAT	2005
						2006	2.30	2.40	57	2.35	0.27		
5	U.S.-91	002350	010.442	013.790	N	1997	3.40	3.50	41	3.45	0.17		
						1998	3.40	2.80	41	3.06	0.21	SEALCOAT	1998
						1999	3.40	2.80	40	3.06	0.22		
						2000	3.30	2.80	40	3.02	0.25		
						2001	3.30	2.80	40	3.02	0.24		
						2002	3.00	2.80	40	2.88	0.25		
						2003	3.10	2.80	56	2.93	0.24		
						2004	3.10	2.80	56	2.93	0.25		
						2005	3.00	2.80	57	2.88	0.27	SEALCOAT	2005
						2006	3.00	2.80	57	2.88	0.30		
5	U.S.-91	002350	014.730	021.800	N	1997	3.90	5.00	38	4.50	0.06		
						*1998	3.90	5.00	38	4.50	0.07	SEALCOAT	1998
						1999	3.80	5.00	56	4.46	0.08		
						2000	3.80	4.70	56	4.29	0.09		
						2001	3.80	4.70	56	4.29	0.10		
						2002	3.50	4.00	56	3.77	0.10		
						2003	3.60	3.90	56	3.76	0.08		
						2004	3.50	2.50	56	2.94	0.08		
						2005	3.50	2.50	57	2.94	0.09	SEALCOAT	2005
						2006	3.50	2.50	57	2.94	0.08		
5	U.S.-91	002350	021.800	029.680	N	1997	3.30	2.50	51	2.85	0.25		
						*1998	3.30	2.40	51	2.80	0.26	SEALCOAT	1998
						1999	3.80	5.00	57	4.46	0.09	PLANT MIX OVERLAY	1999
						2000	3.80	4.70	57	4.29	0.09		
						2001	3.90	4.70	57	4.34	0.10		
						2002	3.60	4.50	57	4.09	0.10		
						2003	3.60	4.50	56	4.09	0.09		
						2004	3.60	4.50	56	4.09	0.09		
						2005	3.50	4.40	57	3.99	0.09	SEALCOAT	2005
						2006	3.50	4.40	57	3.99	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	029.680	030.070	N	1997	3.30	2.50	51	2.85	0.25	
						*1998	3.30	2.40	51	2.80	0.26	
						1999	2.90	5.00	58	4.06	0.03	
						2000	2.80	5.00	58	4.01	0.05	
						2001	2.70	5.00	58	3.97	0.04	
						2002	2.70	5.00	58	3.97	0.03	
						2003	2.90	4.80	56	3.95	0.03	
						2004	2.80	3.10	56	2.96	0.03	
						2005	2.80	3.10	57	2.96	0.05	SEALCOAT
						2006	2.80	3.10	57	2.96	0.04	2005
5	U.S.-91	002350	030.606	034.200	N	1997	3.30	2.80	47	3.02	0.20	
						*1998	3.30	2.80	47	3.02	0.21	
						1999	3.30	2.80	51	3.02	0.21	
						2000	3.20	2.80	51	2.97	0.23	
						*2001	3.30	2.80	51	3.02	0.21	
						2002	3.70	5.00	51	4.41	0.07	NEW CONST OR RECONST (FLEX)
						2003	3.80	5.00	56	4.46	0.08	2002
						2004	3.70	5.00	56	4.41	0.08	
						2005	3.70	5.00	57	4.41	0.09	SEALCOAT
						2006	3.60	5.00	57	4.37	0.08	2005
5	U.S.-91	002350	034.200	037.588	N	1997	3.30	2.80	47	3.02	0.20	
						*1998	3.30	2.80	47	3.02	0.21	
						1999	3.30	2.80	51	3.02	0.21	
						2000	3.20	2.80	51	2.97	0.23	
						*2001	3.30	2.80	51	3.02	0.21	
						2002	3.90	5.00	52	4.50	0.10	
						2003	3.90	5.00	56	4.50	0.09	
						2004	3.90	5.00	56	4.50	0.10	
						2005	3.80	5.00	57	4.46	0.10	SEALCOAT
						2006	3.80	5.00	57	4.46	0.10	2005
5	U.S.-91	002350	037.588	041.700	N	1997	4.00	5.00	48	4.55	0.10	
						1998	4.00	5.00	48	4.55	0.09	
						1999	4.00	5.00	53	4.55	0.09	
						2000	4.00	5.00	53	4.55	0.11	
						2001	4.00	5.00	53	4.55	0.10	
						2002	3.70	5.00	53	4.41	0.11	
						2003	3.80	4.50	56	4.18	0.11	
						2004	3.80	2.80	56	3.24	0.12	
						2005	3.60	2.40	57	2.93	0.10	SEALCOAT
						2006	3.50	2.30	57	2.83	0.11	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS						
5	U.S.-91	002350	041.700	042.539	N	1997	2.40	3.00	49	2.73	0.15							
						1998	2.50	3.00	49	2.77	0.13							
						1999	2.50	3.00	49	2.77	0.14							
						2000	2.30	3.00	49	2.68	0.14							
						2001	2.40	3.00	49	2.73	0.14							
						2002	2.40	3.00	49	2.73	0.13							
						2003	2.50	2.40	56	2.44	0.14							
						2004	2.40	2.40	56	2.40	0.14							
						2005	2.40	2.40	57	2.40	0.14	SEALCOAT						
						2006	2.40	2.40	57	2.40	0.13							
						2005							2005					
						5	U.S.-91	002350	077.890	078.209	ASC	1997	1.10	2.30	25	1.78	0.06	
												1998	1.00	2.30	25	1.74	0.05	
1999	0.90	2.30	29	1.69	0.07													
2000	1.00	2.30	29	1.73	0.12													
2001	2.20	2.30	29	2.25	0.05													
2002	2.20	2.30	29	2.25	0.08													
2003	2.20	2.30	56	2.25	0.05													
2004	2.20	2.30	56	2.25	0.06													
2005	2.10	2.20	57	2.15	0.04													
2006	1.90	2.20	57	2.07	0.08							NEW CONST OR RECONST (FLEX)						
2006													2006					
5	U.S.-91	002350	077.890	078.209	DES							1997	1.10	2.30	25	1.78	0.06	
												1998	0.70	2.30	25	1.61	0.06	
						1999	0.70	2.30	29	1.60	0.07							
						2000	0.90	3.50	29	2.37	0.10							
						2001	1.50	3.50	29	2.63	0.04							
						2002	2.00	3.50	29	2.84	0.05							
						2003	2.10	3.50	56	2.89	0.04							
						2004	1.70	3.50	56	2.72	0.04							
						2005	2.10	3.50	57	2.89	0.04							
						2006	2.10	3.50	57	2.89	0.05	NEW CONST OR RECONST (FLEX)						
						2006							2006					
						5	U.S.-91	002350	078.209	078.762	N	1997	2.90	4.50	32	3.78	0.10	
												1998	2.40	4.30	32	3.46	0.13	
1999	2.50	4.30	43	3.48	0.18													
2000	2.50	2.70	43	2.60	0.26													
2001	2.60	2.70	43	2.65	0.16													
2002	2.60	2.40	43	2.49	0.22													
2003	2.60	2.30	56	2.43	0.20													
2004	2.40	2.30	56	2.34	0.15													
2005	2.20	2.30	57	2.25	0.21													
2006	3.90	5.00	57	4.50	0.23							NEW CONST OR RECONST (FLEX)						
2006													2006					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	078.762	079.360	N	1997	2.10	4.50	24	3.44	0.05	
						1998	2.00	4.50	24	3.39	0.06	
						1999	1.90	4.50	24	3.34	0.05	
						2000	2.00	4.50	24	3.38	0.06	
						2001	2.00	4.50	24	3.38	0.07	
						2002	2.00	4.20	24	3.22	0.08	
						2003	1.90	4.20	56	3.16	0.07	
						2004	1.90	4.20	56	3.18	0.06	
						2005	2.00	4.00	57	3.11	0.09	
						2006	2.90	4.00	57	3.51	0.09	
5	U.S.-91	002350	079.360	079.690	N	1997	1.70	4.50	32	3.24	0.11	NEW CONST OR RECONST (FLEX) 2006
						1998	1.60	4.50	32	3.20	0.11	
						1999	1.60	4.50	28	3.22	0.15	
						2000	1.90	4.50	28	3.32	0.18	
						2001	1.40	4.50	28	3.09	0.16	
						2002	2.10	4.50	28	3.41	0.20	
						2003	2.00	4.50	56	3.37	0.16	
						2004	1.90	4.50	56	3.32	0.17	
						2005	2.00	3.00	57	2.54	0.21	
						2006	2.20	3.00	57	2.63	0.04	
5	U.S.-91	002350	079.690	079.730	N	1997	2.10	5.00	35	3.70	0.09	
						1998	2.00	5.00	35	3.65	0.12	
						1999	2.00	5.00	35	3.65	0.20	
						2000	2.10	5.00	35	3.68	0.22	
						2001	2.00	5.00	28	3.63	0.26	
						2002	2.00	5.00	28	3.64	0.31	
						2003	1.50	5.00	56	3.41	0.26	
						2004	2.10	5.00	56	3.68	0.31	
						2005	1.90	2.90	57	2.44	0.31	
						2006	2.90	2.00	57	2.40	0.03	
5	U.S.-91	002350	079.730	080.008	N	1997	2.40	5.00	27	3.84	0.10	
						1998	2.40	5.00	27	3.84	0.12	
						1999	2.30	5.00	42	3.79	0.24	
						2000	2.30	3.20	42	2.79	0.38	
						2001	2.00	3.20	42	2.65	0.26	
						2002	2.00	2.70	42	2.38	0.39	
						2003	2.30	2.70	56	2.51	0.36	
						2004	2.10	2.40	56	2.26	0.30	
						2005	2.00	2.30	57	2.16	0.50	
						2006	1.80	2.20	57	2.01	0.43	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	080.008	080.141	N	1997	2.60	2.30	20	2.43	0.06	
						1998	2.30	2.30	20	2.30	0.07	
						*1999	2.20	2.30	33	2.25	0.09	
						2000	1.90	4.00	31	3.06	0.29	
						2001	1.90	4.00	42	3.05	0.22	
						2002	2.10	4.00	42	3.14	0.08	
						2003	2.10	4.00	56	3.14	0.06	
						2004	1.70	4.00	56	2.96	0.05	
						2005	1.70	4.00	57	2.96	0.08	
						2006	1.80	4.00	57	3.00	0.06	
5	U.S.-91	002350	080.141	080.570	N	1997	2.60	2.30	20	2.43	0.06	
						1998	2.30	2.30	20	2.30	0.07	
						*1999	2.20	2.30	33	2.25	0.09	
						2000	2.40	2.30	33	2.34	0.09	
						2001	3.00	2.30	33	2.61	0.05	
						2002	3.20	2.30	33	2.70	0.06	
						2003	3.20	2.30	56	2.70	0.05	
						2004	3.10	2.30	56	2.65	0.06	
						2005	3.10	2.30	57	2.65	0.08	
						2006	3.00	2.30	57	2.61	0.07	
5	U.S.-91	002350	080.570	081.020	N	1997	1.90	2.90	21	2.46	0.04	
						1998	1.80	2.90	21	2.42	0.03	
						1999	1.80	2.90	29	2.42	0.03	
						2000	2.00	2.90	29	2.51	0.04	
						2001	2.40	2.90	29	2.68	0.05	
						2002	2.90	2.90	29	2.90	0.04	
						2003	2.90	2.90	56	2.90	0.03	
						2004	2.80	2.90	56	2.85	0.05	
						2005	2.70	2.90	57	2.81	0.05	
						2006	2.60	2.90	57	2.76	0.06	
5	U.S.-91	002350	081.020	081.580	N	1997	2.20	3.00	34	2.65	0.14	
						1998	2.10	3.00	34	2.61	0.11	
						1999	2.10	2.60	27	2.38	0.12	
						2000	2.20	2.40	27	2.31	0.10	
						2001	2.30	2.40	27	2.35	0.11	
						2002	2.30	2.40	27	2.35	0.09	
						2003	2.40	2.40	56	2.40	0.12	
						2004	2.40	2.40	56	2.40	0.18	
						2005	2.20	2.40	57	2.31	0.09	
						2006	3.20	5.00	57	4.22	0.16	PLANT MIX OVERLAY

2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-91	002350	081.580	083.577	N	1997	3.30	3.00	32	3.12	0.18		
						1998	3.20	3.00	32	3.08	0.22		
						1999	3.20	2.50	28	2.79	0.23		
						2000	3.20	2.30	28	2.67	0.23		
						2001	3.10	2.30	28	2.63	0.19		
						2002	3.10	2.30	28	2.63	0.19		
						2003	3.10	2.30	56	2.63	0.20		
						2004	3.10	2.30	56	2.63	0.19		
						2005	3.10	2.30	57	2.66	0.21		
						2006	3.30	5.00	57	4.23	0.21	PLANT MIX OVERLAY	2006
5	U.S.-91	002350	083.577	087.858	N	1997	3.40	2.50	40	2.87	0.24		
						1998	3.30	2.50	40	2.83	0.29		
						1999	3.30	2.50	44	2.83	0.28	SEALCOAT	1999
						2000	3.40	2.40	44	2.81	0.30		
						2001	3.30	2.40	44	2.77	0.30		
						2002	3.10	2.40	44	2.69	0.32		
						2003	3.10	2.30	56	2.63	0.32		
						2004	3.00	1.90	56	2.39	0.33		
						2005	3.10	1.90	57	2.43	0.34		
						2006	3.10	5.00	57	4.14	0.35	PLANT MIX OVERLAY	2006
5	U.S.-91	002350	087.858	089.000	N	1997	2.90	2.00	31	2.37	0.40		
						1998	2.80	2.00	31	2.33	0.45		
						*1999	2.80	2.00	51	2.33	0.46	SEALCOAT	1999
						2000	2.70	2.00	51	2.29	0.29		
						2001	2.60	2.00	51	2.25	0.30		
						2002	2.70	2.00	51	2.29	0.33		
						2003	2.70	2.00	56	2.29	0.33		
						2004	2.60	1.90	56	2.19	0.33		
						2005	2.60	1.90	57	2.19	0.35		
						2006	2.80	5.00	57	4.08	0.36	PLANT MIX OVERLAY	2006
5	U.S.-91	002350	089.000	095.000	N	1997	2.90	2.00	31	2.37	0.40		
						1998	2.80	2.00	31	2.33	0.45		
						*1999	2.80	2.00	51	2.33	0.46	SEALCOAT	1999
						2000	3.00	5.00	50	4.16	0.55	MILL AND INLAY	2000
						2001	4.00	5.00	50	4.58	0.03		
						2002	3.90	5.00	50	4.54	0.03		
						2003	3.90	5.00	56	4.54	0.03		
						2004	3.90	5.00	56	4.54	0.03		
						2005	3.90	5.00	57	4.54	0.04		
						2006	3.90	5.00	57	4.54	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-91	002350	095.000	097.052	N	1997	2.90	1.50	34	2.08	0.46		
						1998	2.80	1.50	34	2.04	0.47		
						*1999	2.70	1.50	48	2.00	0.53	SEALCOAT	1999
						2000	3.20	1.50	48	2.20	0.39		
						2001	3.20	1.50	48	2.20	0.40		
						2002	3.00	1.50	48	2.12	0.39		
						2003	3.00	1.50	56	2.12	0.40		
						2004	3.00	1.50	56	2.12	0.34		
						2005	3.00	1.50	57	2.12	0.35		
						2006	3.00	1.50	57	2.12	0.39		
5	U.S.-91	002350	100.700	101.064	N	1997	4.00	5.00	47	4.60	0.03	MILL AND INLAY	1997
						1998	4.00	5.00	47	4.60	0.04		
						1999	3.90	5.00	50	4.56	0.03		
						2000	3.90	5.00	50	4.56	0.05		
						2001	3.90	5.00	50	4.56	0.03		
						2002	3.80	4.80	50	4.40	0.04		
						2003	4.00	4.80	56	4.48	0.04		
						2004	3.90	4.00	56	3.95	0.03		
						2005	4.00	3.20	57	3.54	0.06	SEALCOAT	2005
						2006	3.90	2.40	57	3.04	0.06		
5	U.S.-91	002350	101.064	101.652	N	1997	3.60	5.00	47	4.40	0.06	MILL AND INLAY	1997
						1998	3.50	5.00	47	4.36	0.06		
						1999	3.60	5.00	46	4.40	0.07		
						2000	3.60	4.80	46	4.29	0.06		
						2001	3.40	4.80	46	4.20	0.07		
						2002	3.60	4.40	46	4.06	0.08		
						2003	3.70	4.40	56	4.10	0.06		
						2004	3.70	3.60	56	3.64	0.06		
						2005	3.60	3.60	57	3.60	0.07	SEALCOAT	2005
						2006	3.60	2.00	57	2.72	0.06		
5	U.S.-91	002350	101.652	101.836	N	1997	3.10	3.00	31	3.04	0.21		
						1998	2.90	3.00	31	2.95	0.23		
						1999	2.90	3.00	31	2.95	0.23		
						2000	2.90	3.00	31	2.95	0.27		
						2001	2.80	2.70	46	2.74	0.26		
						2002	3.40	5.00	46	4.32	0.09		
						2003	3.50	3.80	56	3.67	0.12		
						2004	3.50	3.80	56	3.66	0.05		
						2005	3.50	3.80	57	3.66	0.13	SEALCOAT	2005
						2006	3.50	3.80	57	3.66	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	101.836	102.450	N	1997	3.50	3.00	37	3.20	0.25	
						1998	3.30	3.00	37	3.12	0.28	
						*1999	3.40	3.00	47	3.16	0.32	
						2000	3.20	3.00	35	3.08	0.32	
						2001	3.20	3.00	35	3.08	0.38	
						2002	3.00	3.00	35	3.00	0.36	
						2003	3.00	2.90	56	2.94	0.39	
						2004	3.00	2.60	56	2.78	0.42	
						2005	2.90	2.60	57	2.73	0.45	SEALCOAT
						2006	2.90	2.60	57	2.73	0.46	2005
5	U.S.-91	002350	102.450	104.266	N	1997	3.50	3.00	37	3.20	0.25	
						1998	3.30	3.00	37	3.12	0.28	
						*1999	3.40	3.00	47	3.16	0.32	PLANT MIX OVERLAY
						2000	3.60	5.00	51	4.41	0.10	1999
						2001	3.60	5.00	51	4.41	0.12	
						2002	3.40	5.00	51	4.32	0.14	
						2003	3.50	5.00	56	4.37	0.15	
						2004	3.50	5.00	56	4.32	0.17	
						2005	3.40	5.00	57	4.27	0.19	SEALCOAT
						2006	3.40	5.00	57	4.27	0.20	2005
5	U.S.-91	002350	104.266	107.289	N	1997	3.50	3.50	41	3.50	0.22	
						1998	3.50	3.50	41	3.50	0.29	
						1999	3.40	3.50	49	3.45	0.31	PLANT MIX OVERLAY
						2000	3.80	5.00	49	4.49	0.07	1999
						2001	3.90	5.00	49	4.54	0.11	
						2002	3.70	5.00	49	4.45	0.12	
						2003	3.70	5.00	56	4.45	0.13	
						2004	3.70	4.80	56	4.34	0.14	
						2005	3.60	4.80	57	4.29	0.16	SEALCOAT
						2006	3.60	4.80	57	4.29	0.17	2005
5	U.S.-91	002350	107.289	111.900	N	1997	3.60	2.60	43	3.01	0.28	
						1998	3.60	2.60	43	3.01	0.32	
						1999	3.50	2.60	52	2.97	0.33	PLANT MIX OVERLAY
						2000	3.80	5.00	52	4.49	0.05	1999
						2001	3.90	5.00	52	4.54	0.07	
						2002	3.70	5.00	52	4.45	0.09	
						2003	3.70	5.00	56	4.45	0.08	
						2004	3.70	5.00	56	4.45	0.09	
						2005	3.60	5.00	57	4.41	0.10	SEALCOAT
						2006	3.60	5.00	57	4.41	0.11	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-91	002350	111.900	112.300	N	1997	3.50	5.00	37	4.42	0.12		
						1998	3.40	5.00	37	4.38	0.13		
						1999	3.40	5.00	45	4.38	0.17		
						2000	3.60	5.00	45	4.41	0.16		
						2001	3.50	5.00	45	4.42	0.19		
						2002	3.30	5.00	45	4.34	0.20		
						*2003	3.30	5.00	56	4.34	0.19		
						2004	3.20	5.00	56	4.30	0.13		
						2005	3.20	5.00	57	4.30	0.13	SEALCOAT	2005
						2006	3.20	5.00	57	4.30	0.14		
5	U.S.-91	002350	112.300	113.300	N	1997	3.60	3.00	38	3.25	0.23		
						1998	3.60	2.50	38	2.96	0.30		
						*1999	3.50	2.50	50	2.92	0.31		
						2000	3.70	5.00	50	4.45	0.32	PLANT MIX OVERLAY	2000
						2001	3.80	5.00	50	4.49	0.12		
						2002	3.60	5.00	50	4.41	0.13		
						*2003	3.60	5.00	56	4.41	0.14		
						2004	3.50	5.00	56	4.37	0.28	NEW CONST OR RECONST (FLEX)	2004
						2005	3.30	5.00	57	4.28	0.16	SEALCOAT	2005
						2006	3.30	5.00	57	4.28	0.17		
5	U.S.-91	002350	113.300	117.100	N	1997	3.60	3.00	38	3.25	0.23		
						1998	3.60	2.50	38	2.96	0.30		
						*1999	3.50	2.50	50	2.92	0.31		
						2000	3.70	5.00	50	4.45	0.32	PLANT MIX OVERLAY	2000
						2001	3.80	5.00	50	4.49	0.12		
						2002	3.60	5.00	50	4.41	0.13		
						*2003	3.60	5.00	56	4.41	0.14		
						2004	3.60	5.00	56	4.41	0.15		
						2005	3.50	5.00	57	4.37	0.18	SEALCOAT	2005
						2006	3.60	5.00	57	4.41	0.17		
5	U.S.-91	002350	117.100	117.561	N	1997	3.60	3.00	38	3.25	0.23		
						1998	3.60	2.50	38	2.96	0.30		
						*1999	3.50	2.50	50	2.92	0.31		
						2000	3.80	2.50	43	3.04	0.30		
						2001	3.80	2.50	43	3.04	0.30		
						2002	3.60	2.40	43	2.90	0.33		
						2003	3.70	1.90	56	2.66	0.35		
						2004	3.70	1.90	56	2.66	0.37		
						2005	3.60	3.50	57	3.54	0.36	SEALCOAT	2005
						2006	3.60	3.40	57	3.48	0.39		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	117.561	117.998	N	1997	2.60	4.50	34	3.75	0.20	
						1998	2.90	2.70	34	2.77	0.19	
						1999	3.00	2.70	34	2.81	0.20	
						2000	1.70	2.70	34	2.30	0.22	
						2001	2.50	2.70	43	2.62	0.22	
						2002	1.80	2.40	43	2.16	0.24	
						2003	1.80	2.40	56	2.16	0.24	
						2004	1.90	2.40	56	2.20	0.25	
						2005	2.80	3.50	57	3.22	0.09	SEALCOAT
						2006	2.90	3.30	57	3.14	0.12	2005
5	U.S.-91	002350	117.998	118.250	N	1997	2.90	3.00	34	2.96	0.13	
						1998	2.90	3.00	34	2.96	0.15	
						1999	2.90	3.00	54	2.96	0.29	
						2000	2.50	3.00	54	2.80	0.18	
						*2001	2.50	3.00	54	2.80	0.19	
						2002	2.20	3.00	54	2.68	0.20	
						2003	2.40	2.00	56	2.15	0.21	
						2004	2.40	1.90	56	2.09	0.21	
						2005	3.30	4.00	57	3.72	0.04	SEALCOAT
						2006	3.30	4.00	57	3.72	0.06	2005
5	U.S.-91	002350	118.250	118.404	N	1997	2.90	3.00	34	2.96	0.13	
						1998	2.90	3.00	34	2.96	0.15	
						1999	2.90	3.00	54	2.96	0.29	
						2000	2.50	3.00	54	2.80	0.18	
						*2001	2.50	3.00	54	2.80	0.19	
						2002	3.00	5.00	54	4.22	0.10	NEW CONST OR RECONST (FLEX)
						2003	2.90	5.00	56	4.18	0.12	
						2004	2.80	5.00	56	4.14	0.13	
						2005	3.50	5.00	57	4.41	0.04	SEALCOAT
						2006	3.40	5.00	57	4.37	0.05	2005
5	U.S.-91	002350	118.404	118.696	N	1997	3.90	3.50	21	3.65	0.26	
						1998	4.10	3.50	21	3.73	0.45	
						1999	4.00	3.50	17	3.69	0.39	
						2000	4.10	3.50	17	3.73	0.46	
						2001	4.10	3.50	17	3.73	0.37	
						2002	3.10	5.00	17	4.26	0.27	NEW CONST OR RECONST (FLEX)
						2003	3.20	5.00	56	4.30	0.11	
						2004	3.30	5.00	56	4.34	0.13	
						2005	3.90	5.00	57	4.57	0.04	SEALCOAT
						2006	3.80	5.00	57	4.53	0.04	2005

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	118.696	118.990	N	1997	3.60	3.50	32	3.54	0.33	
						1998	3.70	3.50	32	3.58	0.38	
						1999	3.60	3.50	43	3.54	0.48	
						2000	3.70	3.50	43	3.58	0.46	
						*2001	3.60	3.50	43	3.54	0.44	
						2002	2.80	5.00	17	4.07	0.52	NEW CONST OR RECONST (FLEX)
						2003	3.20	5.00	56	4.23	0.13	
						2004	3.20	5.00	56	4.23	0.14	
						2005	3.70	5.00	57	4.49	0.03	SEALCOAT
						2006	3.60	5.00	57	4.45	0.04	
5	U.S.-91	002350	118.990	119.132	N	1997	3.60	3.50	32	3.54	0.33	
						1998	3.70	3.50	32	3.58	0.38	
						1999	3.60	3.50	43	3.54	0.48	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
 FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
						2000	3.70	3.50	43	3.58	0.46	
						*2001	3.60	3.50	43	3.54	0.44	
						*2002	3.50	3.50	43	3.50	0.43	
						2003	3.00	5.00	56	4.15	0.05	
						2004	3.10	5.00	56	4.19	0.06	
						2005	3.60	5.00	57	4.40	0.02	SEALCOAT
						2006	3.60	5.00	57	4.40	0.02	2005
5	U.S.-91	002350	119.132	120.561	N	1997	3.60	3.50	32	3.54	0.33	
						1998	3.70	3.50	32	3.58	0.38	
						1999	3.60	3.50	43	3.54	0.48	
						2000	3.70	3.50	43	3.58	0.46	
						*2001	3.60	3.50	43	3.54	0.44	
						*2002	3.50	3.50	43	3.50	0.43	
						2003	3.50	3.50	56	3.50	0.31	
						2004	3.50	3.50	56	3.50	0.35	
						2005	3.50	3.50	57	3.50	0.37	SEALCOAT
						2006	3.50	3.50	57	3.50	0.34	2005
5	U.S.-91	015993	013.790	014.690	N	1997	3.40	5.00	41	4.28	0.10	
						1998	3.40	5.00	41	4.28	0.15	SEALCOAT
						1999	3.50	5.00	40	4.33	0.10	1998
						2000	3.40	5.00	40	4.28	0.11	
						2001	3.50	5.00	40	4.33	0.11	
						2002	3.50	5.00	40	4.33	0.12	
						2003	3.50	5.00	56	4.33	0.12	
						2004	3.50	5.00	56	4.33	0.11	
						2005	3.40	5.00	57	4.28	0.14	
						2006	3.40	5.00	57	4.28	0.12	
5	U.S.-91	016377	030.070	030.620	N	1997	3.00	5.00	42	4.10	0.09	
						*1998	3.00	5.00	42	4.10	0.09	
						1999	3.00	5.00	58	4.10	0.07	
						2000	2.90	5.00	58	4.06	0.09	
						2001	3.00	4.70	58	3.94	0.09	
						2002	2.90	4.50	58	3.78	0.08	
						2003	2.90	4.40	56	3.73	0.07	
						2004	2.90	4.40	56	3.73	0.10	
						2005	2.90	4.40	57	3.73	0.12	
						2006	3.00	4.20	57	3.66	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

-----HISTORICAL PAVEMENT CONDITIONS-----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------